

Ref: Dr. Sindhar

CM SCHEME

CABG + MVR

Discharge on 21/7/24

MHI/DP/2022/104

Medway Hospitals
The way to better health
(A Unit of United Alliance Healthcare Pvt Ltd)

BILLING CARD
SAFETY FIRST



Patient Name

Mr. VIJLJ (CM SCHEME)

48/Male/MH1202482502

15/07/2024/1PH2024001655

IP No.

Dr. RAJESH.V

Room No.



RANSFER DETAILS

Rent Per Day

204 (Cw)

Date	Time	From	To	Nurse's Signature
15/7/24	14:20	ADMISSION	Ind 7/008 204 (B)	
16/7/24	9:00	11th FLOOR	CT-07	
16/7/24	9:10	Ward 12	CT-07	
16/7/24	15:35	CTOT	SLW	Fax 202
17/7/24	12:30	SLW	PDW	MOON 0276
18/7/24	9:50	PDW	203	MOON 0276

OPERATION THEATRE

Date	: 16/7/2024	OT No.	: CTOT-II
Surgeon	: DR. RAMESH.V	Start Time	: 9:30
I Asst. Surgeon	: DR. PRAVEEN JAYAKUMAR	End Time	: 15:35
II Asst. Surgeon	: DEVIKALA	Dis. Pack	: -
III Asst. Surgeon	: -	Diathermy	: USED
Anaesthetist	: DR. SILVESTER/DR. PRAVEEN	C-Arm	: -
OT Nurse	: SUSTANA, SARDKUMAR	Arthroscopy	: -
Name of Surgery	: CABG + MVR OPEN	Laproscoy	: -
ANESTHETIC	: AARTI VUA, MANMAN DRILL	Sevoflurane / Isoflurane	: 3 HRS
SAW USED, 500 THINGS R31000 TO		Inj. Fentanyl	: 2ml 10ml/inj. monphi:
BE CHARGE.		Others	: 1.27MM MTRAC MILSONIA VARE

MONITOR

INFUSION PUMP

Date	Start	Date	Disconnect	Date	Start	Date	Disconnect
16/7/24	15:40	18/7/24	09:40				

OXYGEN

SYRINGE PUMP

Date	Start	Date	Disconnect	Date	Start	Date	Disconnect
16/7/24	15:40	17/7/24	5am	16/7/24	15:40	17/7/24	8:30
				16/7/24	15:40	17/7/24	9:30
				16/7/24	15:40	16/7/24	22:40

ALPHA BED

SCD PUMP

VENTILATOR

Date	Start	Date	Disconnect	Date	Start	Date	Disconnect
				16/7/24	15:40	16/7/24	18:10

[illegible]

•

10

• •

2

:

2

• •

22

22

2

56

2

• •

2

• •

5

2

•

2

LABORATORY

~~146, 146A, 146B, 146C, 146D, 146E, 146F, 146G, 146H, 146I, 146J, 146K, 146L, 146M, 146N, 146O, 146P, 146Q, 146R, 146S, 146T, 146U, 146V, 146W, 146X, 146Y, 146Z, 146AA, 146AB, 146AC, 146AD, 146AE, 146AF, 146AG, 146AH, 146AI, 146AJ, 146AK, 146AL, 146AM, 146AN, 146AO, 146AP, 146AQ, 146AR, 146AS, 146AT, 146AU, 146AV, 146AW, 146AX, 146AY, 146AZ, 146BA, 146BB, 146BC, 146BD, 146BE, 146BF, 146BG, 146BH, 146BI, 146BJ, 146BK, 146BL, 146BM, 146BN, 146BO, 146BP, 146BQ, 146BR, 146BS, 146BT, 146BU, 146BV, 146BW, 146BX, 146BY, 146BZ, 146CA, 146CB, 146CC, 146CD, 146CE, 146CF, 146CG, 146CH, 146CI, 146CJ, 146CK, 146CL, 146CM, 146CN, 146CO, 146CP, 146CQ, 146CR, 146CS, 146CT, 146CU, 146CV, 146CW, 146CX, 146CY, 146CZ, 146DA, 146DB, 146DC, 146DD, 146DE, 146DF, 146DG, 146DH, 146DI, 146DJ, 146DK, 146DL, 146DM, 146DN, 146DO, 146DP, 146DQ, 146DR, 146DS, 146DT, 146DU, 146DV, 146DW, 146DX, 146DY, 146DZ, 146EA, 146EB, 146EC, 146ED, 146EE, 146EF, 146EG, 146EH, 146EI, 146EJ, 146EK, 146EL, 146EM, 146EN, 146EO, 146EP, 146EQ, 146ER, 146ES, 146ET, 146EU, 146EV, 146EW, 146EX, 146EY, 146EZ, 146FA, 146FB, 146FC, 146FD, 146FE, 146FF, 146FG, 146FH, 146FI, 146FJ, 146FK, 146FL, 146FM, 146FN, 146FO, 146FP, 146FQ, 146FR, 146FS, 146FT, 146FU, 146FV, 146FW, 146FX, 146FY, 146FZ, 146GA, 146GB, 146GC, 146GD, 146GE, 146GF, 146GG, 146GH, 146GI, 146GJ, 146GK, 146GL, 146GM, 146GN, 146GO, 146GP, 146GQ, 146GR, 146GS, 146GT, 146GU, 146GV, 146GW, 146GX, 146GY, 146GZ, 146HA, 146HB, 146HC, 146HD, 146HE, 146HF, 146HG, 146HH, 146HI, 146HJ, 146HK, 146HL, 146HM, 146HN, 146HO, 146HP, 146HQ, 146HR, 146HS, 146HT, 146HU, 146HV, 146HW, 146HX, 146HY, 146HZ, 146IA, 146IB, 146IC, 146ID, 146IE, 146IF, 146IG, 146IH, 146II, 146IJ, 146IK, 146IL, 146IM, 146IN, 146IO, 146IP, 146IQ, 146IR, 146IS, 146IT, 146IU, 146IV, 146IW, 146IX, 146IY, 146IZ, 146JA, 146JB, 146JC, 146JD, 146JE, 146JF, 146JG, 146JH, 146JI, 146JJ, 146JK, 146JL, 146JM, 146JN, 146JO, 146JP, 146JQ, 146JR, 146JS, 146JT, 146JU, 146JV, 146JW, 146JX, 146JY, 146JZ, 146KA, 146KB, 146KC, 146KD, 146KE, 146KF, 146KG, 146KH, 146KI, 146KJ, 146KK, 146KL, 146KM, 146KN, 146KO, 146KP, 146KQ, 146KR, 146KS, 146KT, 146KU, 146KV, 146KW, 146KX, 146KY, 146KZ, 146LA, 146LB, 146LC, 146LD, 146LE, 146LF, 146LG, 146LH, 146LI, 146LJ, 146LK, 146LL, 146LM, 146LN, 146LO, 146LP, 146LQ, 146LR, 146LS, 146LT, 146LU, 146LV, 146LW, 146LX, 146LY, 146LZ, 146MA, 146MB, 146MC, 146MD, 146ME, 146MF, 146MG, 146MH, 146MI, 146MJ, 146MK, 146ML, 146MN, 146MO, 146MP, 146MQ, 146MR, 146MS, 146MT, 146MU, 146MV, 146MW, 146MX, 146MY, 146MZ, 146NA, 146NB, 146NC, 146ND, 146NE, 146NF, 146NG, 146NH, 146NI, 146NJ, 146NK, 146NL, 146NM, 146NN, 146NO, 146NP, 146NQ, 146NR, 146NS, 146NT, 146NU, 146NV, 146NW, 146NX, 146NY, 146NZ, 146OA, 146OB, 146OC, 146OD, 146OE, 146OF, 146OG, 146OH, 146OI, 146OJ, 146OK, 146OL, 146OM, 146ON, 146OO, 146OP, 146OQ, 146OR, 146OS, 146OT, 146OU, 146OV, 146OW, 146OX, 146OY, 146OZ, 146PA, 146PB, 146PC, 146PD, 146PE, 146PF, 146PG, 146PH, 146PI, 146PJ, 146PK, 146PL, 146PM, 146PN, 146PO, 146PP, 146PQ, 146PR, 146PS, 146PT, 146PU, 146PV, 146PW, 146PX, 146PY, 146PZ, 146QA, 146QB, 146QC, 146QD, 146QE, 146QF, 146QG, 146QH, 146QI, 146QJ, 146QK, 146QL, 146QM, 146QN, 146QO, 146QP, 146QQ, 146QR, 146QS, 146QT, 146QU, 146QV, 146QW, 146QX, 146QY, 146QZ, 146RA, 146RB, 146RC, 146RD, 146RE, 146RF, 146RG, 146RH, 146RI, 146RJ, 146RK, 146RL, 146RM, 146RN, 146RO, 146RP, 146RQ, 146RR, 146RS, 146RT, 146RU, 146RV, 146RW, 146RX, 146RY, 146RZ, 146SA, 146SB, 146SC, 146SD, 146SE, 146SF, 146SG, 146SH, 146SI, 146SJ, 146SK, 146SL, 146SM, 146SN, 146SO, 146SP, 146SQ, 146SR, 146SS, 146ST, 146SU, 146SV, 146SW, 146SX, 146SY, 146SZ, 146TA, 146TB, 146TC, 146TD, 146TE, 146TF, 146TG, 146TH, 146TI, 146TJ, 146TK, 146TL, 146TM, 146TN, 146TO, 146TP, 146TQ, 146TR, 146TS, 146TT, 146TU, 146TV, 146TW, 146TX, 146TY, 146TZ, 146UA, 146UB, 146UC, 146UD, 146UE, 146UF, 146UG, 146UH, 146UI, 146UJ, 146UK, 146UL, 146UM, 146UN, 146UO, 146UP, 146UQ, 146UR, 146US, 146UT, 146UU, 146UV, 146UW, 146UX, 146UY, 146UZ, 146VA, 146VB, 146VC, 146VD, 146VE, 146VF, 146VG, 146VH, 146VI, 146VJ, 146VK, 146VL, 146VM, 146VN, 146VO, 146VP, 146VQ, 146VR, 146VS, 146VT, 146VU, 146VV, 146VW, 146VX, 146VY, 146VZ, 146WA, 146WB, 146WC, 146WD, 146WE, 146WF, 146WG, 146WH, 146WI, 146WJ, 146WK, 146WL, 146WM, 146WN, 146WO, 146WP, 146WQ, 146WR, 146WS, 146WT, 146WU, 146WV, 146WW, 146WX, 146WY, 146WZ, 146XA, 146XB, 146XC, 146XD, 146XE, 146XF, 146XG, 146XH, 146XI, 146XJ, 146XK, 146XL, 146XM, 146XN, 146XO, 146XP, 146XQ, 146XR, 146XS, 146XT, 146XU, 146XV, 146XW, 146XX, 146XY, 146XZ, 146YA, 146YB, 146YC, 146YD, 146YE, 146YF, 146YG, 146YH, 146YI, 146YJ, 146YK, 146YL, 146YM, 146YN, 146YO, 146YP, 14~~

145. ~~145~~, ~~146~~, ~~147~~, ~~148~~, ~~149~~ (9028)

PT - 2012 (9100)

th. viren, creantur, notat, p. 12 (9193)

① ① ⑤

RADIOLOGY - ECG / ECHO / X-RAY / USG / CT / MRI / DRP / BIO-DOPPLER

16/7/24	CXR Chest B/L → (8952)		
17/7/24	CXR - A/P - R/L (8972)		
17/7/24	CXR AP → B/L (9007)		
18-7/24	CXR A/P B/L (9028)		
20/7/24	ECG, X-ray (9174)		
	Echo (9174)		

CBG ⑥

ABG ⑩

ACT ⑥

DATE	NUMBERS	DATE	NUMBERS	DATE	NUMBERS	DATE	NUMBERS
15/7/24	1 (9196)			16/7/24	2 (8952)	16/7/24	1 (8952)
16/7/24	1 (9196)			16/7/24	40T (8953)	16/7/24	40T (8953)
18-7-24	1 (9028)			16/7/24	10T (8955)	16/7/24	10T (8955)
				17/7/24	2 (8972)		

Date

PHYSIOTHERAPY

16/07/24	18:10 22:30
17/07/24	6:00 9:00 17:00 21:00
18/07/24	6:00 9:00 17:00
19/7/24	9:00 17:00
20/7/24	11:00

NEBULIZER

OTHERS

DATE	NUMBERS	DATE	NUMBERS	DATE	NUMBERS	DATE	NUMBERS
16/7/24	1+						
17/7/24	1+ 1+ 1+						
18/7/24	1+ 1+ 1+						
19/7/24	1+ 1+ 1+						
20/7/24	1+ 1+ 1+						
21/7/24	1						

[illegible]

AUCTUS LABS PRIVATE LIMITED										State Code : 33			
NO.11. OLD NO.5. 1st FLOOR. CORPORATION COLONY MAIN ROAD,RANGARAJAPURAM, KODAMBAKKAM,CHENNAI - 600024 Ph: 044-48509191 DL NO: 4001/MZII/20B : 4166/MZII/21B										Place Of Supply : TAMILNADU			
CREDIT-BILL										GSTIN : 33AAMCA2113K1ZY			
To : 686 UNITED ALLIANCE HEALTHCARE (P) LTD - CARDIAC PATIENT CARDIAC KODAMBAKKAM CHENNAI 600024 PH :					Bill Date 16/07/2024		Bill No & Page No AUC/WS411 1/1						
					Terms IS-INTERNAL SALES		Salesman Name 4-PATIENT						
					GSTIN 33AABCU3941Q1ZZ		DL NO : N.A						
S.No	MFR	Description	PCK	HSN	Batch No.	Exp	Qty	Fr	GST%	GST	Rate	MRP	Amount
1	1 NA	MILTONIA MITRAL 27MM	1	3004909	M27MLTA75003	05/27	1	0	5 %	2100.40	42008.00	44108.40	42008.00
ITEMS : 1 QTY : 1 BASE : 42008.00 SGST : 1050.20 CGST : 1050.20 GST : 2100.40 Goods Value: 42008.00													
Category		Gross	CGST	SGST	Amount	P(Disc)		DB					
5 %		42008.00	1050.20	1050.20	44108.40			CR					
								CD		0.00	0.00		
Rounded Net Amount												44108.00	
AXIS A/C : 922030011606851 IFSC : UTIB0001165													
Amount In Words : Forty Four Thousand One Hundred Eight Rupees Only													
Chq in Favour of AUCTUS LABS PVT LTD													
Remarks : P.N-VIJI-IP-2024001645-DR.RAJESH.V													
User Name HARI 5:15:21 PM													
For AUCTUS LABS PRIVATE LIMITED CHENNAI 600 024 AUTHORIZED SIGNATORY													