

MRD CHECKLIST

PARTICULARS	YES	NO
- IP Number allocated to each Patient	/	
- Name, Age & Sex of Patient	/	
- General Admission Consent	/	
- Initial Assessment of Patient / Diagnosis	/	
- Nutritional Assessment by Consultant	/	
- Plan of care counter signed by the Consultant	/	
- Treatment Orders - Date, Time, Name & Sign.	/	-
- Medication Order / Drug Chart - Date, Time, Name & Sign.	/	
- Vital Signs Chart (TPR Chart)	/	
- Intake Output Chart	/	
- Drug Chart (Duly filled)	/	
- Anesthesia Consent - (8 thing) - Date, Time, Name & Sign. of both Patient & Anesthetist		
- Anesthesia Assessment Sheet		
- Surgery Consent - (8 things) - Date, Time, Name & Sign of both Patient & Surgeon		
- Surgery Notes - Post Operative Plan		_
- Pain Scoring System		
- Blood Transfusion if done		
- High Risk Procedures		
- A copy of the Discharge Summary	/	

				141440040004000
Medway Ho The way to bette (A Unit of United Alliance Hea	er health	Mr.RAJA 51/Melt/MHI202400003 02/01/2024/IPH202400009 Dr.K.JAISHANKAR		MHI/IPD/2022/002 Medway Heart nstitute
Admitting Doctor:	. Jaishanka	Speciality:	Cardiologi	81
Advised Date & Time:	2/01/24	101,30A	m.	
Provisional Diagnosis: CA S P	D (-OHT. PTCA P CABGO			
Reason for Admission:	Medical Manageme	ent Surgical Ma	nagement	
	Others (please spec	cify details) <u>CA(</u>	<u></u>	
dmission Type:	Day Care	ER Ward		
	ICU	(Specify details)		
Surgery / Procedure Name	e (if planned): CAG			
Blood Product Requirement	nt: No Yes (Kin	ndly specify details of componer	nts required in space belo	w)
Expected Duration of Stay	: Day Car	Q		
Payer: Self Insurance	C C		31	
¹ nstructions to Nurse (if an	y): Admit is	Tub on	shift b	
	Cath -	lub on	_ Call	
Any other Instructions (if a				
MZ		,		
Doctor's Signature	Name Ocuu	Reg. No.	Date 2 01	Time O 1 30 A m

GIAN Demy

3

For admission desk staff	only:		د ۔
Room Category:	General Ward Single Room Twin Sharing Deluxe Room Suite Room Others		-
Admission intimation	Receipt Details	Admission Tin	ne in HIS
Date	Time	Date	Time
02/01/24	10130	02/01/14	.10130
	OPD ER Direct requirement specified by the E		No
Front office Staff Signature	Name	Emp. No.	Date Time
Front office Staff Signature	Prath: ba	0192	2/1/24 2/1/2
			-



* Medway Hospitals * The way to better health (A Unit of United Alliance Months.)

(A Unit of United Alliance Healthcare Pvt Ltd)



Mr.RAJA

51/Male/MHJ202400003 02/01/2024/IPH2024000009

Dr.K.JAISHANKAR





MHI/HOSP/2022/129

ADMISSION FORM

Marital Statu	ıs Full Add	dress NO 2/8919 Kardafalli-tto	thesingu N	29071	Telephone Number
<u> </u>	hoo	Kardafalli -tto	AND KRIS	hnagiri	730511422
Occupation					
Referred from		Date of Time of Admission			No. of Days
Do. J.	. Ø 	2-1-2 40:50	2/1/24018	.00 7.51	o his
UNIT P	L	MLC Yes	No If Ye	s AR No. :	
		FINAL DIAGNO	SIS		ICD Code
Co	RONARY	ADTERY I	USEAS E	_	T25.1
B	EVERE	LV DYSFUN	CH DN		150.1
31 P		0 1AP - S			
CAG		+ TRIPLE VZ		FASE,	
3/p		3 GIRAFTB			Tr.8
<u>S</u>		C HYPERTE	_		Tlo
		4 - 2013			T69.9
DATE	7		PROCEDURES		ICPM Code
y 1/24.	COR	ONARY AN	roll 0 612 A t	D BONS	88.50
DATE		TYPE OF A	NESTHESIA		
2/1/24	☐ GENERA	L SPINAL	LOCAL	☐ REGIONAL	☐ EPIDURAL
·		DISC	CHARGE STATUS		_
☐ Cured)		☐ Discharge at Req	uest	□ Ex	pired < 48 hours
☐ Improve	d	☐ Against Medical A	Advice	□ Ex	pired > 48 hours
☐ Unchan	Λ	☐ Absconded ☐ Transferred to			st-Operative Death
Signature	of the Consu	ltant 91810	-	Signature of Medic	al Records Officer

S.No.: 5

AUTHORISATION FOR TREATMENT I PAYMENT

administer such drugs as may be necessary an	nd to perform suc agnosis and treat	Paramedical, Staf f of the Hospital Investigate treat and ch operation under anaesthesia or other wise as may be timent of my illness / patient
I hereby under take to settle all the bills for hosp basis. In any case, I shall pay all the dues befor		es related to me/the patient named overleaf on a periodic rged from the hospital.
• •	· ·	agreed above, I hereby authorise the hospital to transfer ent as deemed fit and proper by the hospital authorities.
	attendants have	and Regulations of the Hospital and that all cash, jewellery been removed to a place of safety / handed over to the egard to any loss.
I have read out and explained the contents of the	he above to the S	Signatory in his vernacular .
சிகீச்சை, பணம் செலுத்துதல் முதலியவை செய்ய ஆ	அதிகாரம் வழங்குத	<u>စေ</u> ်
மருந்துகள் கொடுத்து செய்முறைகள்/அறுவை சிகில செலவுக்கன தொகை முழுவதும் செலுத்த இதன் மூ மேல் கூறியது போல் வேளை நான் தங்கள் மருத்	க்கு தேவைப்படி ச்சை செய்யவும் அ லம் உறுதி அளிக்க துவத்திற்கான செ	ட சோதனைகளை செய்து மருந்துகளை கொடுக்கவும். மயக்க சுதீகாரம் வழங்குகீறேன். நான் / இதீல் குறித்துள்ள நோயாளின்
மருத்துவமனையின் பொது சட்ட தீட்டங்கள் பற்றி எ	ிதரிவிக்கீப்பட்டிருக்	கீறேன்.
		ட்கள் யாவும் பாதுகாப்பான இடத்திற்கு மாறுபட்டுவிட்டன / அல்லு ன எனது/நோயாளியின் எந்தவித நஷ்டத்திற்கு பொறுப்பில்லை
மேற்குறிப்பிட்ட அணைத்தும் எனக்கு விவரிக்கப்பட்ட	_ பிறகுதான் கைவெ	யாப்பமிட்டேன்.
ഴെ മ ിരിധന് തക്കപ്പെന്ന് വന്	தேதி	தெ.சி. தி.சி.சி. எனது/உற்வினர்/காப்பாளர் கையொப்பம்
Signature of Admitting Nurse	Date 2-1-2	Signature of the Patient / Relative / Gurdian
		wibe

உறவுமுறை

Nature of Relationship



discharge.









GENERAL CONSENT FOR ADMISSION

I,
(please tick the correct option above and below)
□ nead □ Been explained this consent form in English, which I fully understand.
 I give my full consent and authorization for admission and treatment at this hospital. The proposed treatment plan has been explained to me.
 I consent and authorize the hospital, treating doctors, nursing, technical and paramedical staff to provide relevant care and to conduct diagnostic as deemed necessary by the treating doctor/team.
 I also consent to use of assistants such as resident doctors, other doctors, nurses, and other healthcare workers by the hospital and treating doctor/ team.
 I consent for clinical consultation, admission, disclosure of information required for clinical management (under confidence), routine medical examination (physical examination, palpation, percussion, auscultation), routine lab and imaging investigations, general nursing care, diet and physiotherapy assessment and counselling.
 I have been explained about the proposed care plan, expected result(s), possible outcome(s) and expected cost of treatment/ hospital stay.
 I understand that the hospital will take due care of me / my patient but, that there is always a possibility of an unexpected complication(s) which may necessitate longer stay and / or use of intensive care services. In such cases, procedure different from those contemplated and other intervention(s) may sometimes be needed.
 I declare that, I have and will inform the doctor of my medical history including previous illnesses, allergies, drug reaction(s), surgical procedure, relevant medical family history and all other facts relevant to my treatment. I shall not hold the hospital/ doctor responsible for any consequences which may arise due to non-disclosure of relevant information on my part.
I declare that I have been explained about my rights and responsibilities.
 I have been made aware of the rules and regulations of the hospital including those related to security and I promise to abide by them.
 I understand that in case of some unexpected event occurring during the course of my stay I may be suggested a transfer to another hospital / healthcare organization, as considered appropriate by my treating doctor.

I understand that, drugs, consumables and devices will be charged on an 'as actual' basis as per the hospital tariff. I have been informed and I understand that there can be usage of certain reprocessed items during the course of the treatment. I also understand that only full strips of medicines shall be issued and returned. I declare that I take full responsibility of settling the bill before leaving the hospital premises at the time of

- I further declare that I have been given an opportunity to ask question(s) related to my admission, care plan and proposed hospital stay, and that such questions have been answered to my satisfaction.
- I declare that I have received and fully understood the information provided in this consent form, that I have been given an opportunity to ask questions relating to my admission, care plan and proposed hospital stay, and that all my questions have been answered to my entire satisfaction and there are no misconceptions or false hopes in my mind. I further declare that all fields (of this form) requiring insertion or completion were filled in my presence at the time of my signing this form.
- I, the above-named Patient / named patient's representative, do further hereby declare that I am above 18 years of age as on the date of signing this form, mentally sound and am giving consent without any fear, threat or false misconception.

	Signature / Thumb Impression*	Name	Date	Time
Patient	torest	-T. Trogr	2-1-29	10:50
Surrogate/Guardian (if applicable #)	9 F 2 B HI	(Write name and relationship with patient)	2-1-24	10.50
Reason for surrogate consent	Patient is unable to give consent b	pecause:		
Witness	のなのななり		2-124	10!50
Interpreter (if applicable)				

^{*} Right Hand for Males & Left Hand for Females | # Only if Patient is a minor or unable to give consent









Every heart beat counts (A Unit of United Alliance Healthcare Pvt Ltd)

DAY CARE DISCHARGE SUMMARY

IP No.

IPH2024000009

D.O.A

: 02/01/2024

UHID

: MHI202400003

D.O.P

: 02/01/2024

Name

Mr. RAJA

Room No.

: RL

Age / Gender

51Years/MALE

D.O.D

: 02/01/2024

Consultant

: Dr. JAISHANKAR.K MD., DM., FIAMS

Director and Clinical Lead

Cardiology and Electrophysiology

DIAGNOSIS:

CORONARY ARTERY DISEASE

SEVERE LV DYSFUNCTION

S/P PTCA TO LAD -(05/2009)

CAG – LM + TRIPLE VESSEL DISEASE

S/P CABG X 3 GRAFTS (LIMA TO RI / SVG TO LAD / PDA – (27.04.2015, FLL HOSPITAL)

SYSTEMIC HYPERTENSION

OLD CVA - 2013

PROCEDURE: CORONARY ANGIOGRAM DONE ON 02.01.2024 – NATIVE TRIPLE VESSEL DISEASE; PATENT LIMA TO RAMUS INTERMEDIUS, OCCLUDED SVG TO RCA, SIGNIFICANT DISEASE OF SVG TO LAD.

BRIEF HISTORY:

Mr. Raja, 51 years/male, Presented with complaints of chest pain associated with shortness of breath since 1 month. He was evaluated in ESIC hospital and treated conservatively. He was advised Coronary angiogram and referred to Medway Heart Institute on 02.01.2024 for which he has been admitted.

No H/O fever, vomiting, diarrhea.

Known case of CVA, systemic hypertension on medication.

N/K/C/O Dyslipidemia and hypothyroidism.

ON EXAMINATION:

Patient Conscious, Oriented and afebrile.

PICCLE

NIL

HR

86bpm

BP

119/76 mmHg

 SPO_2

99% in room air

CVS

S1S2(+)

RS

BAE

Abdomen

Kodambakkam

044-2473 4455

Mogappair

₱ @MedwayHospitals

(O) @medwayhospitals

medway-hospitals

@medwayhospitals

94557 94557 1800 572 3003

Medway Centre of Excellence (Chennai)

Medway Group of Hospitals

Chengalpattu Villupuram 044-26530011 044-27426829 04146-242000 044-2473 4455 0884-2333367

Kumbakonam

Heart Institute 044 - 4310 8959 Institute of Pulmonology 044-2473 4451

E-mail: info@medwayhospitals.com | Website: www.medwayhospitals.com | CIN: U74900TN2011PTC083665

MHI/HOSP/2022/118



INVESTIGATIONS:

UHID: MHI202400003



Every heart beat counts

(A Unit of United Alliance Healthcare Pvt Ltd)

BLOOD: Hb- 13.6gm/dl, TWBC - 7760 cells/cumm, PLT - 248000 cells/cumm, Urea - 20.15mg/dl, Creatinine – 0.81mg/dl, Na+ - 140 mmol/l, K+- 4.59 mmol/l, INR – 1.0, Trop I – 18.4.

ECG: sinus rhythm, HR – 68bpm, old IWMI, PVC+.

ECHO(26.12.2023): Ectopics during study. S/P CABG. Dilated LA, LV. CAD . RWMA (+). Severe LV systolic dysfunction. EF - 30%. Iastolic dysfunction. Grade I. Mild MR. Mild AR. Trivial TR. Mild pulmonary artery hypertension. RV function good (TDI – 7cm/s). IVC – 2.4cm dilated. No PE / clot / vegetation.

COURSE IN THE HOSPITAL:

Mr. Raja, 51 years/ male, underwent Coronary Angiogram by right radial access on 02.01.2024 which revealed NATIVE TRIPLE VESSEL DISEASE; PATENT LIMA TO RAMUS INTERMEDIUS, OCCLUDED SVG TO RCA, SIGNIFICANT DISEASE OF SVG TO LAD. Post procedure was uneventful. He is advised for 1. VUS GUIDED PCI TO RCA, LCX, SVG TO LAD (3 STENTS) 2. CABG (REDO). His medications are optimized and he is being discharged in a stable clinical condition.

ADVICE MEDICATIONS:

Sl.	NAME OF THE DRUGS WITH	DOSAGE FREQUEN			UENCY ROUT		E RELATION	DURATION	
NO	GENERIC NAME	·	M	A	N		SHIP WITH MEAL		
1.	TAB. ASPRIN	150 MG	0	i	0	ORAL	AFTER FOOD	TO CONTINUE	
2.	TAB. CLOPILET	75 MG	0	1	0	ORAL	AFTER FOOD	TO CONTINUE	
3.	TAB. ATORVAS	20 MG	0	0	1	ORAL	AFTER FOOD	TO CONTINUE	
4.	TAB. CARVEDILOL	3.125 MG	1	0	1	ORAL	AFTER FOOD	TO CONTINUE	
5.	TAB. AMLONG	5 MG	1	0	1	ORAL	AFTER FOOD	TO CONTINUE	
6.	TAB. LASIX	40 MG	1	1/2	0	ORAL	AFTER FOOD	TO CONTINUE	
7.	TAB. SORBITRATE	10 MG	1	1	1	ORAL	AFTER FOOD	TO CONTINUE	
8.	TAB. PERINDOPRIL	8 MG	1	0	1	ORAL	AFTER FOOD	TO CONTINUE	
9.	TAB. TIMZID MR	35 MG	1	0	1	ORAL	AFTER FOOD	TO CONTINUE	
10.	TAB. ALDACTONE	25 MG	1	0	0	ORAL	AFTER FOOD	TO CONTINUE	
11	TAB. DAPA	10 MG	0	1	0	ORAL	AFTER FOOD	TO CONTINUE	
12	TAB. PAN D	1 TAB	Ī	0	0	ORAL	BEFORE FOOD	TO CONTINUE	

#9, 1st Main @Medwayl		India Colony, I @medwayhosp		, Chennai - 600 edway-hospitals	\ A'	- 4310 8959 ayhospitals	94557 94557 1800 572 3003
Medway Group of Hospitals				Medway Centre	of Excellence (Chennai)		
		Villupuram 04146-242000	Kumbakonam 044-2473 4455	Kakinada 0884-2333367	Heart Institute 044 - 4310 8959	Institute of Pulmonology 044-2473 4451	

E-mail: info@medwayhospitals.com | Website: www.medwayhospitals.com | CIN: U74900TN2011PTC083665 MHI/HOSP/2022/118



UHID: MHI202400003



	DISCHARGE ADVICE
DIET	LOW FAT & SALT DIET.
PHYSICAL ACTIVITY	AVOID STRENUOUS ACTIVITY
REVIEW	REVIEW WITH DR. JAISHANKAR AFTER 1 WEEK.

If temp > 101 'F / Difficulty in breathing / chest pain / Giddiness/ palpitations. Any other significant symptoms. In case of emergency Contact: Medway Hospitals @ 4310 8959.

CONSULTANT SIGNATURE

Dr. Jaishankar. K MD., DM., FIAMS Director and Clinical Lead Cardiology and Electrophysiology

Typed by: Ezhilarasi.


"I understood the Content of the discharge summary."


Dr. K. JAISHANKAR Reg. No: 49448


#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel: 044 - 4310 8959

₱ @MedwayHospitals

Kodambakkam









Medway Centre of Excellence (Chennai)

Medway Group of Hospitals

Heart Institute 044 - 4310 8959





Mr.RAJA

51/Male/MH1202400003 02/01/2024/1PH2024000009

Dr.K.JAISHANKAR





DAY CARE INITIAL ASSESSMENT FORM

Date: 2/1/2-3 Time of arrival: 10.50 Part A (to be filled by Nurses) Vital Signs: Temp: 4万· 彩F) | Pulse / HR: 86 (beats/min) | BP: 119 年6 (mmHg) Respiration: 26 (breaths/min) | SpO₂: 4 (%) | Height: 165 (cms) | Weight: 80:3 (kgs) | BMI: 29. 3 / 100 Any Language Barrier: ☐ Yes 🔎 🏸 If yes, please call Language Coordinator / Translator Allergies: ☐ Yes ☐ No, If Yes, specify: **Psychosocial Assessment:** Alcohol Intake: ☑ 🏸 s 🗌 No Smoking: ☑ Yes ☐ No Substance Abuse: ☐ Yes ☐ Mo Do you have any special religious, spiritual or cultural needs to be considered? \square Yes \square No If Yes, specify details: **Pain Screening** Pain: Yes No. If Yes, Score:___ Pain Scale used: PIPPS (28 weeks to < 38 weeks) CRIES (38 weeks - 2 months) FLACC Scale (2 months - 7 years) Wong-Baker FACES Pain Rating Scale (7 years - 12 years) Numerical Rating Scale (Age more than 12 years) Duration: ____ Location:__ Pain Character: Doi! Aching Sharp Stabbing Shooting Burning Referred / Radiant Pain Nutritional Screening: ... Last 3 months Appetite ☐ Increased . ☐ Decreased ☐ No Change Last 3 months Weight ☐ Increased ☐ Decreased ☐ No Change Fall Risk Screening for adults: ☐ Age more than 65 years ☐ History of fall in last 3 months ☐ Walks with assistance ☐ Any neurological problem In case of 2 or more criteria met initiate detailed fall assessment and fall prevention protocol Fall Risk Screening (for pediatrics) ☐ H/O fall in last 3 months ☐ Neurological problem (vertigo, seizure, etc) ☐ Deranged Mobility ☐ No Risk In case of 2 or more criteria met initiate detailed fall assessment and fall prevention protocol Signature Emp. No. Time Nurse 41.05 0/81

Par	B (to be filled by Physicians	;)				
Chie	f Complaints			مر ا		
	do Chest pu	5~ 0	nk	MT?	3 pour	
	No-Afo	Son)	ful	PEF-1-	√ ,	
Past	Medical History	_				
	KLLO	CA	D 1 c	HT~		
Per	sonal History			N O	· · · · · · · · · · · · · · · · · · ·	
İ	Ex Som/	an e	& Al	عالمك عيد	٧ -	
Sign	ificant Family History					
			_	οħ		
	in lange	That	-	17	CA)	
	()			1		
<u> </u>	ent Medication ————————————————————————————————————	т-			,	
S. No.	Current Medication	Dose	Route	Frequency	Date & Time of last dose	To be continued during hospital stay
5	I-AFPIRIN	120~	110	0,00	1/1/24 at 2pm	Yes □ No
2	T- CLOPILET	tr~~	100	51-0	1/1/24 at 2pm	∐ Yes □ No
3	,	20~	A (0	001	1/1/24 atopm	☐ Yes ☐ No
3	T. CARVEDILOL	3-125	810	101.	2/1/24 pet 8am	☑ Yes ☐ No
	T AMCONG	5~~	90	151	2/1/24 00 85%	∐ Yes □ No
	7. LAMO	10~	810	1-1/2-0	2/1/24 at 59	☑ Yes □ No
7	T. CORSITRATE	[0~~]	9 10	177	2/1/24 00 1579	☐ Yes ☐ No
\$	9. PERINDOPRIL	800	10	181	2/1/24 at 800	□Yes□No
97	1- Pan -D	Idna	1010	1300	-1,124 at & am	☐ Yes ☐ No
w d	T. TIM21D-MP	36~/	-110	101	2/,/24 at 800	☐ Yes ☐ No
(1)	9. ALDBETONE	25	K gr	100	2/1/24 at 2000	/
1/2	T- DAPA	10~	J 1 10	010	1/1/24 000	

Clinical Examination / Investigation

or pt time? NEZ Cur: 5.52 D RID = 614 -Con: phrows.

CBG1-109 mg/bll

Ath = 13.6. 70 =7760 pH=248000. B·U=20.15 ^ 5. cunt = 0-81 Surpry = 140/4.22.

Provisional Diagnosis

CA-D' - 5/P P7(0 15 LA) (2009) - Coh - Lm +TVD-- 5/p comh (2015) · old aro (2013)

her=15/18

Plan of Care (including Investigations Ordered)

(os.

Doctor's Signature

Name

Reg. No. 910 Date 2

Time 11,00



(as)



MHI/IP/2022/041

Heart

Institute

Aery heart beat counts

	DOCTOR'S PROGRESS NOTES
DATE	NOTES
2/1/2 12. as	Sign () Fernord artery
	LMes - CO) Coss
	1 m- obtopresent totally ordered again om?
	gom). Jony is Major LPU (D)
	Per-co from Per NRM Mier vor avrade per Brush
	hon long my Jox street (Dishel Lea LO)
	Sun to con - From grange my Jor Juhula som
	hojou auntonom.
	Limb ho Ro - Poul, Runn virialized with Lo
1	Jepatens (1 Mro PD / Mare Tu) ordinant Jun do Pers
	Signifient din of Substoran

DATE	NOTES	· ,
	· anvidal	
	Offena - porto- Reo, Lox Suntoning 13 ments)	- `
	13 ments)	
	(Desy (Redo)	.
	(
	et.	
r. 1 v. pi	S/13 Dr. Vel	
110	DL com and the second s	
16:13m	. Pt renaved.	
	· · · · · · · · · · · · · · · · · · ·	
	Me Consum	
	Vih in shring	<u>.</u>
		
A.,		
16-30	Druhy c body	
27		
		<u>.</u>
-		
· - -		







Every heart beat counts

Patient Details (Affix Label here)

Name: MR . ROY'A UHID: 202400003

DOB: 57 > Sex:

DOA: 02/1/24 Consultant: 075

Department of Dietetics

William of the contraction

NUTRITION ASSESSMENT AND CARE PLAN FORM

	<u> ~11 (2</u>	H-UV/ 2/1	CABGI (20	15/100M	0(2013)/	SIP PTCA GOLADI
165		Weight: Kgs	Food allergies:	es/No: Pyes, specify	<u>Cyr</u> d (
ious Beliefs:	<u> </u>	Vegetarian	Non vegetal	rian		Jain
rescription:,	600	caleries	chola Ece	b Low So	ilt diel	-: 1000me7ly
JECTIVE	GLOB/	AL ASSESSMENT	(ADULTS)	•		responds
			ry	the state of	0 11 0 cc	
	(A)					
	1)		in past 6 months)		7 ()	10.
	~		□ 2	□ ³	1 04 1	5
		No weight change/	SX 195	5-100 (C. 1.1)	10-15%	>15%
2)	Dietary Intake	Duradon:				
		1.	□2 √/ √/	<u> </u>		□ 5
	Oral	No change	Sub - optimal solid diet	Full liquid diet/ moderate	Hypo - caloric tiquid diet	Starvation
	Enteral/	Adequate/	Sub-optimal	overall decrease	Typo-caloric	Starvation
	Parenteral Nutrition	Excessive	e. Wei	or un	feeds	
3)	Gastrointestin	al Symptoms Duration:				· · · · · · · · · · · · · · · · · · ·
			□2 · · · · · · ·	□3.	· 🗀 4 `	□ s
		No symptoms	Nausea	Vomiting / . moderate Gi symptoms	Diarrhoea	severe anorexia
4)	Functional Ca	pacity (Nutrition related functional impa	irment) Duration:	10 100 6	11 - 12	
			□ 2 ·	□ 3	0.1	□ s
	·	None /Improved /	Difficulty with ambulation	Difficulty with normal activity	Ught activity	Bed / chair - ridden with no or little activity
5)	Co - morbidity	(Disease and its relationship to nutrition	requirements)	The latest	1	
			, C 2		□4	· 1 3 5
,	- 1	Healthy	Mild co - morbidity	Moderate co- morbidity/age	severe co- morbidity -	Very severe multiple co-
	~ ,		-	>75 years	- ,	morbidity
	 _			>75 years		morbidity
	Physical exam			>75 years	<u>- . </u>	morbidity
8)	Physical exam	stores or loss of subcutaneous fat		>75 years		morbidity
8)	Physical exam			>75 years	- · · · · · · · · · · · · · · · · · ·	morbidity
8)	Physical exam	stores or loss of subcutaneous fat		75 years	- · · · · · · · · · · · · · · · · · ·	morbidity
8)	Physical exam Decreased fat	stores or loss of subcutaneous fat	□ 2 Mind 2	3 Moderate	- · · · · · · · · · · · · · · · · · ·	, mortially
8)	Physical exam Decreased fat	stores or loss of subcutaneous fat 1. Normal	Mind · J ≥	☐ 3 Moderate		Thornially 5 Severe
8) 1) 2)	Physical exam Decreased fat	stores or loss of subcutaneous fat Normal Normal	☐ 2 Mild . Y	3 Moderate Moderate Moderate		Severa
8) 1) 2) Total Score = Si	Physical exam Decreased fat Sign of muscle w	stores or loss of subcutaneous fat Normal Normal Normal	□ 2 Mind 2	3 Moderate Moderate Moderate		Severa
8) 1) 2) Total Score = Si	Physical exam Decreased fat Sign of muscle w um f above 7 comp	stores or loss of subcutaneous fat Normal Normal Normal patient is	Mild 2	☐ 3 Moderate 1 Moderate 1		Severe
8) 1) 2) Total Score = Si	Physical exam Decreased fat Sign of muscle w um f above 7 comp tus: Based on this Well Nourished	stores or loss of subcutaneous fat Normal Normal Normal patient is	Mind 2	□ 3 Moderate □ 3 Moderate □ 7 to 14)		Severe
8) 1) 2) Total Score = Si	Physical exam Decreased fat Sign of muscle w um f above 7 comp tus: Based on this Well Nourished Moderately Mai	stores or loss of subcutaneous fat Normal Normal Normal ponents patient is	Mild	3 Moderate 1 1 1 1 1 1 1 1 1		Severe
8) 1) 2) Total Score = Si	Physical exam Decreased fat Sign of muscle w um f above 7 comp tus: Based on this Well Nourished	stores or loss of subcutaneous fat Normal Normal Normal ponents patient is	Mild	3		Severe
8) 1) 2) Total Score = Si	Physical exam Decreased fat Sign of muscle w um f above 7 comp tus: Based on this Well Nourished Moderately Mai Severely Mainou	stores or loss of subcutaneous fat Normal Normal Normal ponents patient is	Mild	3 Moderate 1 1 1 1 1 1 1 1 1		Severe
8) 2) Total Score = St Nutrisional Stat	Physical exam Decreased fat Sign of muscle w um f above 7 comp tus: Based on this Well Nourished Moderately Mai Severely Mainou	stores or loss of subcutaneous fat Normal Normal Normal ponents patient is	Mild	75 years 3 Moderate 7to 14) (15 to 38) (19 to 35)		Severe
8) 2) Total Score = St Nutrisional Stat	Physical exam Decreased fat Sign of muscle w um f above 7 comp tus: Based on this Well Nourished Moderately Mail Severely Mainou	stores or loss of subcutaneous fat Normal Normal Normal ponents patient is	Mild 2 Mild 2	75 years 3 Moderate 7to 14) (15 to 38) (19 to 35)		5 Severe 5 Severe
8) 2) Total Score = Si Nutritional Stat	Physical exam Decreased fat Sign of muscle w um f above 7 comp tus: Based on this Well Nourished Moderately Mail Severely Mailnox vention:	stores or loss of subcutaneous fat Normal Normal Normal ponents patient is nourished	Mild 2 Mild 2	75 years 3 Moderate 75 to 14) (15 to 18) [19 to 35)		5 Severe 5 Severe

Dietitian Signature / Name / Date / Time:

DATE AND TIME	DIETITIAN NOTES	SIGNATURE
02/01/24	NGI years oldgentemen came Clo chest poin was assessed to be well-nourished as evident by SOIA	O 250
En nul Estant aun tiet C	patient shifted to whead For proceduce (). Kepton NBM. patient received to Radial lounge. NBM over. patient tolarted liquid diet. can initale a Soft solid diet.	
02/01/24	Educated me patient approvily on 1600 calonies, tow salt, 100 only this on discharge restricted emphasized on small brequent meals. Diet modifications of clasifications done piet chârt given on	Orofi
	discharge.	

Sich and the first



After Procedure:



Mr.RAJA 51/Male/MHI202400003

02/01/2024/IPH202400009

Dr.K.JAISHANKAR





- PATIENT TRANSFER FORM DIAGNOSTICS / PROCEDURES Diagnosis: OAD OVA 150 DN 19177 Allergies if any: NKDA Time Reason for Transfer / Name of Procedure From (Area) To (Area) Date 22 0/1/24 12.00 CAHH LAB CAB Method of Transfer: \square On Bed \square On Wheelchair \square On Stretcher ASSESSMENT OF PATIENT: General condition of Patient: ☐ Conscious ☐ Semi-conscious ☐ Un-conscious Language Barrier: ☐ Yes ☐ No ☐ If Yes, specify:_ Fall Risk Category: Low Risk Medium Risk High Risk Vital Signs (to be documented at the time of shifting): RR (breaths/min) Pain Score Pulse (beats/min) SpO, (%) BP (mmHg) Temp (°F) 86 Hm 0/w 91. 9 18 b/m Pain Scale used: \square PIPPS (28 weeks to \leq 38 weeks) \square CRIES (38 weeks - 2 months) ☐ FLACC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years) ✓ Numerical Rating Scale (>12 years) ☐ CPOT (ventilator / comatose) Any pre-medication given: _____ Any critical information: ___ Any specific recommendation: Signature Name Emp. No. Time Handover by Handed over to

 Vital Signs (to be documented at the time of shifting):

 Temp (°F)
 RR (breaths/min)
 Pulse (beats/min)
 SpO₂ (%)
 BP (mmHg)
 Pain Score

 Q\$ / C*
 Q\$

Procedure completed: ☐ Yes ☐ Yes ☐ Any critical information:_____

✓ Numerical Rating Scale (>12 years) ☐ CPOT (ventilator / comatose)

Signature Name Emp. No. Date Time
Handover by Sathiya 606 9 24 13.30
Handed over to Day 18 24



Every heart beat counts

CONSENT FOR CORONARY ANGIOGRAM / CORONARY ANGIOPLASTY

Mr.RAJA

Patient Na

51/Malc/MHI202400003 02/01/2024/IPH2024000009

Consultan

Dr.K.JAISHANKAR Sex: M/F

No:

UHID

Dr. TALSHAM has explained that I have the following condition:

Fat (cholesterol) and calcium can build up in the arteries like rust in old pipes. It can stop the flow of blood to the heart. This can cause angina or a heart attack. The Coronary Angiography procedure is performed to show up the amount of disease in the coronary arteries, the blood vessels that supply the heart with bleed. After an injection of local anaesthetic, a fine tube (catheter) is put into the artery in the groin/hand. The tube is carefully passed into each coronary artery in turn. A series of video pictures are taken using xrays and an iodine containing contrast medium (x-ray dye). The contrast medium may be injected into the main pumping chamber of the heart (left ventricle). This helps us to find out whether you have any narrowing or blockage of your coronary arteries. The doctor can then tell you which treatment is best for you after carefully studying and discussing your pictures. This may be an operation such as a coronary by-pass or a procedure called an angioplasty (the arteries are widened using a small sausage shaped balloon). Sometimes, drugs alone may be a suitable option.

RISKS OF THIS PROCEDURE

The risk of coronary angiography depends on:

(i)The nature of coronary artery disease (ii)The pumping status of the heart (iii) Your age and general health These are some of the more serious risks that can happen, but are not the only risks:

Less than 1 in 10,000 (0.0001%)	(a) skin injury from radiation, causing, reddening of the skin		
1 in 1000 people (0.001%)	 (b) A stroke. This can cause paralysis and long term disability (c) Heart attack. (d) A dangerous reaction to the x-ray contrast medium (dye). If this happens, you may have severe reactions such as asthma, shock and convulsions. Death in extremely rare cases about 1 in 2,50,000 to 4,00,000 injections. (e) Need for major surgery to the leg at the puncture site. (f) Need for emergency heart surgery or angioplasty. (g) A higher lifetime risk from x-ray exposure. (h) Death 		
1 in 100 people (0.01%)	 (I)the heart may not beat in a proper rhythm which will need urgent treatmen (j) Surgical repair of the groin puncture site. This may need a longer stay in hospital. (k) Minor reaction to contrast medium such as hives. (l) Loss/impairment of kidney function due to the contrast medium 		
1 in 20 people (0.05%)	(m) Major bruising or swelling at the groin punture site		
Most People	(n) Minor bruising		

PATIENT CONSENT:
P acknowledge that Dr 5444 has explained my medical condition and the proposed procedure. I understand the risks of the procedure, the anaesthetic including the risks that are specific to me and the likely outcomes if complications occur. The Doctor has explained other relevant treatment options their risks and my right to refuse the treatment. He has explained my prognosis and the risks of not having the procedure. I was able to ask questions and raise concerns with the doctor about my condition, the procedure and its risks, and my treatment options. My questions and converns have been discussed and answered to my satisfaction. I understand that in the unlikely event of complications, I may require a blood transfusion, an additional procedure or surgery. The doctor has explained to me that if immediate life-threatening events happen during the procedure, they will be treated accordingly. I understand that no guarantee has been made that the procedure will improve the condition On the basis of the above statements,

I REQUEST TO HAVE THE PROCEDURE

	Signature	Name	Date	Time
Patient/Guardian with relationship	下厅口留口	PADA	P 1 014	12-00
witness	9 Fau	24 2 BAH	2/1/24	V-00
Doctor	Lorgan	(1, 241)	2/1/204	12.00
Interpreter				





இருதய ஆன்னியோகிறாம் பரிசோதனைக்கான ஒப்பம்

நோயாளியின் பெயர்:	வயது:	பாலினம்: ஆண் / பெண்
மருத்துவ ஆனோசகர்:	வார்டு படுக்கை எண்:	யுஹெச்ஐடி (UHID) :

நூலை மற்றும் செயல்முறை

பழைய இரும்புக் குழாய்களில் துருபிடிப்பதைப் போல், தமனிகளில் கொழுப்பு மற்றும் கால்சியம் சேரும். இது ஆன்ஜனா அல்லது மாரடைப்பினை ஏற்படுத்துகிறது. இதயத்திற்கு ரத்தத்தினை வழங்கும் ரத்தக்குழாயான இதயச்சுவர் சிரை தமனிகளில் நோயின் அளவினை கண்டறிய கரோனரி ஆஞ்சியரேகிராஃபி செயல்முறை மேற்கொள்ளப்படும். ஒரு மோக்கல் அன்ஸ்தீட்டிக் (மயக்க மருந்து) வழங்கப்பட்ட பின். ஒரு சிறிய குழாயானது (கதீட்டர்) கவட்டை/கையிலுள்ள தமனியில் செலுத்தப்படும், இந்த குழாய் ஒவ்வொரு இதயச்சுவர் சிரை தமனிகளிலும் மாற்றி மாற்றி கவனமாக வரிசையாக செலுத்தப்படும். எக்ஸ்ரே மற்றும் பிற அயோடின் கொண்டுள்ளன காண்ட்ராஸ்ட மீடியத்தினை (எண்ஸ்ரே டை) பயன்படுத்தி, பல வீடியோ படங்கள் வரிசையாக எடுக்கப்படும். இதயத்தின் முக்கிய ஏற்றியிறைத்தல் அமையில் (இடதுபக்க இருதய கீழறை) இந்த கான்ட்ராஸ்ட மீடியம் உட்செலுத்தப்படலாம். இது இதயத்தின் அளவினை மதிப்பிடவும் மற்றும் அது எவ்வாறு பம்ப் செய்கிறது என்பதை மதிப்படவும் மேற்கொள்ளப்படும். இப்படங்கள் நமக்கு இதயச்சுவர்சிரை தமனிகள் குறித்த ஒரு படத்தினை வழங்கும். இது உங்களுக்கு ஏதேனும் அடைப்பு இருக்கிறதா என்பதை கண்டறிய உதவும். பின்னர் உங்கள் படங்களை கவனமாக பார்த்த பின் மருத்துவரால் உங்களுக்கு ஏற்ற சிகீட்சையை மேற்கொள்ள முடியும். இவை பை-பாஸ் அறுவை சிகீட்சையாகவும் இருக்கலாம். சில்லது ஆன்ஐயோயினாண்டி (புலூன் வடிவம் கொண்டதொரு சிறிய சாசேத் கொண்டு தமனியை அகலப்படுத்துகல்) என்னும் ஒரு செயல்முறையாகவும் இருக்கலாம். சில நேரங்களில் மருந்துகள் மட்டுமே போதுமானதாக இருக்கலாம்.

&ச்சையல்முறையிலுள்ள **&டர்பாடுக**ள்

இதயச்சுவர் சிரை ஆன்ஜியோகீராஃபியிலுள்ள இடர்பாடுகள் பின்வருபவைகளையே சார்ந்திருக்கும்

(i) இதயச்சுவர் சிரை தமனி நோயின் தன்மை — (ii) இதயத்தின் ஏற்றியிறைத்தல் நிலை — (iii) இதயத்தின் வயது மற்றும் பொது ஆரோக்கியம் ஏற்பட வாய்ப்புள்ள சில தீவிர கிடர்பாடுகள் பின்வருமாறு. ஆனால் கிலைகள் மட்டுமே முழுமையான கிடர்பாடுகள் அல்ல

	-
10,00-ல் ஒருவருக்கும் கீழ் (0,0001 சதவிகிதம்)	(a) கதிர்வீச்சின் காரணமாக ஏற்படும் தோல் பாதிப்பு. சருமம் சிவந்து போதல்
1000-ல் ஒருவருக்கு (0.001 சதனிகிதம்)	 (b) வலிப்பு. இது பக்கவாதம் மற்றும் நீண்டநாள் ஊனத்தை ஏற்படுத்தலாம் (c) மாரடைப்பு (d) எக்ஸ்-ரே காண்ட்ராஸ்ட் மீடியத்தீன் (டை) ஆபத்தான விளைவுகள் . இவை ஏற்பட்டால் உங்களுக்கு ஆள்துமா, அதீர்ச்சி மற்றும் வலிப்பு போன்றவைகள் ஏற்படலாம். 2,50,000 முதல் 4,00,000 ஊசிகளில் ஒன்று மரணத்தையும் விளைவிக்கலாம். (e) குத்தப்பட்ட இடத்தீல் பெரிய அறுவை சிகீச்சை மேற்கொள்ள வேண்டியது வரலாம். (f) அவசரகால இதய அறுவை சிகீச்சை அல்லது ஆன்ஜியோபினாஸ்டிக் தேவைப்படலாம். (g) எக்ஸ்ரே கதிர் பாதீப்பு காரணமாக அதிக வாழ்நாள் அச்சுறுத்தல் இடர்பாடு. (h) இறப்பு
100-ல் ஒருவருக்கு (0.01 சதவிசிதம்)	 (I) இதயம் சரியான முறையில் துடிக்காமல் இருக்கலாம். அதற்கு அவசரமாக சிகீச்சை தேவைப்படும் (j) குத்தப்பட்ட கவட்டை பகுதியில் அறுவை சிகீச்சை சரிபாடு. இதனால் மருத்துவமனையில் நீண்ட நாட்கள் தங்கியிருக்க வேண்டியது வரலாம் (k) தோல் அரிப்பு போன்ற சிறு விளைவுகள் (1) கான்ட்ராஸ்ட் மீடியம் காரணமாக சிறுநீரகம் செயல்படாமை அல்லது அதன் வனுகுறைதல்
20-ல் ஒருவருக்கு (0.01 சதவிசிதம்)	(m) குத்தப்பட்ட இடத்தில் பெரிய அளவிலான சிராய்ப்பு அல்லது வீக்கம்
பெரும்பாலான மக்களுக்கு	(n) சிறிய அளவிலான சிராய்ப்பு

நோயாளி ஒப்புதல்

சையல்முறையை எனக்கு மேற்கொள்ளுமாறு கேட்டுக்கொள்கிறேன்

	கையெழுத்து	பெயர்	தேதி	நேரம்
நோயானி (பாதுகாவலர்) உறவுமுறை				
சாட்சி				
மருத்துவர்	-			
மெரழிபெயர்ப்பாளர்				









Every heart beat counts

CORONARY ANGIOGRAM REPORT United Alliance Healthcare Pvt Ltd)

PATIENT NAME : MR. RAJA

UHID IP NO

: MHI202400003 : IPH2024000009

AGE/GENDER

: 51 YEARS / MALE

D.O.A

: 02.01.2024

CONSULTANT

: Dr. Jaishankar. K MD., DM., FIAMS

D.O.P

: 02.01.2024

Director and Clinical Lead

Cardiology and Electrophysiology

CATH DATE	02.01.2024	DONE BY	DR. JAISHANKAR
CATH NO	3514	ASSISTED BY	SN. SATHYA
CATH DURATION	5 MINS	TECHNICIAN	MR. TAMIL
HEIGHT	165 CMS	PHYSICIAN ASSISTANT	MS. SHALINI
WEIGHT	80 KGS		

CLINICAL DIAGNOSIS: CORONARY ARTERY DISEASE, SEVERE LV DYSFUNCTION, S/P PTCA TO LAD - (05/2009), CAG - LM + TRIPLE VESSEL DISEASE, S/P CABG X 3 GRAFTS (LIMA TO RI / SVG TO LAD / PDA - (27.04.2015, FLL HOSPITAL), SYSTEMIC HYPERTENSION, OLD CVA - 2013.

CATHETERIZATION PROCEDURE: AFTER OBTAINING INFORMED CONSENT, PATIENT WAS BROUGHT TO THE CATH LAB. UNDER SAP, PROCEDURE DONE BY USING 2% XYLOCAINE AS LOCAL ANAESTHESIA AND MODIFIED SELDINGER TECHNIQUE.

APPROACH

: RIGHT FEMORAL ARTERY

SHEATH

: 5FR

CATHETER

: 5FR TIG

CONTRAST MATERIAL: NON-IONIC, CONTRAPAQUE

MEDICATIONS

: Inj. Heparin 2500 IU

COMMENTS:

LMCA - NORMAL. BIFURCATES INTO LAD AND LCX.

LAD – OSTIOPROXIMAL LAD TOTALLY OCCLUDED.

LCX - CO-DOMINANT AND GIVES RISE TO 4 OMS, PROXIMAL LCX SHOWS NON FLOW LIMITING DISEASE. DISTAL LCX AFTER OM3 HAS 80% TUBULAR STENOSIS. OM4 IS MAJOR. LPLB APPEARS NORMAL.

RCA - CO-DOMINANT. PROXIMAL RCA SHOWS NON FLOW LIMITING DISEASE. MID RCA ASTRIDE RV BRANCH HAS LONG SEGMENT 70% STENOSIS. DISTAL RCA SHOWS LUMINAL IRREGULARITIES. PDA SHOWS DIFFUSE DISEASE.

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel: 044 - 4310 8959


₱ @MedwayHospitals

Kodambakkam

(C) @medwayhospitals

@medway-hospitals

@medwayhospitals



Medway Group of Hospitals

Medway Centre of Excellence (Chennai)

Heart Institute 044 - 4310 8959

Mogappair





(A Unit of United Alliance Healthcare Pvt Ltd)

SVG TO PDA - TOTALLY OCCLUDED

SVG TO LAD - SVG GRAFT HAS 70% TUBULAR STENOSIS BEFORE ANASTOMOSIS

LIMA TO RAMUS INTERMEDIUS - NORMAL, RAMUS VISUALIZED WITH LUMINAL IRREGULARITIES.

IMPRESSION:

NATIVE TRIPLE VESSEL DISEASE; PATENT LIMA TO RAMUS INTERMEDIUS, OCCLUDED SVG TO RCA, SIGNIFICANT DISEASE OF SVG TO LAD SEVERE LV DYSFUNCTION CO- DOMINANT SYSTEM

ADVICE:

- 1. IVUS GUIDED PCI TO RCA, LCX, SVG TO LAD (3 STENTS)
- 2. CABG (REDO)

CONSULTANT SIGNATURE

Dr. Jaishankar. K MD., DM., FIAMS Director and Clinical Lead Cardiology and Electrophysiology

To visit at www.medwayhospitals.com

Dr. K. JAISHANKAR Reg. No: 49448

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel: 044 - 4310 8959 ₹ @MedwayHospitals

(C) @medwayhospitals

n @medway-hospitals

@medwayhospitals



Medway Group of Hospitals

Medway Centre of Excellence (Chennai)

MHI/HOSP/2022/118



Mr.RAJA

51/Male/MHI202400003 02/01/2024/IPH2024000009

Dr.K.JAISHANKAR



HI/NUR/2022/048

DATE &	Observation / Action	Signature with Emp.No
2/1/23		-7
@	> pt on Got Adminion.	
10.50	Et 1 Ption Considers Sounded	10
	VIS cheepeds recorded pa	Am
	no comparates	
	Spt on NPO - Fam	,
	of pton W lone Prosetted	
	spart's Preparation dene	
12.10	get on shelted to cath	Lan
	Cab	
	Cath lab Report	
12.10.	Patient received from ER to Cath lab. conscious, oriented, vitals	
	stable. PV line on Left hand 20 G ventler.	2
	batent. VIP seole is 0/5	<u>8016</u>
W.35	sterile drapping done. Powcedwa	
	through the right fernoral approach	$n\Omega$
	under local anaesthesia.	Joels
12.50	Bry: Aleparin 2500 To given 0/B by	
	DR Siva vitals stable	00-6
13.00	HP: 68 b m, SPO; 10001, BP=139 81(100)	
	vitals stable	oolb.
13.20	OG done successfully:	006
	Right femalion arterial Isheath	
	Kemoued - No ooning & halmatoma. Signature Name Emp. No. Date	Time
Document	Signature (Link . 1901 Date	
endorsed by	8athiya colle a/1/24	as. 81



DATE & Observation / Action Signature TIME with Emp.No 211 Tooto 14.00 15:00 M. 50 18.00 Emp . No. Date Time Signature Name **Document** endorsed by 18 20 2/1/2 DAMADERY 000-





SAFE PROCEDURE CHECKLIST Adapted from WHO Safe Surgery Checklist

MR. RAJA-518/m mits 202400003 DR 35

MHI/OT/2022/086 Medway 🕏 Heart Institute

Every heart beat counts

Name of the Procedure : Does the Procedure involve	Procedural Sedation :	Location: CFTH LAR	Date & Time :	PATIENT LABEL			
SIGN IN 12.40 Before Induction of Procedural S	edation	TIME OUT ()	SIGN OUT B-20 When Doctor indicates that the Procedure is completed				
(Anaesthetist / Qualified Physicial Sedation + Nurse + Technician + Do	n administering Procedural	(Anaesthetist or Qualified Physician	(Anaesthetist or Qualified Physician administering Procedural Sedation + Nurse + Technician + Doctor performing the Procedure				
Patient Confirmation	inter perioritizing and procedurer	All team members introduce themselves by Name and Role		To be done for each procedure in case of multiple procedures			
Identity by two identifiers	₽Yes	Identity by two identifiers	Yes	Name of the Procedure done written down			
Procedure	Yes	Procedures ()	☐Yes	Name and site of all specimens / investigations / Yes ANA			
Side	☐Rt ☐Lt ☐NA	Expected Blood loss	☐RT ☐ Lt ☐NA	confirms labeling and sent to lab			
Consent	☑Yes	Position Schine	☐Yes	Any recovery concerns : ☐ Yes ☐ None			
Known Allergy	☐Yes ☑No	Consent	□Yes	If Yes, Pls. specify:			
,	If yes, plaese specify	Required equipment and implants available	□¥es □NA	If Yes, Pls. specify:			
Difficult airway / aspiration risk	☑No ☐ Yes, equipment	Essential Imaging displayed	☐Yes ☐NA				
/ dentures	and assistance available	Antibiotic prophylaxis within last 60 minutes	☐Yes ☐₩A				
Possibility of hypothermia	☐No ☐ Yes, warmer in place	Name of the Antibiotic given		Any Equipment / instrument problem that needs to be addressed : ☐ Yes ☐ None			
		Venous Thromboembolism Prophylaxis Provided	□Yes □MA	addressed : ☐ Yes ☐ None ☐ If Yes, Pls. specify :			
All concerned anesthesia equipment	and medication check complete	Anticipated duration briefed	/ Yes				
Spo2 NIBP Other	s pls. specify <u>老C</u> 场	Anticipated blood loss briefed	□Yes □NA				
Pre OP medication taken	☐Yes ☐No _	Adequate fluids and blood available	□Yø\$ □NA	/			
		Team briefed on any critical or unexpected steps	⊡Yes	Corrective action :			
Required equipment for	☐Yes ☐NA	For procedural sedation cases		/(//			
procedure available		Any patient specific concerns : Intra procedure glycemic control	☐ Yes ☐ NA				
		Any concerns about sterility	Yes None				
Anaesthetist / Doctor giving Procedural Sedation Date :	Doctor performing the Procedure:	97211	echnician: Rama ate:2112e	Others Please Specify: Date:			
Time :	Time: (7.30'	Time: 13.30	me: 13.30	Time :			







Every heart beat counts

The way to better health
(A Unit of United Alliance Healthcare Pvi Ltd)

Procedure Monitoring Sheet (Cath Lab)

Mr.RAJA

Patient Nam: 51/Malc/MHI202400003

02/01/2024/IPH2024000009

UHID / IP:

Dr.K.JAISHANKAR

Consultant:

51ly. Age / Sex:

Ward Unit:

Diagnosis: CAD/Servere LV DIRFUNCTV.

	Pre	Procedure Che	ecklist (Please tick ap	ppropriately – To	be filled by the V	Vard Nurse)	
	: 1	PARAMET	ERS		YES	NO	NA
Vital si	gns : BP: PO	Temp: .97:3F	Pulse: 8/RR: 19	SPO2: 99			
Urine v	oided			_			
Bowel	preparation				Á		
⁻ Pre-pro	ocedure medical	tion administere	d				
Procedure site marked					<u></u>		
Skin pr	eparation done				1		
NPO	- f. a	m					
Loose	Tooth removed				/		
Contac	t lenses / Eye g	lasses removed					
Prosthe	esis present						
Jewelle	ery/Nail polish re	emoved			_		
Checke	ed for Allergies ((Drug / food)					
IV line/	In-situ						
Conser	nt taken						
Investig	gation reports / I	Documents rece	ived				
Signatu	are of Nurse :	Scor			Date & Time :	0/1/23	(1), D B
		Întra – Pro	ocedural Record (To be filled by the	Cath Lab Nurse)	
Time	HR / min	RR / min	BP mmHg	SpO₂%	Medication	/ Remarks	Sign. of Nurse
12.45	by bom	m redoc	129 47 (101)	10007-			20016
13.00	686 m	20 by lon	139/81 (105)	100:1-	-		2 Solb.
13-15	706 m.	20bylon	148 84 (110)	1001	<u></u>		Al coub.
			Proce		of our	٨	
_		<u> </u>					
				,			}

			r OSt FIOC	suule rollow op	Dala (10	be illed by the	actor)	``
Tim	ne :	13.	<u>20.</u>	<u> </u>	Route :	Rìght f	emoral app	eroach -
	mplication:					D V	.,	
	: 144]	27 (105) Of el	mmHg, HR	:68 b m , Puncture Site: _	, RR:	20 bylon, sp ying I has	100: 100 f	>
* * *	Shift To: Wa Bed rest up Observe pu Watch for P Diet	to ncture șiț	e√or bleædir	hours ng				
•		t complaing is Loo Te Cold	ns of any Di se or Socke		24	at_ <u>/3</u>	<u>、 </u>	after informing
•	Special instr	-	any: Nî				(.
	•			,	•		Name & Signature	्र्रू (रूप)रें e of Consultant
	•			POST PROCED	URE OB	SERVATION -		
Date &	fime BP	HR RR	SpO2%	Site Evatuat	tion	Extremity Statu	s Remarks	Sign. of Nurse
	_							
	-				\			
		 - 		<u> </u>	/			-
	 	├	-					
 Nur	 ses Notes :							
	C	Right 8	femo	eal arter	ual	sheath	geemoved.	No powing +
h	aemato	ma.	Plaste	r bandag	e a	pplied o	wer the co	on and.
2	istal	puls	e Fe	r bandag U		·		
	idition at the ent shift to:	end of pr	ocedure Recovery F		_	tical	other_EP	
Nan	ne & Signatu	re of the	Nurse :	Rb.		Date & Tir	me: 21 24.	3.35
								-





Mr.RAJA 51/Malc/MHI202400003 02/01/2024/IPH2024000009 Dr.K.JAISHANKAR : Consultant:



BRADEN SCALE FOR PREDICTING PRESSURE INJURY BISK

(A Unit of United Al.	iance Healthcare Pvt Ltd)		· Consultant:	Date	9		23
	BRADEN S	CALE FOR PREDICTION	NG PRESSURE INJUR	Y RISK Time		2	Ď
SENSORY PERCEPTION ability to respond meaning-fully to pressure-related discomfort	Completely Limited Unresponsive (does not moan, flinch,or grasp) to painful stimuli, due to diminished level of consciousness or sedation OR limited ability to feel pain over most of body	2. Very Limited Responds only to painful stimuli. Cannot communicate discomfort except by moaning or restlessness OR has a sensory impairment which limits the ability to feel pain or discomfort over 1/2 of body	3. Slightly Limited Responds to verbal commands, but cannot always communicate discomfort or the need to be turned OR had some sensory impairment which limits ability to feel pain or discomfort in 1 or 2 extremities	4. No Impairment Responds to verbal commands Has no sensory deficit which would limit ability to feel or voice pain or discomfort	1	4	
MOISTURE degree to which skin is exposed to moisture	1. Constantly Molst Skin is kept moist almost constantly by perspiration, urine etc. Dampness is detected every time patient is moved or turned	2. Very Moist Skin is often, but not always moist. Linen must be changed at least once a shift	3. Occasionally Moist Skin is occasionally moist, requiring an extra linen change approximately once a day	4. Rarely Moist Skin is usually dry, linen only requires changing at routine intervals		4	
ACTIVITY degree of physical activity	1. Bedfast Confined to bed	2. Chairfast Ability to walk severely limited or non-existent. Cannot bear own weight and / or must be assisted into chair or wheelchair	3. Walks Occasionally Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair	4. Walks Frequently Walks outside room at leas twice a day and inside room at least once every two hours during waking hours	1 _	3	
MOBILITY ability to change and control body position	Completely Immobile Does not make even slight changes in body or extremity position without assistance	2. Very Limited Makes occasional slight changes in body or extremity position but unable to make frequent or significant changes independently	3. Slight Limited Makes frequent through slight changes in- body or extremity position independently				
NUTRITION usual food intake pattern	1. Very Poor Never eats a complete meal. Rarely eats more than any food offered. Eats 2 servings or less of protein(meat or dairy products) per day. Takes fluids poorly. Does not take a liquid dietary supplement OR Is NPO and / or maintained on clear liquids or IV's for more than 5 days	2. Probably Inadequate Rarely eats a complete meal and generally eats only about 2 of any food offered. Protein intake includes only 3 servings of meat or diary products per day. Occasionally will take a dietary supplement	3. Adequate Eats over half of most meals. Eats a total of 4 servings of protein (meat, diary products) per day. Occasionally will refuse a meal, but will usually take a supplement when offered OR is on a tube feeding or TPN regimen which probably meets most of nutritional needs	protein (meat, diary of Cocasionally will refuse sually take a supplement ls on a tube feeding or ch probably meets most of the color o		7	
1. Problem Requires moderate to maximum assistance in moving. Complete lifting without sliding 2. Potential Problem Moves feebly or requires minimum assistance. During a move skin probably strength		8. No Apparent Problem Moves in bed and in chair independentl strength to lift up completely during move. Mor chair			3		
& SHEAR	slides down in bed or chair, requiring frequent re-positioning with maximum assistance. Spasticity, contractures or agitation leads to almost constant friction	chair, restraints or other devices. Maintains relatively good position in chair or bed most of the time but occasionally slides down		TOTAL SCORE Initial & Emp. No. of Staff Nurse:	Re	22	2
Score	Interpretation: Minimal Risk: 23 - 19; At Risk /	Mild Risk: 18 - 15; Moderate Risk: 14 - 13; F	High Risk: 12 - 10; Severe Risk: 9 - 6	Initial & Emp. No. of Sr. Staff Nurse:		200	-





Mr.RAJA

51/Male/MHI202400003 02/01/2024/IPH2024000009

Dr.K.JAISHANKAR



MHI/NUR/2022/052



Every heart beat counts

Date & Time	Pain Score	Pain Character (dull, achy, sharp, stabbing, shooting, burning, referred / radiant pain)	Duration	Location / Site	Interventions	Staff Initial & Emp. No.	Senior Staff Initial & Emp. No.
29	%	No poon	-	_		En.	July or
11:50	B.D.	No Roon)			fons	Tayon
(2.50	0,0	NOPOOn				for	Jayl
13.50	060	wopan		-		L.	Joy
14-50	Ø8	No pour				Ag.	Joseph
15.50	200	NO POUT	-			Im.	Jay
16.50	050	Nopon				h	Son
F 50	90	p wopoon				As	Jay
			\times	D4 0 12	1 PISCHARGIED 4		

Dáte & Time	Pain Score	(dull, achy	Pain Character , sharp, stabbing, shooting, , referred / radiant pain)	Duration	Location / Site		Interventions	Staff Initial & Emp. No.	Senior Staf Initial & Emp. No.
,							·		
	,								
•	,				P#	IN SCALES			
(28 week	PIPPS (s to <u><</u> 38	weeks)	6 or less = Minimal to no 7 - 12 = Mild pain - Provi >12 = Moderate to sever	de comfort me		n		-	
	· CRIES eks - 2 m	onths)					ore of 10 is possible. If the CRIES score ated for a score of 6 or higher.	e is > 4,	
	ACC Sca nths - 7 y		0: Relaxed & comfortable	e, 1-3: Mild d	iscomfort, 4-6: Mode	rate discomfort, 7-10: Sever	re discomfort / pain / both		
Wong-Baker FACES Pain Rating Scale (7 years - 12 years)		O 2 No Hurts Hurts Little Bit	4 Hurts Little More	6 Hurts Evan More	8 10 Hurts hole Lot Worst	Numerical Rating Scale (5 6 7 8	9 10	
Observa	cal care f ation Tool ator / com	(CPOT)	COMPLIANCE WITH VE	Absence of m NTILATION (in Industrial paties Relaxed, 1 - Te	novements or normal p ntubated patients): 0 nts): 0 - Talking on no ense, Rigid, 2 - Very Te	osition, 1 - Protection, 2 - Re - Tolerating Ventilator or Mov mal tone or no sound, 1 - Sig nse, Rigid	stlessness / Agitation ement , 1 - Coughing but tolerating, 2 - F ghing, Moaning, 2 - Crying out, sobbing	ighting ventilator (or)	
	harmacol tervention		Cutaneous Stimulation a Thermal Therapies (no li	and massage: onger than 15	: E - Positioning; F - R to 20 minutes): G - Co	- Music; D - Physical and me ubbing / Massage the skin Id application; H - Hot applic erferntial therapy Psycho-	ation; 1 - Shortwave diathermy		





Mr.RAJA 51/Malc/MHI202400003 02/01/2024/IPH2024000009 Dr.K.JAISHANKAR



DVT RISK ASSESSMENT

Ass	ign a score of 1 if (YES) in parameter nos. 1 to 9,		ign a sc	ore of -2	if (YES)	in parar	neter no	. 10
	Date	则为						
	Time	11,00						
S. No.	PARAMETERS			_				
1	Active cancer (on-going treatment or diagnosed within 6 months or palliative care)	0						
2	Bedridden recently >3 days or major surgery within four weeks	0						
3	Calf swelling >3 cm compared with asymptomatic side, measured at 10 cm below tibial tubercle (Assess for both legs)	0						
4	Collateral (nonvaricose) superficial veins present (Assess for both legs)	0	_					
5	Entire leg swollen (Assess for both legs)	0						
6	Localized tenderness along the deep venous system (Assess for both legs)	0_						
7	Pitting edema, greater in the symptomatic leg (Assess for both legs)	P	-					
8	Paralysis, paresis, or recent plaster immobilization of the lower extremity (Assess for both legs)	P						
9	Previously documented DVT (Assess for both legs)	R						
10	Alternative diagnosis to DVT as likely or more likely (Assess for both legs) / Co-morbidity like ESLD / Renal disease, Renal failure, CCF Cellulitis (commonly mistaken as DVT), Dependent (stasis) oedema, Lymphatic obstruction. Septic arthritis, Cirrhosis, Nephrotic syndrome, Calf muscle tear or strain, Haematoma (collection of blood) in the muscle, Sprain or rupture of a leg tendon, Fracture.	0						
	FINAL SCORE	Ø					 	
Low R	lisk: -2 to 0 Moderate Risk: 1 to 2 High Risk: 3 to 8	1100						
	DVT prophylaxis started	□ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	□ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	□ Yes □ No
	Signature & Emp. No. of RN	2)						
	Signature & Emp. No. of Sr. RN							



(A Unit of United Alliance Healthcare Pvt Ltd)



Mr.RAJA

Pt 51/Malc/MHI202400003

NE 02/01/2024/IPH2024000009

UI Dr.K.JAISHANKAR



MODIFIED MORSE FALL RISK ASSESSMENT CHART

Variables					,					,	
History of falling (immediate or within 6 months) Yes 25 25 25 25 25 25 25 2		Date	2/1/9	211/27	,						
History of falling (immediate or within 6 months)	Variables	Time	11:00	15.00			-				
(immediate or within 6 months) Yes 25 25 25 25 25 25 25 2	History of falling		773	(6)	0	0	0	0	0	0	0
(≥ 2 medical diagnosis) Yes 18 15 15 15 15 15 15 15 15 15 15 15 15 15		Yes	25		25	25	25	25	25	25	25
Yes 15 15 15 15 15 15 15 1	Secondary diagnosis	No	0	0	0	0	0	0	0	0	0
Heparin Lock / Tubes Insitu Yes 20 20 20 20 20 20 20 2		Yes	15	15	15	15	15	15	15	15	15
Heparin Lock / Tubes Insitu Yes 20 20 20 20 20 20 20 2	Intravenous Therapy /	No	\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	0	0	0	0	0	0	0	0
None / Bed Rest / Nurse Assist Crutches / Cane / Walker Furniture 30 30 30 30 30 30 30 30 30 30 30 30 30 3		Yes	(20)	20	20	20	20	20	20	20	20
Crutches / Cane / Walker	AMBULATORY AID										
Furniture 30 30 30 30 30 30 30 30 30 30 30 30 30	None / Bed Rest / Nurse Assist		<i>X</i> /_	0	0	0	0	0	0	0	0
GAIT Normal / Bed Rest / Wheel Chair Weak Impaired 20 20 20 20 20 20 20 20 20 20 20 20 20 2	Crutches / Cane / Walker		/ 45 /	15	15	15	15	15	15	15	15
Normal / Bed Rest / Wheel Chair 0 <t< td=""><td>Furniture</td><td></td><td>30</td><td>30</td><td>30</td><td>30</td><td>30</td><td>30</td><td>30</td><td>30</td><td>30</td></t<>	Furniture		30	30	30	30	30	30	30	30	30
Weak 10 20 2	GAIT										
Impaired 20 20 20 20 20 20 20 20 20 20 20 20 20 2			\ <u>\</u>				ļ				
MENTAL STATUS Oriented to own stability Overestimated or forgets limitations MEDICATIONS Includes PCA / opiates, diuretics, laxatives, hypnotics, sedatives, immunosuppresent, anticonvulsants, anti-hypertensives, hypoglycemics and psychotropics MEDICATIONS Includes PCA / opiates, diuretics, laxatives, hypnotics, sedatives, immunosuppresent, anticonvulsants, anti-hypertensives, hypoglycemics and psychotropics MEDICATIONS Includes PCA / opiates, diuretics, laxatives, hypnotics, sedatives, immunosuppresent, anticonvulsants, anti-hypertensives, hypoglycemics and psychotropics			/			 	ļ				
Oriented to own stability Overestimated or forgets limitations MEDICATIONS Includes PCA / opiates, diuretics, laxatives, hypnotics, sedatives, immunosuppresent, anticonvulsants, anti-hypertensives, hypoglycemics and psychotropics No 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Impaired		20	20	20	20	20	20	20	20	20
Overestimated or forgets limitations 15	MENTAL STATUS					<u> </u>					
MEDICATIONS Includes PCA / opiates, diuretics, laxatives, hypnotics, sedatives, immunosuppresent, anticonvulsants, anti-hypertensives, hypoglycemics and psychotropics No 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Oriented to own stability		0	(P)	0	0	0	0	0	0	0
Includes PCA / opiates, diuretics, laxatives, hypnotics, sedatives, immunosuppresent, anticonvulsants, anti-hypertensives, hypoglycemics and psychotropics No 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Overestimated or forgets limitations		15	(15)	15	15	15	15	15	15	15
	Includes PCA / opiates, diuretics, laxatives, hypnotics, sedatives, immunosuppresent, anticonvulsants, anti-hypertensives, hypoglycemics			0 (15)			<u> </u>				
	· · · · · · · · · · · · · · · · · · ·		65								
1 22	Total Score		50	50							
Low Risk (0 - 24)	Low Risk (0 - 24)					ļ					
Medium Risk (25 - 44)	Medium Risk (25 - 44)		{	(
High Risk (45 or above)	High Risk (45 or above)		7								
Signature & Emp. No. of RN	Signature & Emp. No. of RN	(am	ga							
Signature & Emp. No. of Sr. RN	Signature & Emp. No. of Sr. RN		the	200							
9°0 - 24: Low Risk; 25 - 44: Medium Risk; 45 or above: High Risk			900-	24: Low	Risk; 2	5 - 44: N	/ledium	Risk; 45	or abo	ve: High	Risk

		1 \ 17	- \-		ı			_	,	
INTERVENTIONS	Date	2/2	9/12					1		. =
INTERVENTIONS	<u> </u>	4),	70							
Tick as per the Risk Score	Time	1,0	1300							
Low Risk Interventions (0 - 24)						 	_			
Familiarize the patient with the immediate surround	lings	1/	'						- 1	
Remind the patient to use call bell before getting ou			1			 				
Keep the two side rails in the raised position at all t		l' /	/-		 	-	 			-
all patients regardless of age	111163 101									
Keep the call bell, bedside table, water, glasses w	ithin the		//	 -		 	 -			
patient's easy reach	id iii C d iC	l' /								
Remove excess equipment or furniture to make	a clear			 -		├──			!	
path	u oloui									
Keep the patient's bed in the low position at all times	s except	//	//		-					
during procedure	- отпорт	/	/							
Teach fall-prevention techniques, such as sitting	up for a									
moment before rising from the bed	-p (0) 0	[/	V'							
Bed wheels should be locked		-					†			
Encourage family participation in the patient's care		1		_			1			
Ensure that floor of the bathroom is dry and not slip						 	 			
Review medications for potential side effects t		-	/			<u> </u>	İ			_
promote falls		I / .			}					
Use safety belts during movement in wheelchair		1								
The patients are not ambulated by themselves. The	ev are to	 /-			-					
be ambulated only with assistance	-, <u>-</u> -	/								
Medium risk interventions (25 - 44)					ļ	Ļ	ļ			
Apply all the low risk interventions		1 /								
Tie yellow fall risk tag in the bed and Wheel chair / S	tretcher				†					
Make sure that proper transfer precautions are in		/	,		•	-				
for heavy or debilitated patients in a bed or wheel		/								
on a toilet seat		[/ ·								
Use restraints and bed monitors as ordered by the o	doctor /	ľ								
Allow the patient to ambulate only with assistance				,					İ	
Consider peak effects of the medications that effe	cts level	7								
of consciousness, gait and elimination when p	lanning	/								
patient's care		//								
Do not leave patients unattended in diagno	ostic or			-						
treatment areas										
Accompany the patient while going to bathroom						1				
Advice the patient to use grab bars near the toilet, I	bathtub,									
and shower		، ا				l				
Make sure the family and other visitors underst	and the									
restrictions mentioned above		1/4								
High-risk interventions (45 or abovc)		 / 	7	 -		-			<u> </u>	
Apply all the low and medium risk interventions		/								
Tie red fall risk tag in the bed, wheel chair and stretc										
Locate the high-risk patients in a room close to the	nurses'	l / .					ļ			
station		<u> </u>		-		ļ	 			
Answer these patients call bells as quickly as possi	ble	 			ļ		ļ			
Provide a commode at bedside (if appropriate)		ľ /		<u> </u>		ļ				
Urinal/bedpan should be within easy reach (if appro						ļ	<u> </u>			
Encourage family members or other visitors to s them	tay with									
If appropriate, consider using protection devices belts	s: safety		. /							
Signature & Emp. No.	of RN	Mad	Q _a	4						
Signature & Emp. No. of		My)	1/11				<u> </u>	 		
Signature & Emp. No. 01		<u> </u>	<u> </u>		<u> </u>	<u></u>	<u> </u>]		
		600	وه	•						