

## MRD CHECKLIST

	PARTICULARS	YES	NO
-	IP Number allocated to each Patient	<u> </u>	
	Name, Age & Sex of Patient	5	
_	General Admission Consent	5	
	Initial Assessment of Patient / Diagnosis	~	
-	Nutritional Assessment by Consultant		
-	Plan of care counter signed by the Consultant		
-	Treatment Orders - Date, Time, Name & Sign.		
-	Medication Order / Drug Chart - Date, Time, Name & Sign.	~	
- '	Vital Signs Chart (TPR Chart)	~	
-	Intake Output Chart		
-	Drug Chart (Duly filled)		
-	Anesthesia Consent - (8 thing) - Date, Time, Name & Sign. of both Patient & Anesthetist		Î
-	Anesthesia Assessment Sheet		
-	Surgery Consent - (8 things) - Date, Time, Name & Sign of both Patient & Surgeon		
-	Surgery Notes - Post Operative Plan		
-	Pain Scoring System		_
_	Blood Transfusion if done		
-	High Risk Procedures		
- ,	A copy of the Discharge Summary		



## Medway Hospitals®

The way to better health


(A Unit of United Alliance Healthcare Pvt Ltd)



## Mis.SATHIYA BAMA EZHILARA

54/Female/MHI202381+92 28/12/2023/IPH2023002622

Dr.K.JAISHANKAR





Every heart beat counts

## **ADMISSION SLIP**

Admitting Doctor: 🚫 🔨 . `	Jaishankar.	Speciality: (a)7000	ologi st	
Advised Date & Time:	28/12/23	10:30 AM	HUMA	1,
Provisional Diagnosis:			<del></del>	<b>*</b>
	ACS - NSTEMO			1
,	CVA - Acute			
Reason for Admission:	Medical Management [	Surgical Management		
(	Others (please specify details)	CAG.	<u> </u>	
Admission Type:	Day Care ER	Ward		
[	(CU	(Specify details)		
Surgery / Procedure Name (				
	CAG.			
Blood Product Requirement	: Yes (Kindly specify a	letails of components required in	space below)	
				,
				i
Expected Duration of Stay:	Day Care	•		
Expected Cost of Treatment	(as per Financial Counseling Form)	): (1/2		;
Payer: Self Insurance	Others:	I IES!		
Instructions to Nurse (if and			•	*
Instructions to Nurse (if any)	RL Admisse	าก	,	
•	RI Harryssa	<i>50</i> )		ı
Any other Instructions (if any	/):			
		-		
Doctor's Signature	Name ,		Date T	ime
Joseph Solginature	ا امحاد ا	_	28/2/23	LO'-20Am
7 7	201. Jalishan Kan.	4544 g	28/2007	

For admission desk staff	only:						
Room Category:	General Ward Single Room		•				
	Twin Sharing						
	Deluxe Room						
	Suite Room	,					
<b>-</b>	Others	· · · · · · · · · · · · · · · · · · ·					
Admission intimation	n Receipt Details	Admission T	ime in HIS				
Date	Time	Date	Time				
28/12/23	11:14 Dy	28/12/23	1):14 m				
Source: OPD  ER  Direct  To be filled only if Blood requirement specified by the Doctor:							
Is Blood Reservation an	d Blood Bank clearance com	pleted as advised: 🔲 Yes	☐ No				
Front office Staff Signature	Loooth Lug	Emp. No. M1/10273	Pate Time 11/14/				

# Medway Hospitals The way to better health

(A Unit of United Alliance Healthcare Pvt Ltd)



## Patient R-12: A BAMA EZHILARA Mrs.SATHIYA BAMA EZHILARA 54/Fcmalc/MHi202381492 28/12/2023/!PH2023002622

Dr.K.JAISHANKAR



MHI/HOSP/2022/129

## **ADMISSION FORM**

			TD IT I OC		•		
Marital Status  Mauked  Occupation	Full Addr No: Pozi	ess 3/82 K hôchalm	akanji , cher	street, co	hithirai	nlagae	Telephone Number
Referred from	ī	Date of Time of A	dmission D	ate & Time of Disc	harge	Tota	l No. of Days
ESIC		28/12/23)	1:14	28/12/23	1830	6hs	45 m
UNIT -		MLC 🗆	Yes [	No If Yes	s AR No. :		
		FINAL I	DIAGNOSIS	•			ICD Code
<u> </u>	10	МУхома			-		D(5·1
		•	ENBO	LIC STROK	E		J51.6
	843 8	SMIC Hy	DERTE	VSION			Tio
	-	•		Mathorus			E11.9_
DATE		OPER	ATION / PR	OCEDURES			ICPM Code
28/12/23	(	CORONARY	ANS10	& RAM			88.20
DATE		TYF	PE OF ANES	STHESIA			
98/10/23	☐ GENERAL	 ☐ SPI	NAL	LOCAL	☐ REGIO	DNAL	EPIDURAL
			DISCHA	RGE STATUS		-	
☐ Cured		 ☐ Discharg	e at Reques	t			xpired < 48 hours
		☐ Against M	ledical Advi	ce		_	•
Improved		☐ Absconde	ed				xpired > 48 hours
□ Unchange	☐ Unchanged ☐ Transferred to ☐ P				□ P	ost-Operative Death	
Signature o	8860.°	ant			Signature	of Medi	cal Records Officer

#### **AUTHORISATION FOR TREATMENT I PAYMENT**

I hereby authorise the Administration, Medical and Nursing and Paramedical, Staf f of the Hospital Investigate treat and
administer such drugs as may be necessary and to perform such operation under anaesthesia or other wise as may be
deemed necessary and / or advisable in the diagnosis and treatment of my illness / patient F Satth Lyama Tahilarasan
who is my

I hereby under take to settle all the bills for hospitalisation charges related to me/the patient named overleaf or a periodic basis. In any case, I shall pay all the dues before getting discharged from the hospital.

However, in case I fail to pay the charges due to the hospital as agreed above, I hereby authorise the hospital to transfer me/the patient to any other hospital/institution for further treatment as deemed fit and proper by the hospital authorities.

I also acknowledge having been informed if the General Rules and Regulations of the Hospital and that all cash, jewellery and valuables belonging to the patient or their attendants have been removed to a place of safety / handed over to the next of kin and I absolve the hospital of any responsibility with regard to any loss.

I have read out and explained the contents of the above to the Signatory in his vernacular	
சிகீச்சை, பணம் செலுத்துதல் முதலியவை செய்ய அதிகாரம் வழங்குதல்	

இதன் மூலமாக நான் நிர்வாகம், மருத்துவம், தாதியர், ஏனைய மருத்துவ ஊழியர்கள் எனக்கு / நோயாளி
க்கு தேவைப்பட்ட சோதனைகளை செய்து மருந்துகளை கொடுக்கவும். மயக்க
மருந்துகள் கொடுத்து செய்முறைகள்/அறுவை சிகீச்சை செய்யவும் அதிகாரம் வழங்குகீறேன். நான் / இதீல் குறித்துள்ள நோயாளின்
செலவுக்கன தொகை முழுவதும் செலுத்த இதன் மூலம் உறுதி அளிக்கிறேன்.

மேல் கூறியது போல் வேளை நான் தங்கள் மருத்துவத்திற்கான செலவுகளை கட்டத் தவறினால் என்னை நோயாளியை வேறொரு மருத்துவமனைக்கு, பிற சிகீச்சை / அறுவை சிகீச்சை செய்ய இடமாற்ற ஒப்புதலை எனது உறவினர்கள் மூலமாக பெற நான் அதிகாரம் அளிக்கீறேன்.

மருத்துவமனையின் பொது சட்ட தீட்டங்கள் பற்றி தெரிவிக்கீப்பட்டிருக்கீறேன்.

நோயாளிக்கு உரிமையான எல்லா பணம், நகை மதிப்பிடக்கூடி பொருட்கள் யாவும் பாதுகாப்பான இடத்திற்கு மாறுபட்டுவிட்டன / அல்லு நெருங்கிய உறவினரிடம் கொடுக்கப்பட்டுள்ளது. இந்த மருத்துவமனை எனது/நோயாளியின் எந்தவித நஷ்டத்திற்கு பொறுப்பில்லை என உறுதி செய்கிறேன்.

மேற்குறிப்பிட்ட அனைத்தும் எனக்கு விவரிக்கப்பட்ட பிறகுதான் கையொப்பமிட்டேன்.

செவிலியர் கைசியாட்பம்

தேதி

எனது/உறவினர்/காப்பாளர் கையொப்பம்

Signature of Admitting Nurse

Date 28/12/2022

Signature of the Patient / Relative / Gurdian

உறவுமுறை

Nature of Relationship



discharge.





# MIS.SATHIYA BAMA EZHILARA 54/Female/MHI202381492 28/12/2023/IPH2023002622 Dr.K.JAISHANKAR



## **GENERAL CONSENT FOR ADMISSION**

I, <u>Sathuyahamor</u> the ☐ Patient or ☐ Representative of patient have
(please tick the correct option above and below)  ☐ Read
☐ Been explained this consent form in English, which I fully understand.
• I give my full consent and authorization for admission and treatment at this hospital. The proposed treatment plan has been explained to me.
<ul> <li>I consent and authorize the hospital, treating doctors, nursing, technical and paramedical staff to provide relevant care and to conduct diagnostic as deemed necessary by the treating doctor/team.</li> </ul>
<ul> <li>I also consent to use of assistants such as resident doctors, other doctors, nurses, and other healthcare workers by the hospital and treating doctor/ team.</li> </ul>
<ul> <li>I consent for clinical consultation, admission, disclosure of information required for clinical management (under confidence), routine medical examination (physical examination, palpation, percussion, auscultation), routine lab and imaging investigations, general nursing care, diet and physiotherapy assessment and counselling.</li> </ul>
<ul> <li>I have been explained about the proposed care plan, expected result(s), possible outcome(s) and expected cost of treatment/ hospital stay.</li> </ul>
<ul> <li>I understand that the hospital will take due care of me / my patient but, that there is always a possibility of an unexpected complication(s) which may necessitate longer stay and / or use of intensive care services. In such cases, procedure different from those contemplated and other intervention(s) may sometimes be needed.</li> </ul>
<ul> <li>I declare that, I have and will inform the doctor of my medical history including previous illnesses, allergies, drug reaction(s), surgical procedure, relevant medical family history and all other facts relevant to my treatment. I shall not hold the hospital/ doctor responsible for any consequences which may arise due to non-disclosure of relevant information on my part.</li> </ul>
I declare that I have been explained about my rights and responsibilities.
<ul> <li>I have been made aware of the rules and regulations of the hospital including those related to security and I promise to abide by them.</li> </ul>
<ul> <li>I understand that in case of some unexpected event occurring during the course of my stay I may be suggested a transfer to another hospital / healthcare organization, as considered appropriate by my treating doctor.</li> </ul>
<ul> <li>I understand that, drugs, consumables and devices will be charged on an 'as actual' basis as per the hospital tariff. I have been informed and I understand that there can be usage of certain reprocessed items during the course of the treatment. I also understand that only full strips of medicines shall be issued and returned. I</li> </ul>

declare that I take full responsibility of settling the bill before leaving the hospital premises at the time of

- I further declare that I have been given an opportunity to ask question(s) related to my admission, care plan and proposed hospital stay, and that such questions have been answered to my satisfaction.
- I declare that I have received and fully understood the information provided in this consent form, that I have been given an opportunity to ask questions relating to my admission, care plan and proposed hospital stay, and that all my questions have been answered to my entire satisfaction and there are no misconceptions or false hopes in my mind. I further declare that all fields (of this form) requiring insertion or completion were filled in my presence at the time of my signing this form.
- I, the above-named Patient / named patient's representative, do further hereby declare that I am above 18 years
  of age as on the date of signing this form, mentally sound and am giving consent without any fear, threat or false
  misconception.

	Signature / Thumb Impression*	Name	Date	Time	
Patient		Satheya Bama · E	28/12/17	11:14	
Surrogate/Guardian (if applicable #)	Gerally. E	E-Revathy (Write name and relationship with patient)	25/12/2	17.14	
Reason for surrogate consent	Patient is unable to give consent	because:			
Witness	Ewally E	Revathy E	24/12/2	11:14	
Interpreter (if applicable)	,		·		

<sup>\*</sup> Right Hand for Males & Left Hand for Females | # Only if Patient is a minor or unable to give consent







## DAY CARE DISCHARGE SUMMARY

IP No.

IPH202302622

D.O.A

: 28/12/2023

UHID

: MHI202381492

D.O.P

÷ 28/12/2023

Name

Mrs. SATHIYA BAMA EZHILARASAN

Room No. RL

Age / Gender

54Years / FEMALE

Consultant

: **Dr. JAISHANKAR.K** MD., DM., FIAMS

D.O.D

: 28/12/2023

Director and Clinical Lead

Cardiology and Electrophysiology

### **DIAGNOSIS:**

LA MYXOMA

OLD CVA - ?EMBOLIC STROKE

SYSTEMIC HYPERTENSION

TYPE II DIABETES MELLITUS

PROCEDURE: CORONARY ANGIOGRAM DONE ON 28.12.2023 – MINIMAL COROANRY ARTERY DISEASE.

#### **BRIEF HISTORY:**

Mrs. Sathiya Bama Ezhilarasan, 54years/ Female, Presented with complaints of right sided chest pain. Complaints of headache. Complaints of bilateral upper limb pain. She was evaluated in ESIC hospital and treated conservatively. She was advised Coronary angiogram and referred to Medway Heart Institute on 28.12.2023 for which she has been admitted.

No H/O fever, vomiting, diarrhea.

Known case of Type II Diabetes mellitus and systemic hypertension on medication.

N/K/C/O Dyslipidemia and hypothyroidism.

## **ON EXAMINATION:**

Patient Conscious, Oriented and afebrile.

PICCLE

NIL

HR

106bpm

BP

155/100 mmHg

 $SPO_2$ 

97% in room air

**CVS** 

S1S2 (+)

RS

Abdomen

BAE Soft

**CNS** 

**NFND** 

#9, 1st|Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel : 044 - 4310 8959

@MedwayHospitals

(a) @medwayhospitals

in @medway-hospitals

@medwayhospitals

94457 94457 1800 572 3003

**Medway Group of Hospitals** 

Medway Centre of Excellence (Chennai)

Kodambakkam 044-2473 4455

Mogappair 044-26530011

Kumbakonam 044-2473 4455

Chengalpattu 044-27426829

Villupuram 04146-242000

**Heart Institute** 044 - 4310 8959 Institute of Pulmonology 044-2473 4454

E-mail: info@medwayhospitals.com | Website: www.medwayhospitals.com | CIN: U74900TN2011PTC083665

MHI/HOSP/2022/118



UHID: MHI202381492



Every heart beat counts (A Unit of United Alliance Healthcare Pvt Ltd)

## **INVESTIGATIONS:**

BLOOD: Hb-10.4gm/dl, TWBC - 10270cells/cumm, PLT - 49100cells/cumm, Urea - 34mg/dl, Creatinine - 0.8mg/dl,NA+ - 135 mmol/l, K+ - 4.45 mmol/l.

ECG: sinus rhythm, HR – 93 bpm, T wave inversion in V4-V6 leads.

ECHO(26.12.2023): Large LA myxoma attached to IAS. LA myxoma protruding into mitral valve. Mild eccentric MR. Trivial TR. No PAH. All chambers normal sized. No RWMA. Normal LV systolic function. EF -61%. Indeterminate diastolic function. Normal RV systolic function. All valves are structurally normal. IAS / IVS intact. IVC normal in size and collapsing. No vegetation / effusion.

## **COURSE IN THE HOSPITAL:**

Mrs. Sathiya Bama Ezhilarasan, 54 years/ Female, underwent Coronary Angiogram by right radial access on 28.12.2023 which revealed MINIMAL COROANRY ARTERY DISEASE. Post procedure was uneventful. She is planned for LA MYXOMA REMOVAL. Her medications are optimized and she is being discharged in a stable clinical condition.

### ADVICE MEDICATIONS:

SI.	NAME OF THE DRUGS WITH	DOSAGE	FREC	UENCY	?	ROUTE	RELATION	DURATION
NO	GENERIC NAME		M	A	N		SHIP WITH MEAL	
1,	TAB. ASPIRIN	75 MG	0	1	0	ORAL	AFTER FOOD	TO CONTINUE
2.	TAB. ATORVA (ATORVASTATIN)	40 MG	0	0	1	ORAL	AFTER FOOD	TO CONTINUE

#### + DIABETIC MEDICATIONS

DISCHARGE ADVICE								
DIET LOW FAT, SALT & DIABETIC DIET.								
PHYSICAL ACTIVITY AVOID STRENUOUS ACTIVITY								
REVIEW WITH CTVS TEAM FOR LA MYXOMA AFTER APPROVAL FROM ESIC HOSPITAL.								

If temp > 101 'F / Difficulty in breathing / chest pain / Giddiness/ palpitations. Any other significant symptoms. In case of emergency Contact: Medway Hospitals @ 4310 8959.

> "I understood the Content of the discharge summary."

Dr. K. JAISHANKAR

Reg. No: 49448

E-mail: info@medwayhospitals.com | Website: www.medwayhospitals.com | CIN: U74900TN2011PTC083665

CONSULTANT SIGNATURE

#9, 1st Main Road, United India Colony, Kodambakkam, Cher 94457 94457 Director and Clinical Lead Omedway-hospitals Cardiology and Electrophysiolog **€** @MedwayHospitals (i) @medwayhospitals 1800 572 3003 Typed by : Ezhieਿਲਿੰਗy Group of Hospitals Medway Centre of Excellence (Chennai)

Heart Institute Kodambakkam Mogappair Kumbakonam Villupuram Chengalpattu 044-2473 4455 044-26530011 044-2473 4455 044-27426829 04146-242000 044 - 4310 8959

MHI/HOSP/2022/118

Institute of Pulmonology

044-2473 4454







DAY CARE INITIAL ASSECT Date: 22/12/23 Time of arrival: 11-35 Part A (to be filled by Nurses) Vital Signs: Temp: 98 (F) | Pulse / HR: 106 (beats/min) | BP: 155 / 100 (mmHg) Respiration: 20 (breaths/min) | SpO<sub>2</sub>: 97 (%) | Height: 148 (cms) | Weight: 54.2 (kgs) | BMI: 24.7 | Milestin | Cms Any Language Barrier: Yes Vo If yes, please call Language Coordinator / Translator Allergies: Des DNo If Yes, specify: Psychosocial Assessment: Substance Abuse: ☐ Yes ☐ No Smoking: ☐ Yes ☐ No Alcohol Intake: ☐ Yes ☐ No Do you have any special religious, spiritual or cultural needs to be considered? ☐ Yes ☐ No If Yes, specify details: **Pain Screening** Pain: Yes No. If Yes, Score: \_\_\_\_\_ O Pain Scale used: PIPPS (28 weeks to < 38 weeks) CRIES (38 weeks - 2 months) FLACC Scale (2 months - 7 years) Wong-Baker FACES Pain Rating Scale (7 years - 12 years) Numerical Rating Scale (Age more than 12 years) Duration: Pain Character: Dull Aching Sharp Stabbing Shooting Burning Referred / Radiant Pain **Nutritional Screening:** Last 3 months Appetite Increased Decreased No Change Last 3 months Weight Increased Decreased No Change No Risk Fall Risk Screening for adults: ☐ Age more than 65 years ☐ History of fall in last 3 months ☐ Walks with assistance Any neurological problem In case of 2 or more criteria met initiate detailed fall assessment and fall prevention protocol Fall Risk Screening (for pediatrics) H/O fall in last 3 months Neurological problem (vertigo, seizure, etc) Deranged Mobility No Risk In case of 2 or more criteria met initiate detailed fall assessment and fall prevention protocol Signature Name Emp. No. Date Time Nurse Mahalakshni. E 802

Pai	rt B (to be filled by Physician	s)	- <u>-</u>					
Chief Complaints								
	AGGUT SUPLO COMSTP ALL USPPYIN CHIMPEN	7~				,		
	AL approx Cump 102	~						
						-		
Pas	t Medical History			* }	a'	and an expension		
		_						
		• .		$r \cdot \chi^t$		·		
Pe	rsonal-History				. <u> </u>	`		
			/					
						-		
}								
Sig	nificant Family History			<del>-</del>				
	_							
]				,				
Cui	rrent Medication	_			-			
S. No.	Current Medication	Dose	Route	Frequency	Date & Time of last dose	To be continued during hospital stay		
						☐ Yes ☐ No		
						☐ Yes ☐ No		
						☐ Yes ☐ No		
						☐ Yes ☐ No		
						☐ Yes ☐ No		
						☐ Yes ☐ No		
						☐ Yes ☐ No		
		_				☐ Yes ☐ No		
						☐ Yes ☐ No		
				-		☐ Yes ☐ No		

## Clinical Examination / Investigation

AN SM

andr - 34/ andr 0.8 Na - 135 (K - 4-45

Sinorily - NRCAMIVE

## **Provisional Diagnosis**


ACS-NOTISMI / CVA / CAMSXOMA/ om/ (M)

Plan of Care (including Investigations Ordered)

KICKZENIA MA







2022/041 **1edway Part**titute

Every heart beat counts

-	DOCTOR'S PROGRESS NOTES
DATE	NOTES
_	
28/12/23	CAGn: (Per) Nadial Stock, SPF16.
28/ 0	
) <del>\</del> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	AM. Porfuredt the LAD Hero. Aud
	LATI: Type 3: gives 2 Dragilis + minor Septels.  LOD + Brancher appear Nel
	gover major DM colored has define
	Les: (10) Propil Lex: No. Detel Les: The worl  gover 1 major DM Wheel Las deffuse  no flow limby dura.
	Reprod. Rep mal. P.Doo Pers Lane leul Dryle
	D. Mind Con
	Ple: Mysoma Removal.
<u> </u>	
<del></del> .	9388
·	

DATE	NOTES _
28/10/2023	dslb on anur (160)
1500	-Pr. Markun
	- HIL COMPANY
	- IND 5 MM
	- CAR - MINIMA CAJO
	- PM - MJ KOMA MMOVIN
<del></del>	Alvin Sam
	Dr. Anish Nelson Reg. No: 88434
H. D	ps. com st orsumpun
	1 1/2, m)
	// John
	Dr. Anish Nelson Reg. No: 88434
	<del></del>





## MHI/DIET/2022/147 Medway



Every heart beat counts

Patient Delails (Affix Label here) Name: MR. S OUTOUTH BAN MID: 5, 053 81 1645 DOB: 50 Ser DOA: 28/2/2/2

Consultanting Jou Shou

## Department of Dietetics

## NUTRITION ASSESSMENT AND CARE PLAN FORM

sis:	<u>G/</u>	TIDM S	生さる。	1-1-	<u> </u>	
1.099	cms `	Weight:Kgs	Food allergies: Y	er/No; if yes, specify	**************	
us Beliefs:		Vegetarian	Non Vegetar	ian r -	☐ Eggetarian .	☐ Jain
escription	901	Calones		- /511) Sa	of mai	asic dio
ECTIV		AL ASSESSMENT				
	(A) -	Patient's related Medical Histo	ory the first		<u> </u>	
	1)	Weight Change (overall change			<u> </u>	
		31.7				5
	_	No weight change/ gain	<5% <sup>*</sup>	5 - 10%	10-15%	>15%
2)	Dietary Intake	Duradin: 21	. 41 × (1 × ·		<u> </u>	
			2	<b>1</b> 3 4		5
	Oral	No change	Sub-optimal solid diet "	Full liquid diet/ moderate / 1_/ overall decrease	htypo-caloric liquid diet	Starvation
	Enteral / Parenteral Nutrition	Adequate/ Excessive	Sub-optimal	Inadequate t	Typo - caloric featls.	Starvation
3)	Gastrointest	nal Symptops #Duration: \	1. 4 . 2	1 1 1 1		
		<b>1</b>	□ 2	<u>□</u> 3	1 D4 11.	<b>3</b>
	1	No symptoms	Nausea	Vorniting/ moderate GI	Diarrhoga	severe anoretia
		<u> </u>		symptoms	- <u> </u>	
4)	functional (	apacity (Nutrition related functional imp	<del></del>		<del> </del>	
		1 1	2 ( )	DM245334	□ 4	Bed/chair-
	`.	None /Improved	Difficulty with ambulation	Difficulty with normal activity	Ught activity	ridden with no or little activity
5)	Co - morbidit	(Pisease and its relationship to nutrition	n requirements)			
•		D 1,7 , ,	D 2	54	<u> </u>	5
	ÇÎ	Healthy , ' k	Mild co- morbidity	Moderate co - morbidity/ age - >75 years	severe co- morbidity	Very severa multiple co- morbidity
8)	Physical exa	mination	,	<u></u>		
1)	Decreased for	st stores or loss of subcutaneous fat	,		1112	
	-†	Jap 1			04	10 5
	+	Normal	Mild	Moderate		Severe
2)	Sign of muscle	<del></del>		<u> </u>		
<del></del>	2-8 0- 1-10301		1 D2 1 1 1 1 1 1	D3 1	10.	□s ``
	+ -	Normal	Mfd	Moderate		. Severe
Tatal	Sum Fabove 7 con		_ <del>-</del>	<del></del>		
lotal Score =	Sum tabové v cou	ропели	<del></del>	117/11/1		· .
Nutritional S	tatus : Based on th	s patient is		10		
	Well Nourishe	1	<u></u>	7 to 14)		
	Moderately M	atnourished		15 to 18)		
	Severely Mala	purished		(19 to 35)		
Nutrition int	ervention:					
	Oral			<del></del>	Parenteral	<u></u>
	U- a munidada da	<b>₫</b> ₩	lo lo	No		
Diet counsel	ivig provides;					
	fre-assessment:	Weekly		☐ Fort - night	☐ Monthly	

Dietitian Signature / Name / Date / Time:

DATE AND TIME	DIETITIAN NOTES	SIGNATURE
12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	orne clo@ west pain and	
	nouvelled asserted sont	oepo
	procedure (CAG). Kept on NBM. patient statifted to Radial lourge. Policy Toble Diokoxic liquid diet. Can initate Diabetic Sept	
28/12/23 16:00	Solvid diet  Edwardel The patient of  Jamily on 1600 calories,  Low Part, Low Salt, Diodent  diet on diswarge  Diet chart given on	0236.
	dis charge	

1200 - 520 - 1 - 1 - 1



#### MIS.SATHIYA BAMA EZHILARA

54/Female/MHI202381+92 28/12/2023/IPH2023002622





## PATIENT TRANSFER FORM DIAGNOSTICS / PROCEDURES

Diagnosis: ACS -NAFERY, TONH, SHTW, LA MIRIGIES if any: NKDO									
From (Area	From (Area) To (Area) Date Time Reason for Transfer / Name of Procedure						cedure		
PL	PL cath Let 28/12/23 13:15 CAU								
Method of Tra	nsfer: [	☐ On Bed ☑ Oh			_				
	ASSESSMENT OF PATIENT:  General condition of Patient: Conscious Conscious Un-conscious								
Language Bar	rier: 🗌	Yes □No □ If`	Yes, spe	cify:		<u>-</u>			
Fall Risk Cate	gory: 🗌	Low Risk  Med	dium Ris	k 🗹 High R	isk				· 
Vital Signs (to b	e docur	nented at the tim	e of shift	ing):					
Temp (°F)	RR (l	oreaths/min)	Pulse	e (beats/min	1)	SpO <sub>2</sub> (%)	BP (mmHg)	Pain	Score
98.45	2	2	too	6/mbg		984.	155/100.	0	60·
Any pre-medic	ation gi	ale (>12 years) [ ven: n: ndation:		(ventilator / c	comate	osej 			
<u> </u>	Sign	ature	Nam				Emp. No.	Date	Time
Handover by	'	(A)	U	ad hu	m)(	ζα	02 44	28/12/2	13.15
Handed over to		<b>9</b>		Sand	hry	ak	0004	28/12/23	13.30
Procedure comp	After Procedure:  Procedure completed:  Yes   Any critical information:  // /  Vital Signs (to be documented at the time of shifting):								
Temp (°F)	RR (L	oreaths/min)		(beats/min	·	SpO <sub>2</sub> (%)	BP (mmHg)		Score
97.7	18 pr	Inin	1150	bents/mi	1	100%.	1\$8/92 C112	) 0/1	0
Pain Scale used: ☐ PIPPS (28 weeks to ≤ 38 weeks) ☐ CRIES (38 weeks - 2 months) ☐ FLACC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years) ☐ Numerical Rating Scale (>12 years) ☐ CPOT (ventilator / comatose)									
		ature	Nam	1 4			Emp. No.	Date	Time
Handover by	-∔	<u> </u>		andhu	14.1	ξ	0004	28/12/23	14:20
Handed over to		<i>/</i>		goe ja	<u>~'                                    </u>		Jun	2/14/25	14-30



Patient Na



#### CONSENT FOR CORONARY ANGIOGRAM / CORONARY ANGIOPLASTY

No:

Mis.Sathiya bama ezhilara

54/Fernale/MHI202381492

28/12/2023/IPH2023002622

Consultan Dr.K.JAISHANKAR

Sex: M/

UHID : LL

CONDITIO

Dr JALSHOMENRhas explained that I have the following condition:

Fat (cholesterol) and calcium can build up in the arteries like rust in old pipes. It can stop the flow of blood to the heart. This can cause angina or a heart attack. The Coronary Angiography procedure is performed to show up the amount of disease in the coronary arteries, the blood vessels that supply the heart with bleed. After an injection of local anaesthetic, a fine tube (catheter) is put into the artery in the groin/hand. The tube is carefully passed into each coronary artery in turn. A series of video pictures are taken using x-rays and an iodine containing contrast medium (x-ray dye). The contrast medium may be injected into the main pumping chamber of the heart (left ventricle). This helps us to find out whether you have any narrowing or blockage of your coronary arteries. The doctor can then tell you which treatment is best for you after carefully studying and discussing your pictures. This may be an operation such as a coronary by-pass or a procedure called an angioplasty (the arteries are widened using a small sausage shaped balloon). Sometimes, drugs alone may be a suitable option.

#### RISKS OF THIS PROCEDURE

The risk of coronary angiography depends on:

(i)The nature of coronary artery disease (ii)The pumping status of the heart (iii) Your age and general health These are some of the more serious risks that can happen, but are not the only risks:

Less than 1 in 10,000 (0.0001%)	(a) skin injury from radiation, causing, reddening of the skin
1 in 1000 people (0.001%)	<ul> <li>(b) A stroke. This can cause paralysis and long term disability</li> <li>(c) Heart attack.</li> <li>(d) A dangerous reaction to the x-ray contrast medium (dye). If this happens, you may have severe reactions such as asthma, shock and convulsions. Death in extremely rare cases about 1 in 2,50,000 to 4,00,000 injections.</li> <li>(e) Need for major surgery to the leg at the puncture site.</li> <li>(f) Need for emergency heart surgery or angioplasty.</li> <li>(g) A higher lifetime risk from x-ray exposure.</li> <li>(h) Death</li> </ul>
1 in 100 people (0.01%)	<ul><li>(I)the heart may not beat in a proper rhythm which will need urgent treatment</li><li>(j) Surgical repair of the groin puncture site. This may need a longer stay in hospital.</li><li>(k) Minor reaction to contrast medium such as hives.</li><li>(l) Loss/impairment of kidney function due to the contrast medium</li></ul>
1 in 20 people (0.05%)	(m) Major bruising or swelling at the groin punture site
Most People	(n) Minor bruising

P acknowledge that Dr. Application. has explained my medical condition and the proposed procedure. I understand the risks of the procedure, the anaesthetic including the risks that are specific to me and the likely outcomes if complications occur. The Doctor has explained other relevant treatment options their risks and my right to refuse the treatment. He has explained my prognosis and the risks of not having the procedure. I was able to ask questions and raise concerns with the doctor about my condition, the procedure and its risks, and my treatment options. My questions and converns have been discussed and answered to my satisfaction. I understand that in the unlikely event of complications, I may require a blood transfusion, an additional procedure or surgery. The doctor has explained to me that if immediate life-threatening events happen during the procedure, they will be

treated accordingly. I understand that no guarantee has been made that the procedure will improve the condition On the basis of the above statements,

## I REQUEST TO HAVE THE PROCEDURE

	Signature	Name	Date	Time
Patient/Guardian with relationship	E. Shieppanis	MRS. SATHIYA BAMA FZ	80/01/20 DR 10/03	12000
witness	Geraly-E	REVATHV F / Documents		12.00PM
Doctor	\$ 93259	DR. KARTHICK	18/12/23	12: 00PM
Interpreter	0			,





#### <u> கிருதய ஆன்னியோகிறாம் unlernதனைக்கான ஒப்பம்</u>

நோயாளியின் பெயர்:	ഖധക്വ:	பாலினம்: ஆண் / பெண்
மருத்துவ ஆலோசகர்:	வார்டு படுக்கை எண்:	யுஹெச்ஐடி (UHID) :

#### நிலை மற்றும் செயல்முறை

பழைய இரும்புக் குழாய்களில் துருபிடிப்பதைப் போல், தமனிகளில் கொழும்பு மற்றும் கால்சியம் சேரும். இது ஆன்ஜினா அல்லது மாரடைப்பினை ஏற்படுத்துகிறது. இதயத்திற்கு ரத்தத்தினை வழங்கும் ரத்தக்குழாயான இதயச்சுவர் சிரை தமனிகளில் நோயின் அளவினை கண்டறிய கரோனரி ஆஞ்சியரேகிராஃபி செயல்முறை மேற்கொள்ளப்படும். ஒரு லோக்கல் அன்ஸ்தீட்டிக் (மயக்க மருந்து) வழங்கப்பட்ட பின், ஒரு சிறிய குழாயானது (கதீட்டர்) கவட்டை/கையிலுள்ள தமனியில் செலுத்தப்படும், இந்த குழாய் ஒவ்வொரு இதயச்சுவர் சிரை தமனிகளிலும் மாற்றி மாற்றி கவனமாக வரிசையாக செலுத்தப்படும். எக்ஸ்ரே மற்றும் பிற அயோடின் கொண்டுள்ளன கான்ட்ராஸ்ட் மீடியத்தினை (எண்ஸ்ரே டை) பயன்படுத்தி, பல வீடியோ படங்கள் வரிசையாக எடுக்கப்படும். இதயத்தின் முக்கிய ஏற்றியிறைத்தல் அறையில் (இடதுபக்க இருதய கீழறை) இந்த கான்ட்ராஸ்ட் மீடியம் உட்செலுத்தப்படலாம். இது இதயத்தின் அளவினை மதிப்படவும் மற்றும் அது எவ்வாறு பம்ப் செய்கிறது என்பதை மதிப்படவும் மற்றும் அது எவ்வாறு பம்ப் செய்கிறது என்பதை மதிப்படவும் மற்றுகள்ளப்படும். இப்படங்கள் நமக்கு இதயச்சுவர்சிரை தமனிகள் குறித்த ஒரு படத்தினை வழங்கும். இது உங்களுக்கு ஏதேனும் அடைப்பு இருக்கிறதா என்பதை கண்டறிய உதவும். பின்னர் உங்கள் படங்களை கவனமாக பார்த்த பின் மருத்துவரால் உங்களுக்கு ஏற்ற சிகீட்சையை மேற்கொள்ள முடியும். இவை பை-பாள் அறுவை சிகீட்சையாகவும் இருக்கலாம் அல்லது ஆன்ஜியோபிளாஸ்டி (பனுன் வடிவம் கொண்டதொரு சிறிய சாசேஜ் கொண்டு தமனியை அகலப்படுத்துகல் என்னும் ஒரு செயல்முறையாகவும் இருக்கலாம். சில நேரங்களில் மருந்துகள் மட்டுமே போதுமானதாக இருக்கலாம்.

#### கிச்செயல்முறையிலுள்ள கிடர்பாடுகள்

இதயச்சுவர் சிரை ஆன்ஜியோகீராஃபியிலுள்ள இடர்பாடுகள் பின்வருபவைகளையே சார்ந்திருக்கும்

(i) இதயச்சுவர் சிரை தமனி நோயின் தன்மை (ii) இதயத்தின் ஏற்றியிறைத்தல் நிலை (iii) இதயத்தின் வயது மற்றும் பொது ஆரோக்கியம் ஏற்பட வாய்ப்புள்ள சில தீவிர இடர்பாடுகள் மின்வருமாறு. ஆனால் கிறைவகள் மட்டுமே முழுமையான இடர்பாடுகள் அல்ல

10.00-ல் ஒருவருக்கும் கீழ் (0.0001 சதவிகிதம்)	(a) கதிர்வீச்சின் காரணமாக ஏற்படும் தோல் பாதீப்பு, சருமம் சிவந்து போதல்
1000-ல் ஒருவருக்கு (0.001 சதவிகீதம்)	<ul> <li>(b) வலிப்பு. இது பக்கவாதம் மற்றும் நீண்டநாள் ஊனத்தை ஏற்படுத்தலாம்</li> <li>(c) மாரடைப்பு</li> <li>(d) எக்ள்-ரே காண்ட்ராள்ட் மீடியத்தின் (டை.) ஆபத்தான விளைவுகள் . இவை ஏற்பட்டால் உங்களுக்கு ஆள்துமா, அதிர்ச்சி மற்றும் வலிப்பு போன்றவைகள் ஏற்படலாம். 2,50,000 முதல் 4,00,000 ஊசிகளில் ஒன்று மரணத்தையும் விளைவிக்கலாம்.</li> <li>(e) குத்தப்பட்ட இடத்தில் பெரிய அறுவை சிகிச்சை மேற்கொள்ள வேண்டியது வரலாம்.</li> <li>(f) அவசரகால இதய அறுவை சிகிச்சை அல்லது ஆன்ஐயோபிளாஸ்டிக் தேவைப்படலாம்.</li> <li>(g) எக்ஸ்ரே கதிர் பாதிப்பு காரணமாக அதிக வாழ்நாள் அச்சுறுத்தல் இடர்பாடு.</li> <li>(h) இறப்பு</li> </ul>
100-ல் ஒருவருக்கு (0.01 சதவிகிதம்) ்	<ul> <li>(I) இதயம் சரியான முறையில் துடிக்காமல் இருக்கலாம். அதற்கு அவசரமாக சிகீச்சை தேவைப்படும்</li> <li>(j) குத்தப்பட்ட கவட்டை பகுதியில் அறுவை சிகீச்சை சரிபாடு. இதனால் மருத்துவமளையில் நீண்ட நாட்கள் தங்கியிருக்க வேண்டியது வரலாம்</li> <li>(k) தோல் அரிப்பு போன்ற சிறு விளைவுகள்</li> <li>(l) கான்ட்ராஸ்ட் மீடியம் காரணமாக சிறுநீரகம் செயல்படாமை அல்லது அதன் வலுகுறைதல்</li> </ul>
20-ல் ஒருவருக்கு (0.01 சதவிகிதம்)	(m) குத்தப்பட்ட இடத்தில் பெரிய அளவிலான சிராய்ப்பு அல்லது வீக்கம்
பெரும்பாலான மக்களுக்கு	(n) சிறிய அளவிலான சிராய்ப்பு

#### நோயாளி ஒப்புதல்

#### செயல்முறையை எனக்கு மேற்கொள்ளுமாறு கேட்டுக்கொள்கிறேன்

	கையெழுத்து	பெயர்	தேதி	நேரம்
நோயாளி (பாதுகாவலர்) உறவுமுறை			٠,	-
சாட்சி	1			
மருத்துவர்				
மொழிபெயர்ப்பானர்				







## CORONARY ANGIOGRAM REPORT

PATIENT NAME: Mrs. SATHIYA BAMA EZHILARASAN

UHID

: MHI202381492

AGE/GENDER

: 54 YEARS / FEMALE

IP NO

: IPH202302622

: Dr. Jaishankar. K MD., DM., FIAMS

D.O.A

: 28.12.2023

**CONSULTANT** 

D.O.P

: 28.12.2023

Director and Clinical Lead

Cardiology and Electrophysiology

CATH DATE	28.12.2023	DONE BY	DR. JAISHANKAR
CATH NO	3493	ASSISTED BY	SN. SATHYA
CATH DURATION	5 MINS	TECHNICIAN	MR. TAMIL
HEIGHT	148CMS	PHYSICIAN ASSISTANT	MS. SHALINI
WEIGHT	54KGS		

CLINICAL DIAGNOSIS: ACS - NSTEMI, CVA - ACUTE ISCHEMIC STROKE, LA MYXOMA, SYSTEMIC HYPERTENSION, TYPE II DIABETES MELLITUS

CATHETERIZATION PROCEDURE: AFTER OBTAINING INFORMED CONSENT, PATIENT WAS BROUGHT TO THE CATH LAB. UNDER SAP, PROCEDURE DONE BY USING 2% XYLOCAINE AS LOCAL ANAESTHESIA AND SELDINGER TECHNIQUE.

**APPROACH** 

: RIGHT RADIAL ARTERY

SHEATH

: 5FR

**CATHETER** 

: 5FR TIG

CONTRAST MATERIAL: NON- IONIC, CONTRAPAQUE

MEDICATIONS

: Inj. Heparin 2500 IU

## **COMMENTS:**

LMCA - NORMAL, BIFURCATES INTO LAD AND LCX.

LAD - TYPE III VESSEL AND GIVES RISE TO 2 MAJOR DIAGONALS AND MINOR SEPTALS. LAD AND BRANCHES ARE FREE OF DISEASE.

LCX - NON-DOMINANT AND GIVES RISE TO 1 MAJOR OM. PROXIMAL LCX APPEARS NORMAL.DISTAL LCX IS ATHIN VESSEL. MAJOR OM HAS DIFFUSE NON FLOW LIMITING DISEASE.

RCA - DOMINANT AND GIVES RISE TO PDA AND PLV BRANCHES. RCA APPEARS NORMAL.PDA AND PLB HAVE LUMINAL IRREGULARITIES.

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel: 044 - 4310 8959

@MedwayHospitals

@medwayhospitals

@medway-hospitals

@medwayhospitals

94457 94457 1800 572 3003

**Medway Group of Hospitals** 

Medway Centre of Excellence (Chennai)





#### **IMPRESSION:**

MINIMAL CORONARY ARTERY DISEASE GOOD LV FUNCTION RIGHT DOMINANT SYSTEM

ADVICE:

MEDICAL MANAGEMENT

PLAN:

LA MYXOMA REMOVAL

**CONSULTANT SIGNATURE** 

Dr. Jaishankar. K MD., DM., FIAMS Director and Clinical Lead Cardiology and Electrophysiology

To visit at <u>www.medwayhospitals.com</u>JAISHANKAR Reg. No: 49448

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel: 044 - 4310 8959

🕇 @MedwayHospitals

(C) @medwayhospitals

in @medway-hospitals

🄰 @medwayhospitals



**Medway Group of Hospitals** 

Medway Centre of Excellence (Chennai)

E-mail: info@medwayhospitals.com | Website: www.medwayhospitals.com | CIN: U74900TN2011PTC083665

MHI/HOSP/2022/118



Mrs.SATHIYA BAMA EZHILARA

54/Female/MH1202381492 28/12/2023/IPH2023002622



DATE & TIME			Signature with Emp.No		
22/12/23	Poffen				
11.34		Revend of		e S	222
	II · •	ally Chacken		20-chd	
	CBY_	msfdl			
		eparation a			
13.5		tool to ca		M)	
	houb.				
1		CATHLAB REP.	0275		
28/12/23	of patient re	acived from RC	to cathe	lab	<i>a</i>
3.4	p+ B Constite potent V/P.	Wine	8004		
	of chrile o	ntions			
13:	CAYO, ac mo	1itoning, HK 112	18pm 18p	-158/92	
o	3 PO2 100%	i glit			
112-	Raden an	r. G. 600	/		
- 05	Alsthessa. 7 During pro 0-25mg IAGEN 17 G: Hepalin	nilm	2 2//		
70-0	O-25mg [Agi		2004		
<u>, 'U', </u>	87 G. Heparlin	2-100 vito J	rygiven,	13/0.Drasr	10004
Document	Signature	Name	Emp . No.	Date	Time
endorsed by	P.	Sandhiga-R.	0004	28/10/23	14:10



DATE & TIME	Observation / Action	Signature with Emp.No
1 / 1/2°	pp pt is Continously Cardiac Monitoring dome. Procedure got over.  Pright Radial artery Sheath removed and right pressure bandage applied ho oring no hemotons.  Pratient Shifted to Rewith all documents of part anding over to respondent.	8004
14.3	patient blecened from cath lash patient conteans of theintest, vicor  recorded the motor, plan mirrorma  elemental, pt had office.  I pt voided  Diet	Perf on
18:00	Spt pV line removed  Spt old fil, new file herdendown  to the pt Affends  Spt Discharge Summing Explaint to Les  pt Affends  Spt fot Discharged	A or
Document endorsed by	Signature Name Emp. No. Date  Joy JAY (2004) 919 919	Time  U)  19-04





## SAFE PROCEDURE CHECKLIST Adapted from WHO Safe Surgery Checklist



Every heart beat counts

Mis.Sathiya bama ezhilara 54/Female/MHI202381492 28/12/2000

00/10/00

Name of the Procedure :	CAU	Location :	CATH LAB - I	Date & Time	:2/8/12/2023/1PH2023002622
Does the Procedure involve	Procedural Sedation :	Yes No			SIGN OUT 14: 15
SIGN IN 13.50 Before Induction of Procedural S	edation	TIME OUT / 8 After procedu	ral Sedation and before procedu		When Doctor Indicates that the Procedure is completed
(Anaesthetist / Qualified Physicia Sedation + Nurse + Technician + Do			<u> </u>	performing the Pro	
Patient Confirmation	_	All team members	s introduce themselves by Name	and Role	To be done for each procedure in case of multiple procedures
Identity by two identifiers	☑Ý¢s	Identity by two ide	entifiers	OYes .	Name of the Procedure done written down  Lives  LAU7
Procedure	□Xes	Procedures	CAU	©Yes	Name and site of all specimens / investigations Tyes A
Side	□RÎ □Lt □NA	Side Right Expected Blood In	radial cutery a	Approach (International International Inter	
Consent	☐Yes	Position	Sup9re	□Y#s	Any recovery concerns :   ☐ Yes ☐ None
Known Allergy	□Yes 🗹 No	Consent	Takes	⊟yes	If Yes, Pls. specify:
0.	If yes, plaese specify	Required equipme	ent and implants available	Ø □ NÅ	observation
Difficult airway / aspiration risk	☑Np ☐ Yes, equipment	Essential Imaging	displayed	UY es □ NA	- Objection
/ dentures	and assistance available	Antibiotic prophyla	axis within last 60 minutes	☐ Yès ☐ MA	7
Possibility of hypothermia	☑ No ☐ Yes, warmer in place	Name of the Antib	niotic given		Any Equipment / instrument problem that needs to be
, , ,		Venous Thrombo	embolism Prophylaxis Provided	☐ Yes ☐ NA	addressed: ☐ Yes ☐ None ☐ If Yes, Pls. specify:
All concerned anesthesia equipment	and medication check complete	Anticipated durati	on briefed	□¥es	, , , , , , , , , , , , , , , , , , ,
□rebgs □nyleb □oirel	s pls. specify <u>FCUI</u>	Anticipated blood	loss briefed	□ y∳s □ NA	
Pre OP medication taken	☐Yes ☐Mo	Adequate fluids a	nd blood available	Xes □NA	<u> </u>
		Team briefed on a	any critical or unexpected steps	☐ Yes	Corrective action :
Required equipment for	□Yes □ NA	For procedural se			
procedure available		Any patient specif		Yes None	<u> </u>
		Intra procedure g Any concerns abo	out sterility	☐ Yes ☐ NA☐ Yes ☐ None	-
. " "					Rom. Others Please Specify:
Anaesthetist / Doctor giving	Doctor performing the	ie 🔏 🔝 📑	Nurse: RN. Aloinou	Technician: S/T	Others Please Specify:
Procedural Sedation	Procedure :	# 532	• w.	1 1	, '   /
Date :	Date: 28/12/	23937	Date: 28/12/23	Date: 28/12/	/2_3 Date:
Time:	T:	1 7	Cimo : / ' / *	Time: /4:25	/
1	11me: /4:25	) '	14: 25	1 19.25	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

04-1100 5







The way to better health
(A Unit of United Alliance Healthcare Pvt Ltd)

Procedure Monitoring Sheet (Cath Lab)

Every heart beat counts

Patient Name:

MIS.SATHIYA BAMA EZHILARA

54/Female/MHI202381492

UHID / IP:

28/12/2023/IPH2023002622

Dr.K.JAISHANKAR

Consultant:

Age / Sex: 5fy/F

Ward Unit: PL

Diagnosis: ACS-NSTONI, TeDA, SHTN

Pre Procedure Checklist (Please tick appropriately - To be filled by the Ward Nurse) **PARAMETERS** YES NO NA Vital signs: BP: DJ: 100 Temp: 2014... Pulse: 70... RR: 2.2.... SPO2: 89/ Urine voided Bowel preparation Pre-procedure medication administered Procedure site marked Skin preparation done 6,000 NPO Loose Tooth removed Contact lenses / Eye glasses removed Prosthesis present Jewellery/Nail polish removed Checked for Allergies (Drug / food) IV line/In-situ Consent taken Investigation reports / Documents received Date & Time: 22(12) 23 @11.74 Signature of Nurse:

Intra - Procedural Record (To be filled by the Cath Lab Nurse)

Time	HR / min	RR / min	BP mmHg	SpO <sub>2</sub> %	Medication / Remarks	Sign. of Nurse
14:00	1126pm	18bolnin	144/84(m)	100%		Yr cour
14:00	119 ppm	17/br/min	130/76 Cas )	100%		Doro4
		procedu	egot over			
_						
-				<del></del> -		
	<u> </u>	l	]			1

## Post Procedure Follow Up Data (to be filled by the doctor) \_\_\_\_\_ Route: Right Radin a stay uppus Time: 14:20 Complication: wi/ BP: 130/82 mmHg, HR: 10/hests/min, RR: 206, min, SpO2: 1007. Advise: Shift To: Ward / ICU Observe puncture site for bleeding ♦ Watch for Pulse in Right Radial artery. ♦ Diet - Diabetic Diet Inform Duty Medical Officer SOS a) If patient complains of any Discomfort b) If dressing is Loose or Socked with Blood c) If limbs are Cold / Absent Pulse Remove The hardenege dressing on 29/12/23 at 12.00 AM /PM after informing to the consultant. Special instruction if any: Ni/ Name & Signature of Consultant POST PROCEDURE OBSERVATION HRIRR Sign. of Nurse Date & Time SpO2% Remarks Site Evaluation **Extremity Status** RA) Radial asky 28/12/23 130/70 100%. Nurses Notes: 3 (AM procedure got over. pt is Constions and good oriented. Right Radfal Gotery Shorts removed and right pressure bandarge applied. No origing, no henetoma. Critical ☐ CCU ☐ Other RL Recovery Room Patient Room Patient shift to: Name & Signature of the Nurse: \$ 5004 Smshiya. R Date & Time: 28/12/23





## Mrs.SATHIYA BAMA EZHILARA

54/Female/MHI202381+92 28/12/2023/IPH2023002622

Dr.K.JAISHANKAR





Every heart beat counts

(A Unit of United A	ilance Healthcare Pvt Ltd)		TYD 1671 BILL BILL 1940 KPAN TOWN TARRE LINE IN HIS WAYS CONTROL	Evergii		eat to	
	BRADEN S	CALE FOR PREDICTI	NG PRESSURE INJUR	Y RISK Time:	28 H	12_ E	23 N
SENSORY PERCEPTION ability to respond meaning-fully to pressure-related discomfort	1. Completely Limited     Unresponsive (does not moan, flinch,or grasp) to painful stimuli, due to diminished level of consciousness or sedation OR limited ability to feel pain over most of body	2. Very Limited Responds only to painful stimuli. Cannot communicate discomfort except by moaning or restlessness OR has a sensory impairment which limits the ability to feel pain or discomfort over 1/2 of body	3. Slightly Limited Responds to verbal commands, but cannot always communicate discomfort or the need to be turned OR had some sensory impairment which limits ability to feel pain or discomfort in 1 or 2 extremities	4. No impairment Responds to verbal commands. Has no sensory deficit which would limit ability to feel or voice pain or discomfort	4	A	
MOISTURE degree to which skin is exposed to moisture	1. Constantly Moist Skin is kept moist almost constantly by perspiration, urine etc. Dampness is detected every time patient is moved or turned	2. Very Molst Skin is often, but not always moist. Linen must be changed at least once a shift	3. Occasionally Moist Skin is occasionally moist, requiring an extra linen change approximately once a day	4. Rarely Moist Skin is usually dry, linen only requires changing at routine intervals	4	4	
ACTIVITY degree of physical activity	1. Bedfast Confined to bed	2. Chairfast Ability to walk severely limited or non-existent. Cannot bear own weight and / or must be assisted into chair or wheelchair	3. Walks Occasionally Walks occasionally during day, butforvery short distances, with or without assistance. Spends majority of each shift in bed or chair	4. Walks Frequently Walks outside room at least twice a day and inside room at least once every two hours during waking hours	·	8	
MOBILITY ability to change and control body position	Completely Immobile     Does not make even slight changes in body or extremity position without assistance	2. Very Limited Makes occasional slight changes in body or extremity position but unable to make frequent or significant changes independently	3. Slight Limited Makes frequent through slight changes in body or extremity position independently	4. No Limitation Makes major and frequent changes in position without assistance		50	
NUTRITION usual food intake pattern	Never Poor     Never eats a complete meal. Rarely eats more than any food offered. Eats 2 servings or less of protein(meat or dairy products) per day. Takes fluids poorly. Does not take a liquid dietary supplement OR Is NPO and / or maintained on clear liquids or IV's for more than 5 days	2. Probably Inadequate Rarely eats a complete meal and generally eats only about 2 of any food offered. Protein intake includes only 3 servings of meat or diary products per day. Occasionally will take a dietary supplement	3. Adequate Eats over half of most meals. Eats a total of 4 servings of protein (meat, diary products) per day. Occasionally will refuse a meal, but will usually take a supplement when offered OR Is on a tube feeding or TPN regimen which probably meets most of nutritional needs	4. Excellent Eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and diary products. Occasionally eats between meals. Does not require supplementation		93/	
FRICTION & SHEAR	1. Problem  Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent re-positioning with maximum	2. Potential Problem  Moves feebly or requires minimum assistance. During a move skin probably slides to some extent against sheets, chair, restraints or other devices. Maintains relatively good position in chair	3. No Apparent Problem  Moves in bed and in chair independentl strength to lift up completely during move. Nor chair		13 20		
	assistance. Spasticity, contractures or agitation leads to almost constant friction	or bed most of the time but occasionally slides down		Initial & Emp. No. of Staff Nurse:	de	1	۲,
Score	Interpretation: Minimal Risk: 23 - 19; At Risk (	Mild Risk: 18 - 15; Moderate Risk: 14 - 13; I	ligh Risk: 12 - 10; Severe Risk: 9 - 6	Initial & Emp. No. of Sr. Staff Nurse:	4	2	_







MHI/NUR/2022/052



Every heart beat counts

## PAIN RE-ASSESSMENT & MONITORING CHART

					O   A		
Date & Time	Pain Score	Pain Character (dull, achy, sharp, stabbing, shooting, burning, referred / radiant pain)	Duration	Location / Site	Interventions	Staff Initial & Emp. No.	Senior Staff Initial & Emp. No.
98/m/23 11.34	Olio	No puis	1	7		Delg !	for for
12:34	·	No Puis	/			842	Jaco
			Dat	ient ell	level from coth Lah		
14:30	0)0	No Paix	Nil	اند	Nat	Durge	Jack
15130	do	No priñ				2	Jayor
16:30	%0	No Prin'	- /-			g ors	Julos
<i>I) :&gt;</i>	9/10	No PSIA				En (	Jayon
		f	7 907	Dis ch ez	ge l		
_							

PIPPS (28 weeks 10 ≤ 38 weeks)  CRIES (38 weeks 2 months)  FLACC Scale (2 months - 7 years)  On Holax d & comfortable, 1-3: Mild discomfort, 4-6: Moderate discomfort, 7-10: Severe discomfort / pain / both  Wong-Baker FACES Pain Rating Scale (7 years - 12 years)  On Holax d & comfortable, 1-3: Mild discomfort, 4-6: Moderate discomfort, 7-10: Severe discomfort / pain / both  Wong-Baker FACES Pain Rating Scale (7 years - 12 years)  FACIAL EXPRESSION: 0 - Relaxed, Neutral, 1 - Tensa, 2 - Grimaching  BODY MOVEMENTS: 0 - Absence of movements or normal postion, 1 - Frodection, 2 - Resitessness / Agitation  Critical care Pain Observation Tool (GPOT) (worthlater / comalose)  Moderate discomfort, 7-10: Severe discomfort / pain / both  Numerical Rating Scale (age more than 12 years)  FACIAL EXPRESSION: 0 - Relaxed, Neutral, 1 - Tensa, 2 - Grimaching BODY MOVEMENTS: 0 - Absence of movements or normal postion, 1 - Frodection, 2 - Resitessness / Agitation  Compliance with Vernital Tool (GPOT) (worthlater / comalose)  Distraction: A - Right (intuitable patients): 0 - Teleirang vernitation or movement, 1 - Coughing but tolerating, 2 - Fighting vernitator (or)  VGCALIZATION (non-intuitated patients): 0 - Teleirang vernitation or movement, 1 - Coughing but tolerating, 2 - Fighting vernitator (or)  VGCALIZATION (non-intuitated patients): 0 - Teleirang vernitation or movement, 1 - Coughing, Mosaning, 2 - Crying out, sobbling  Total SCORE: 0 - 2: No Pain; 3 - 4: Moderate Pain; 5 - 8: Severe Pain  Distraction: A - Righting Agenting-conductory. De Physical and mental exercises	Date &	Pain Score	(dull, achy,	ain Chara sharp, stabl , referred / ra	acter bing, shooting, adiant pain)	Duration	Location / Site		Interventions		Staff Initial & Emp. No.	Senior Staff Initial & Emp. No.
PIPPS (28 weeks to ≤ 38 weeks)  CRIES (38 weeks - 2 months)  The CRIES scale is used for infants > than or = 38 weeks of gestation. A maximal score of 10 is possible. If the CRIES score is > 4, further pain assessment should be undertaken, and analgesic administration is indicated for a score of 6 or higher.  FLACC Scale (2 months - 7 years)  Critical care Pain Observation Tool (CPOT) (ventilator / comatose)  FACIAL EXPRESSION: 0 - Relaxed, Neutral, 1 - Tense, 2 - Grimacing BODY MOVEMENTS: 0 - Absence of movements or normal position, 1 - Protection, 2 - Resitesness / Agitation COMPLIANCE WITH VENTILATION (intubated pattents): 0 - Tolerating Ventilator or Movement, 1 - Coughing but tolerating, 2 - Fighting ventilator (or) MUSCLE TENSION: 0 - Relaxed, 1 - Tense, Rigid, 2 - Very Tense, Rigid TOTAL SCORE: 0 - 2: No Pain; 3 - 4: Moderate Pain; 5 - 8: Severe Pain		•										
PIPPS (28 weeks to ≤ 38 weeks)  CRIES (38 weeks - 2 months)  The CRIES scale is used for infants > than or = 38 weeks of gestation. A maximal score of 10 is possible. If the CRIES score is > 4, further pain assessment should be undertaken, and analgesic administration is indicated for a score of 6 or higher.  FLACC Scale (2 months - 7 years)  Critical care Pain Observation Tool (CPOT) (ventilator / comatose)  FACIAL EXPRESSION: 0 - Relaxed, Neutral, 1 - Tense, 2 - Grimacing BODY MOVEMENTS: 0 - Absence of movements or normal position, 1 - Protection, 2 - Resitesness / Agitation COMPLIANCE WITH VENTILATION (intubated pattents): 0 - Tolerating Ventilator or Movement, 1 - Coughing but tolerating, 2 - Fighting ventilator (or) MUSCLE TENSION: 0 - Relaxed, 1 - Tense, Rigid, 2 - Very Tense, Rigid TOTAL SCORE: 0 - 2: No Pain; 3 - 4: Moderate Pain; 5 - 8: Severe Pain		-							-			
PIPPS (28 weeks to ≤ 38 weeks)  CRIES (38 weeks - 2 months)  The CRIES scale is used for infants > than or = 38 weeks of gestation. A maximal score of 10 is possible. If the CRIES score is > 4, further pain assessment should be undertaken, and analgesic administration is indicated for a score of 6 or higher.  FLACC Scale (2 months - 7 years)  Critical care Pain Observation Tool (CPOT) (ventilator / comatose)  FACIAL EXPRESSION: 0 - Relaxed, Neutral, 1 - Tense, 2 - Grimacing BODY MOVEMENTS: 0 - Absence of movements or normal position, 1 - Protection, 2 - Resitesness / Agitation COMPLIANCE WITH VENTILATION (intubated pattents): 0 - Tolerating Ventilator or Movement, 1 - Coughing but tolerating, 2 - Fighting ventilator (or) MUSCLE TENSION: 0 - Relaxed, 1 - Tense, Rigid, 2 - Very Tense, Rigid TOTAL SCORE: 0 - 2: No Pain; 3 - 4: Moderate Pain; 5 - 8: Severe Pain			-	-								, .
PIPPS (28 weeks to ≤ 38 weeks)  CRIES (38 weeks - 2 months)  The CRIES scale is used for infants > than or = 38 weeks of gestation. A maximal score of 10 is possible. If the CRIES score is > 4, further pain assessment should be undertaken, and analgesic administration is indicated for a score of 6 or higher.  FLACC Scale (2 months - 7 years)  Critical care Pain Observation Tool (CPOT) (ventilator / comatose)  FACIAL EXPRESSION: 0 - Relaxed, Neutral, 1 - Tense, 2 - Grimacing BODY MOVEMENTS: 0 - Absence of movements or normal position, 1 - Protection, 2 - Resitesness / Agitation COMPLIANCE WITH VENTILATION (intubated pattents): 0 - Tolerating Ventilator or Movement, 1 - Coughing but tolerating, 2 - Fighting ventilator (or) MUSCLE TENSION: 0 - Relaxed, 1 - Tense, Rigid, 2 - Very Tense, Rigid TOTAL SCORE: 0 - 2: No Pain; 3 - 4: Moderate Pain; 5 - 8: Severe Pain												
7 - 12 = Mild pain - Provide comfort measures >12 = Moderate to severe pain - Pharmocological intervention  The CRIES scale is used for infants > than or = 38 weeks of gestation. A maximal score of 10 is possible. If the CRIES score is > 4, further pain assessment should be undertaken, and analgesic administration is indicated for a score of 6 or higher.  FLACC Scale (2 months - 7 years)  O: Relaxed & comfortable, 1-3: Mild discomfort, 4-6: Moderate discomfort, 7-10: Severe discomfort / pain / both  Wong-Baker FACES Pain Rating Scale (7 years - 12 years)  O: Relaxed & comfortable, 1-3: Mild discomfort, 4-6: Moderate discomfort, 7-10: Severe discomfort / pain / both  Numerical Rating Scale (age more than 12 years)			_				P#	IIII SCALES		<u> </u>		
further pain assessment should be undertaken, and analgesic administration is indicated for a score of 6 or higher.  FLACC Scale (2 months - 7 years)  O: Relaxed & comfortable, 1-3: Mild discomfort, 4-6: Moderate discomfort, 7-10: Severe discomfort / pain / both  Numerical Rating Scale (age more than 12 years)  Pain Rating Scale (7 years - 12 years)  O  O  O  O  O  O  O  O  O  O  O  O  O	(28 week		l weeks)	7 - 12 = N	fild pain - Provid	de comfort me		on			-	
Wong-Baker FACES Pain Rating Scale (7 years - 12 years)  Critical care Pain Observation Tool (CPOT) (ventilator / comatose)  Wong-Baker FACES Pain Rating Scale (7 years - 12 years)  Critical care Pain Observation Tool (CPOT) (ventilator / comatose)  Wong-Baker FACES Pain Rating Scale (7 years - 12 years)  Numerical Rating Scale (age more than 12 years)  Numerical Rating Scale (	(38 we											
Wong-Baker FACES Pain Rating Scale (7 years - 12 years)  O  D  No Hurts Hurts Little Hurts Even More Hurts Even More Hurts Even More Hurts				0: Relaxed	i & comfortable	e, 1-3: Mild d	iscomfort, 4-6: Mode	erate discomfort, 7-10: Sever	e discomfort / pain / bo	oth		
Critical care Pain Observation Tool (CPOT) (ventilator / comatose)  BODY MOVEMENTS: 0 - Absence of movements or normal position, 1 - Protection, 2 - Restlessness / Agitation COMPLIANCE WITH VENTILATION (intubated patients): 0 - Tolerating Ventilator or Movement, 1 - Coughing but tolerating, 2 - Fighting ventilator (or) VOCALIZATION (non-intubated patients): 0 - Talking on normal tone or no sound, 1 - Sighing, Moaning, 2 - Crying out, sobbing MUSCLE TENSION: 0 - Relaxed, 1 - Tense, Rigid, 2 - Very Tense, Rigid TOTAL SCORE: 0 - 2: No Pain; 3 - 4: Moderate Pain; 5 - 8: Severe Pain	Pain	Rating S	cale	0	2 Hurts	4 Hurts Little	6 Hurts	8 10	0 1 2	3 4 5 6	7 8	9 10
Distraction: A. Polavation conductive environments R. TV: C. Mucios D. Physical and mental evereigns	Observa	tion Tool	(CPOT)	BODY MO COMPLIA VOCALIZA MUSCLE	VEMENTS: 0 - NCE WITH VEI ATION (non-int TENSION: 0 - F	Absence of m NTILATION (i ubated patien Relaxed, 1 - Te	novements or normal ntubated patients): ( nts): 0 - Talking on no nse, Rigid, 2 - Very Ta	position, 1 - Protection, 2 - Res - Tolerating Ventilator or Move rmal tone or no sound, 1 - Sig ense, Rigid	ement , 1 - Coughing bu	t tolerating, 2 - Fighting v	rentilator (or)	
Non-pharmacological Interventions  Non-pharmacologi				Cutaneou Thermal T	s Stimulation a herapies (no lo	and massage onger than 15	: E - Positioning; F - R to 20 minutes): G - C	ubbing / Massage the skin old application; H - Hot applica	ation; I - Shortwave diath		eling; L - Family	o counseling





## Mis.Sathiya bama ezhilara 54/Fcmalc/MH1202381+92

28/12/2023/IPH2023002622





## **DVT RISK ASSESSMENT**

Assign a score of 1 if (YES) in parameter nos. 1 to 9, and assign a score of -2 if (YES) in parameter no. 10

_	Date	21/11/2	>					
	Time	11.32						
S. No.	PARAMETERS	\				_		_
1	Active cancer (on-going treatment or diagnosed within 6 months or palliative care)	Ø						_
2	Bedridden recently >3 days or major surgery within four weeks	0						_
3	Calf swelling >3 cm compared with asymptomatic side, measured at 10 cm below tibial tubercle (Assess for both legs)	0						
4	Collateral (nonvaricose) superficial veins present (Assess for both legs)	0						_
5	Entire leg swollen (Assess for both legs)							
6	Localized tenderness along the deep venous system (Assess for both legs)	0	-				_	
7	Pitting edema, greater in the symptomatic leg (Assess for both legs)	0			L	_		
8	Paralysis, paresis, or recent plaster immobilization of the lower extremity (Assess for both legs)	0						
9	Previously documented DVT (Assess for both legs)	0						
10	Alternative diagnosis to DVT as likely or more likely (Assess for both legs) / Co-morbidity like ESLD / Renal disease, Renal failure, CCF Cellulitis (commonly mistaken as DVT), Dependent (stasis) oedema, Lymphatic obstruction. Septic arthritis, Cirrhosis, Nephrotic syndrome, Calf muscle tear or strain, Haematoma (collection of blood) in the muscle, Sprain or rupture of a leg tendon, Fracture.	0						
	FINAL SCORE	0						
Low R	lisk: -2 to 0   Moderate Risk: 1 to 2   High Risk: 3 to 8	لعي ره (						
	DVT prophylaxis started	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	□ Yes □ No	☐ Yes ☐ No	□ Yes □ No	☐ Yes ☐ No
	Signature & Emp. No. of RN	Den	/					
	Signature & Emp. No. of Sr. RN	1	(					



(A Unit of United Alliance Healthcare Pvt Ltd)



## Mis.SATHIYA BAMA EZHILARA

54/Female/MHI202381492 28/12/2023/IPH2023002622

Dr.K.JAISHANKAR





MHI/NUR/2022/046

## MODIFIED MORSE FALL RISK ASSESSMENT CHART

Variables	Date Time									
		11/24	رم:پن		ļ					-
History of falling	No	<b>@</b>	(O)	0	0	0	0	0	0	0
(immediate or within 6 months)	Yes	25	25	25	25	25	25	25	25	25
Secondary diagnosis	No	0	0	0	0	0	0	0	0	0
(≥ 2 medical diagnosis)	Yes	<b>15</b>	/13	15	15	15	15	15	15	15
Intravenous Therapy /	No	0	0	0	0	0	0	0	0	0
Heparin Lock / Tubes Insitu	Yes	(20)	<b>/20</b>	20	20	20	20	20	20	20
AMBULATORY AID			<i>/</i>							
None / Bed Rest / Nurse Assist		(1)	0	0	0	0	0	0	0	0
Crutches / Cane / Walker		15	15	15	15	15	15	15	15	15
Furniture	-	30	30	30	30	30	30	30	30	30
GAIT										
Normal / Bed Rest / Wheel Chair		<b>6</b>	0	0	0	0	0	0	0	0
Weak		10	10	10	10	10	10	10	10	10
Impaired		20	20	20	20	20	20	20	20	20
MENTAL STATUS										
Oriented to own stability		<b>®</b>	(O)	0	0	0	o	0	0	0
Overestimated or forgets limitations		15	15	15	15	15	15	15	15	15
MEDICATIONS Includes PCA / opiates, diuretics, laxatives, hypnotics, sedatives, immunosuppresent, anticonvulsants, anti-hypertensives, hypoglycemics	No Yes	0	0	0	0	0	0	0 15	0 15	0
and psychotropics										
Total Score		50	50						ļ. <u></u>	
Low Risk (0 - 24)										
Medium Risk (25 - 44)										
		I							1	
High Risk (45 or above)									1	Į.
		Sold Sold	M. C.	u.						

INTERVENTIONS	Date	Jyle?	color)						-	
Tick as per the Risk Score	Time	ľ	, પાંચ				-		· ·	
Low Risk Interventions (0 - 24)		,,,							<del>                                     </del>	
Familiarize the patient with the immediate surround	dings	$\sim$	6							,
Remind the patient to use call bell before getting ou		8				1	<del>-</del>			
Keep the two side rails in the raised position at all	_	<b>–</b>	7		<u> </u>		<del>                                     </del>	<u> </u>	<del>                                     </del>	_
all patients regardless of age		$\sim$	` _	<b> </b>	l	1	ļ	ļ	1	
Keep the call bell, bedside table, water, glasses w	ithin the					1				,
patient's easy reach	_	0								
Remove excess equipment or furniture to make	a clear	01	7							
path		<u> </u>		ļ. <u>.</u>			<u> </u>		ļ	
Keep the patient's bed in the low position at all time	s except	2	1/				ļ			
during procedure		00	<del>                                     </del>			<u> </u>	<u> </u>		<u> </u>	
Teach fall-prevention techniques, such as sitting	up tor a	5	/	ľ						
moment before rising from the bed			-	<u>′</u>			ļ	l I	-	
Bed wheels should be locked		8	<del>                                     </del>	<u> </u>		+	<del> </del>	-	+	
Encourage family participation in the patient's care Ensure that floor of the bathroom is dry and not slip			-/			-	<del> </del>		-	
Review medications for potential side effects		- '		}	-	+	<del> </del>		<del> </del>	<u> </u>
promote falls	illat Call		4/							
Use safety belts during movement in wheelchair			<del></del>			1	├──	1	<del> </del>	
The patients are not ambulated by themselves. Th	ev are to						<del> </del>		1	
be ambulated only with assistance	.,		'		1.					
Medium risk interventions (25 - 44)		<del></del>					<u> </u>	ļ		
Apply all the low risk interventions		$\sim$	./ /							
Tie yellow fall risk tag in the bed and Wheel chair/S	tretcher					İ				
Make sure that proper transfer precautions are in	nstituted		-					T		
for heavy or debilitated patients in a bed or wheel	chair or	$\sim$								
on a toilet seat		0 /	//		<u> </u>		↓		1	
Use restraints and bed monitors as ordered by the	doctor	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1/	<u> </u>	-	<u> </u>	<u> </u>	ļ	1	
Allow the patient to ambulate only with assistance		\\\\\'\'					<u> </u>	<u> </u>	1	
Consider peak effects of the medications that effe		_								
of consciousness, gait and elimination when patients are	pianning							]		
patient's care  Do not leave patients unattended in diagno	ostic or		<del> </del>	├	<del>- </del>	<del> </del>	<del> </del>	]		
treatment areas	ostic oi	\ \sigma^{\( \)	<b>'</b> /		l I					
Accompany the patient while going to bathroom			<del>                                     </del>	<del> </del>		<del> </del> -	<del> </del>			
Advice the patient to use grab bars near the toilet,	bathtub.	<del>                                     </del>		<b>-</b>		1				
and shower	,		//		1			İ		
Make sure the family and other visitors unders	tand the					1			1	
restrictions mentioned above		/	/							
High-risk interventions (45 or abovc)			<del>                                     </del>	<del>                                     </del>	+	+	├	1	<del>                                     </del>	
Apply all the low and medium risk interventions		/		ļ	$\bot$		<u> </u>	ļ		
Tie red fall risk tag in the bed, wheel chair and streto		V	//	<u> </u>	$\bot$		<u> </u>	<u> </u>	1	
Locate the high-risk patients in a room close to the	e nurses'	. ,	$ \cdot '$	1						
station	in la	Ι~,	$\vdash \!$	<u> </u>		-	<b> </b>	<u> </u>	ļ	
Answer these patients call bells as quickly as possi	nie	<u> </u>	<del>- '/-</del>	<del> </del>	+	+	<del> </del>	<b> </b>	<del> </del>	
Provide a commode at bedside (if appropriate) Urinal/bedpan should be within easy reach (if appr	onriate)	<del></del>	<del>  /</del> /			+	<del> </del>	<u> </u>	+	
Encourage family members or other visitors to s		<del>                                     </del>	<del>- '/-</del>	<del> </del>	+	<del> </del>	├	<u> </u>		
them	rias triul	70	′						*	
If appropriate, consider using protection device	s: safety	_								
belts	-	/	<u> </u>	<u> </u>		1	<u> </u>	<u> </u>	<u> </u>	
Signature & Emp. No.	of RN	DAX	MA	<b>4</b> '.						
Signature & Emp. No. of	Sr. RN	18/	VAV			1		1		
			<del>1</del>	<u></u>					4	<u> </u>