

## MRD CHECKLIST

PARTICULARS	YES	NO
- IP Number allocated to each Patient		
- Name, Age & Sex of Patient	/	
- General Admission Consent	/	
- Initial Assessment of Patient / Diagnosis		
- Nutritional Assessment by Consultant		
- Plan of care counter signed by the Consultant	7	
- Treatment Orders - Date, Time, Name & Sign.		
- Medication Order / Drug Chart - Date, Time, Name & Sign.	/	
- Vital Signs Chart (TPR Chart)	/	
- Intake Output Chart	/	
- Drug Chart (Duly filled)	/	
- Anesthesia Consent - (8 thing) - Date, Time, Name & Sign. of both Patient & Anesthetist		
- Anesthesia Assessment Sheet		
- Surgery Consent - (8 things) - Date, Time, Name & Sign of both Patient & Surgeon		
- Surgery Notes - Post Operative Plan		
- Pain Scoring System		
- Blood Transfusion if done		
- High Risk Procedures		
- A copy of the Discharge Summary		





47/Malc/MHI202481757 13/01/2024/IPH2024000115

Dr.G. GNANAVELU





Every heart beat counts

# Medway Hospitals The way to better health (A Unit of United Alliance Models and the second se

(A Unit of United Alliance Healtho	eare Pvt Ltd)	MISSION SLIP	
Admitting Doctor: 10%	Granopolu.	Speciality: (29000)	109182
Advised Date & Time: 101	111/02/02/	LA.	•
Provisional Diagnosis:			
EFPORT	Aging Tuterolo	iteral Stems 100 M	/ faret
,			
Reason for Admission:	Medical Management	Surgical Management	
	Others (please specify	details)	
dmission Type:	Day Care E	R Ward	
ا و	] ICU	(Specify details)	
Surgery / Procedure Name (it	f planned):		
	CAG		
Blood Product Requirement:	No Yes (Kindly	specify details of components required in	space below)
	•		
Expected Duration of Stay:	Day care	<u>.                                    </u>	
Expected Cost of Treatment (			
Payer: Self Insurance	Others:		
Instructions to Nurse (if any):			
Admissi o	nin ER		•
Any other Instructions (if any)	):		· · · · ·
	16000	D \ .	
Doctòr's Signature	Dr. G. G. anavelo M	D, DM (c <b>TřegF/N6.</b>	Date Time
Doord a Signature	Advisor & Cilief Card	Mento:	Date Time

	· · · · · · · · · · · · · · · · · · ·		
For admission desk staff	only:		
Room Category:	General Ward Single Room Twin Sharing Deluxe Room Suite Room		
لمل	Others		<del></del> _
Admission intimation	Receipt Details	Admission T	Time in HIS
Date	Time	Date	Time
13-01-2024	10:45 AM	13-01-2024	MAZ P:01
-	ER Direct requirement specified by the	·	No
Front office Staff Signature	Name Balluya.	Emp. No.	Date Time.



(A Unit of United Alliance Healthcare Pvt Ltd)



#### Mr.RIAZ AHAMED

47/Malc/MHI202481757 13/01/2024/IPH2024000115

Dr.G. GNANAVELU





MHI/HOSP/2022/129

#### **ADMISSION FORM**

Marital Status	ı	dress PIAZ AWA	MAD. No: 34	. PERU	MAL NAIPU	Telephone Number
Occupation RL	STRE	ET, MUTWAL,	PET. PONDIC	HERRY	1605003.	9894996782
Referred from	1	Date of Time of Admiss	sion Date & Time of I	Discharge	Total	No. of Days
08-6161		13-01-2024 10-45F	• .	30	10 howes	15 minits
UNIT	? L ·	MLC ☐ Yes	No I	f Yes AR I	No. :	
	<u> </u>	FINAL DIAG	NOSIS			ICD Code
	FFOR	T ANO	CLNA			T.2018
ſ		DLATERAL				J21:1
<u> </u>	LORMA	LLV	FUNCTION			ISO.1_
		-		<u> </u>		<del></del>
DATE		OPERATIO	N / PROCEDURES			ICPM Code
Bloom	CORE	NARY A	NOTIOCYRAN	ρ.		88. Fo
DATE		TYPE O	F ANESTHESIA		-	
13/1/25	☐ GENERA	L SPINAL	LOCAL	· □	REGIONAL	☐ EPIDURAL
			DISCHARGE STATUS	-		
☐ Cured		☐ Discharge at F	Request		☐ Ex	pired < 48 hours
 		☐ Against Medic	al Advice		☐ Ex	pired > 48 hours
☐ Unchange	ed	<ul><li>☐ Absconded</li><li>☐ Transferred to</li></ul>			☐ Po	st-Operative Death
Signature	of the Consul	ltant		Sig	S. Alcunature of Medic	Lad 2538 al Records Officer

#### **AUTHORISATION FOR TREATMENT I PAYMENT**

administer such drugs as may be nece	essary and to perform suc in the diagnosis and treat	Paramedical, Staf fof the Hospital Investigate treat and operation under anaesthesia or other wise as may be treat of my illness / patient.以2	e
I hereby under take to settle all the bill basis. In any case, I shall pay all the d		ges related to me/the patient named overleaf on a perion rged from the hospital.	odic
		agreed above, I hereby authorise the hospital to trans ent as deemed fit and proper by the hospital authoritie	•
	or theis attendants have I	and Regulations of the Hospital and that all cash, jewel been removed to a place of safety / handed over to the egard to any loss.	_
have read out and explained the cont	ents of the above to the S	Signatory in his vernacular .	
சிகீச்சை, பணம் செலுத்துதல் முதலியவை	ı செய்ய அதிகா <mark>ரம் வழங்</mark> குத	560	
	க்கு தேவைப்பப் றுவை சிகீச்சை செய்யவும் அ	ுவ ஊழியாகள் எனக்கு / நோயாளி 'ட சோதனைகளை செய்து மருந்துகளை கொடுக்கவும். மய அதிகாரம் வழங்குகீறேன். நான் / இதில் குறித்துள்ள கநாயாவ கீறேன்.	பக்க
· •	,	லவுகளை கட்டத் தவறினால் என்னை நோயாளியை வேநெ ற ஒப்புதலை எனது உறவினர்கள் மூலமாக பெற நான் அதிக	
மருத்துவமனையின் பொது சட்ட தீட்டங்க	ள் பற்றி தெரிவிக்கீப்பட்டிருக்	க்கீறேன்.	
•	-	ட்கள் யாவும் பாதுகாப்பான இடத்திற்கு மாறுபட்டுவிட்டன / அ ன எனது/நோயாளியின் எந்தவித நஷ்டத்திற்கு பொறுப்பில்	_
மேற்குறிப்பிட்ட அனைத்தும் எனக்கு விவ	ரிக்கப்பட்ட பிறகுதான் கைலெ	யாப்பமிட்டேன்.	
Carlo Carlo	12/1/24 Ess	Sparmile	
செவிலியர் கையொ்பம்	தேதி	எனது/உறவினர்/காப்பாளர் கையொப்பம்	

Date

Signature of Admitting Nurse

Shooze.

Signature of the Patient / Relative / Gurdian

உறவுமுறை

Nature of Relationship



discharge.





#### Mr.RIAZ AHAMED

47/Male/MHI202481757 13/01/2024/IPH2024000115

Dr.G. GNANAVELU





#### **GENERAL CONSENT FOR ADMISSION**

	please tick the correct option above and below)  □ Read	the Patient or	☐ Representative of patient have
Ī	☐ Been explained this consent form in English, whic	ch I fully understand.	
•	I give my full consent and authorization for admis plan has been explained to me.	ssion and treatment at th	is hospital. The proposed treatment
•	l consent and authorize the hospital, treating do relevant care and to conduct diagnostic as deemed		
•	l also consent to use of assistants such as resident by the hospital and treating doctor/ team.	doctors, other doctors, n	urses, and other healthcare workers
•	I consent for clinical consultation, admission, discl confidence), routine medical examination (physic lab and imaging investigations, general nursing ca	al examination, palpation	n, percussion, auscultation), routine
•	I have been explained about the proposed care proposed car	plan, expected result(s),	possible outcome(s) and expected
•	I understand that the hospital will take due care of unexpected complication(s) which may necessital cases, procedure different from those contemplate	ite longer stay and / or us	se of intensive care services. In such
•	I declare that, I have and will inform the doctor of m reaction(s), surgical procedure, relevant medical shall not hold the hospital/doctor responsible for a relevant information on my part.	family history and all otl	ner facts relevant to my treatment. I
•	I declare that I have been explained about my righ	hts and responsibilities.	
•	I have been made aware of the rules and regulat promise to abide by them.	ions of the hospital inclu	ding those related to security and I
•	I understand that in case of some unexpected ever a transfer to another hospital / healthcare organizat		

I understand that, drugs, consumables and devices will be charged on an 'as actual' basis as per the hospital
tariff. I have been informed and I understand that there can be usage of certain reprocessed items during the
course of the treatment. I also understand that only full strips of medicines shall be issued and returned. I
declare that I take full responsibility of settling the bill before leaving the hospital premises at the time of

- I further declare that I have been given an opportunity to ask question(s) related to my admission, care plan and proposed hospital stay, and that such questions have been answered to my satisfaction.
- I declare that I have received and fully understood the information provided in this consent form, that I have been
  given an opportunity to ask questions relating to my admission, care plan and proposed hospital stay, and that
  all my questions have been answered to my entire satisfaction and there are no misconceptions or false hopes
  in my mind. I further declare that all fields (of this form) requiring insertion or completion were filled in my
  presence at the time of my signing this form.
- I, the above-named Patient / named patient's representative, do further hereby declare that I am above 18 years of age as on the date of signing this form, mentally sound and am giving consent without any fear, threat or false misconception.

	Signature / Thumb Impression*	Name	Date	Time
Patient	RIAZAH GIGHI	RIAZ AHAMAD.	13-1-2024	10.42
Surrogate/Guardian (if applicable #)	Sharmile	Write name and relationship with patient)	13-1-2024	(છ·પ <u>ુ</u> ક
Reason for surrogate consent	Patient is unable to give consent i	pecause:		,
Witness	R.A Poblus	R. Abdul Rashed	13-1-2024	(0-45
Interpreter (if applicable)				

<sup>\*</sup> Right Hand for Males & Left Hand for Females | # Only if Patient is a minor or unable to give consent







Every heart beat counts (A Unit of United Alliance Healthcare Pvt Ltd)

#### DAY CARE DISCHARGE SUMMARY

IP No.

IPH2024000115

D.O.A

: 13/01/2024

**UHID** 

MHI202481757

D.O.P

: 13/01/2024

Name

Mr. RIAZ AHAMED

Room No. : RL

Age / Gender

47 Years /MALE

Consultant

Dr. G. Gnanavelu, MD., DM., (cardio) FACC

D.O.D

: 13/01/2024

Chief Cardiologist

#### **DIAGNOSIS:**

**EFFORT ANGINA** INFEROLATERAL ISCHEMIA NORMAL LV FUNCTION

PROCEDURE: CORONARY ANGIOGRAM DONE ON 13.01.2024 – TRIPLE VESSEL DISEASE.

#### **BRIEF HISTORY:**

Mr. Riaz Ahamed, 47 years old male, presented with complaints of chest tightness and left hand pain on exertion. He was advised Coronary angiogram and referred to Medway Heart Institute on 13.01.2024 for which he has been admitted.

#### **ON EXAMINATION:**

HR: 64bpm; BP: 119/76mmHg; SPO<sub>2</sub>: 99% in room air

VS: S1S2+; RS: Clear;

CNS: NFND;

Abd: Soft

#### **INVESTIGATIONS:**

BLOOD: Hb-14.4gm/dl, TWBC - 5160cells/cumm, PLT - 224000 cells/cumm, Urea - 26mg/dl,

Creatinine – 0.89mg/dl, Na+- 138 mmol/l, K+- 4.53 mmol/l.

**ECG:** sinus rhythm, HR – 86bpm, ST depression in II, III, aVF, V2-V6.

**ECHO:** All chambers normal sized. No RWMA. Normal LV function. EF – 61%. Normal RV function. IAS/ IVS intact. Aortic valves sclerosed and mildly calcified. Mild AS. No AR. Other valves are structurally normal. Trivial MR. Trivial TR. No PAH. IVC normal in size and collapsing. No clot / vegetation / effusion.

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel: 044 - 4310 8959

₱ @MedwayHospitals

(C) @medwayhospitals

in @medway-hospitals

@medwayhospitals

94557 94557 1800 572 3003

**Medway Group of Hospitals** 

E-mail: info@medwayhospitals.com | Website: www.medwayhospitals.com | CIN: U74900TN2011PTC083665

Medway Centre of Excellence (Chennai)

Kodambakkam Mogappair 044-2473 4455 | 044-26530011 | 044-27426829 | 04146-242000 | 044-2473 4455 | 0884-2333367

Chengalpattu

Villupuram

Kumbakonam

Kakinada

Heart Institute 044 - 4310 8959 Institute of Pulmonology 044-2473 4451



UHID: MHI202481757



Every heart beat counts (A Unit of United Alliance Healthcare Pvt Ltd)

#### **CORONARY ANGIOGRAM FINDINGS:**

Right -dominant system; TRIPLE VESSEL DISEASE.(reports enclosed)

<u>ADVICE</u>: CABG x grafts to LAD, major OM, PDA & PLV.

#### **ADVICE MEDICATIONS:**

SI.	NAME OF THE DRUGS WITH	DOSAGE	FREQUENCY		DUENCY ROUTE		RELATION	DURATION	
NO	GENERIC NAME	MAN			SHIP WITH FOOD				
1	TAB. CLOPILET (CLOPIDOGREL)	75 MG	1	0	1	ORAL	AFTER FOOD	To stop 5 days before surgery	
2	TAB. ECOSPRIN AV (ASPIRIN + ATORVASTATIN)	75/40 MG	0	0	1	ORAL	AFTER FOOD	To stop 5 days before surgery	
3	TAB. ANGISPAN TR (NITROGLYCERIN)	2.5 MG	1	0	1	ORAL	AFTER FOOD	TO CONTINUE	
4	TAB. PROLOMET XL (METOPROLOL)	12.5 MG	i	0	0	ORAL	AFTER FOOD	TO CONTINUE	
5	TAB. FLAVEDON MR (TRIMETAZIDINE)	35 MG	1	0	1	ORAL	AFTER FOOD	TO CONTINUE	
6	TAB. PANTOCID (PANTOPRAZOLE)	20 MG	1	0	1	ORAL	BEFORE FOOD	TO CONTINUE	
7	тав. Номоснек	1 TAB	1	0	0	ORAL	AFTER FOOD	TO CONTINUE	

DISCHARGE ADVICE						
DIET	LOW FAT DIET.					
PHYSICAL ACTIVITIES	AVOID STRENUOUS ACTIVITIES.	-				
REVIEW	REVIEW WITH DR. RAJESH. V FOR CABG.					

To report:

If temp > 101 'F / Difficulty in breathing / chest pain / Giddiness/ palpitations.

In case of emergency Contact: Medway Hospitals @ 4310 8959.

"I understood the Content of the discharge summary."

or. G. Gnanavelu. MD., DM., (cardio) FACC Chief Cardiologist

Typed by: Ezhilarasi.

Dr. G. Gnanavelu MD, DM (cardio), FACC Chief Cardiologist Reg. No: 39469

#### #9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel: 044 - 4310 8959

₱ @MedwayHospitals

(O) @medwayhospitals

@medway-hospitals

medwayhospitals

94557 94557 1800 572 3003

**Medway Group of Hospitals** 

Medway Centre of Excellence (Chennai)

Kodambakkam Mogappair 044-2473 4455 | 044-26530011 | 044-27426829 | 04146-242000 | 044-2473 4455 | 0884-2333367

Chengalpattu

Villupuram

Kumbakonam

Kakinada

**Heart Institute** 044 - 4310 8959 Institute of Pulmonology 044-2473 4451

E-mail: info@medwayhospitals.com | Website: www.medwayhospitals.com | CIN: U74900TN2011PTC083665







# DAY CARE INITIAL ASSESSMENT FORM

Dat	el 3-1-24 Time of arriva	al: 0.55.							
Part A (to be filled by Nurses)									
<b>Vital</b> Respi	Signs: Temp: \$ 4 (°F)   Piration: 2 2 (breaths/min)	ulse / HR: <u>6                                   </u>	min)   BP <u><b>1191ቸት</b>      (</u> m <u>ዜ                                    </u>	mHg) (kgs)   BMI: <u>2</u>	4.64g/m²				
-		ONO If yes, please call Lar s, specify:		lator	•				
Alcol Do y	Psychosocial Assessment:  Alcohol Intake:   Yes   Substance Abuse:   Yes   Smoking:   Yes   Yes								
Pain: Pain Fain Foundaries	Pain Screening  Pain: Yes No. If Yes, Score: 6 C  Pain Scale used: PIPPS (28 weeks to < 38 weeks) CRIES (38 weeks - 2 months)  FLACE Scale (2 months - 7 years) Wong-Baker FACES Pain Rating Scale (7 years - 12 years)  Numerical Rating Scale (Age more than 12 years)  Duration: Location: Burning Referred / Radiant Pain								
Last		ased Decreased Decreased Decreased			,				
□ A □ V	Fall Risk Screening for adults: Some Risk  Age more than 65 years History of fall in last 3 months  Walks with assistance Any neurological problem  In case of 2 or more criteria met initiate detailed fall assessment and fall prevention protocol								
□н		ics) Neurological problem (verti initiate detailed fall assessm		-	<mark>⊒ Nö</mark> Risk				
	Signature	Name	Emp. No.	Date	Time				
Nurse	Africa	Dauth.	OLGA.	13-1-24	11-00				

Par	t B (to be filled by Physic	cians)				
Chie	ef Complaints		Lest	- Light	Toes on	gonalgy
		10 01	700		,	O F
	/	all ar	boe	efferm	<u>~_</u>	
<del></del>	" '!"					
Pas	t Medical History			,		
		1, ,				
Per	rsonal History	1 /10			· ,	
	pu,	ed de-	L			1
	ana.					
Sigi	nificant Family History					
				`	• .	
<u> </u>					<u> </u>	
	rent Medication	<del></del>	1 7			
S. No.	Current Medication	Dose	Route	Frequency	Date & Time of last dose .	To be continued during hospital stay
7	T. CLOPIELR	ر. کړ	10.	1-257	(a)	☐ Yes ☐ No
Q	1. GLOSPINA	l	Po	00	1 put sino	☐ Yes ☐ No
8	7-AMbrisnar-			627	yorteen	☐ Yes ☐ No
Â	7- Prolong	XL 12-50		(20	0	☐ Yes ☐ No
Б	7- Proloan	Ma AZ		1007		☐ Yes ☐ No
fe	Ek.	3-3-				☐ Yes ☐ No
~				,		☐ Yes ☐ No
	<del></del>					☐ Yes ☐ No
						☐ Yes ☐ No
		<del></del>				☑ Yes ☐ No

Clinical Examination / Investigation

CVs: S&M

N: BRE 6

vree: 26.

N9:138

14: 4-53

Ello pulha -

HBORY Mythe

**Provisional Diagnosis** 

Effortoma

Plan of Care (including Investigations Ordered)

CAC.

Doctor's Signature

Name Jo. Mathyo

Reg. No. 多5分 | Date / ろ

Pate (3//2)

Time // 196



47/Malc/MHI202481757 13/01/2024/IPH2024000115

Dr.G. GNANAVELU





# Every heart beat counts **DOCTOR'S PROGRESS NOTES** DATE **NOTES** 32821







#### Every heart beat counts

Patient Details (Affix Label here)

Name: M & Piez Ahame
UHID: 20248-1757
DOB: 477 Sex: M
DOA: [3][] 20

Consultant: Dr. G. Coraca

**NUTRITION ASSESSMENT AND CARE PLAN FORM** 

Department of Dietetics

gnosis:	AB/	BF-614.	<u>v zajast</u>			1	.,		,
ght:		Weight:Kgs	Food allergie	•	rès, specify	***************************************	1		
gious Beliefs:		Vegetarian	Non Vege	tarian		☐ Eg	getarian	□ Ja	n
		colonies, to		ON	المو	LT			
BJECTIV	E GLOB	AL ASSESSMENT	•			1.0			
[	[A)	Patient's related Medical Histor		<u> </u>	<del>· ` _</del> _		1		
	1]	Weight Change (overall change	In past 6 months) 😁	11.		••			<u> </u>
	<del></del>	<b>Les</b> 7		□3 1	<del></del>		<del>;                                    </del>	·	
		No weight change/	<5%	5-10%	<del></del>	20-1			>15%
		gain t	<u> </u>	<u>.  </u>	41 L	li	<u> </u>		_
2)	Dietary Intake	Duration:				•			
		<b>₹</b> □7 , ; ,	2	,   C 3	:	- 04		_	□ 5
	Oral	No change	Sub - optimal solid diet	Full liquid die moderate			- caloric		Starvation
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			asá i gís	- 1			
	Enteral / Parenteral Nutrition	Adequate / Excessive	Sub-optimal	Inadequata		feed feed	+ caloric s		Starvation
3)	Gastrointesti	nal Symptoms Duration:	<u> </u>						·
		761	<b>□</b> 2	3		- 04			
		No symptoms	Nausea	Vomiting / moderate GI			hoea		severe anorexia
		<u> </u>	5 30 K 1 5	symptoms	· · · · · · · · · · · · · · · · · · ·	· • • • • • •	<u> </u>		
4)	Functional C	apacity (Nutrition related functional impai				T .	<u> </u>		
1			□2 / :¹ \ ·	□3	<u> </u>		14, , ,		
		None Amproved	Difficulty with ambulation	Difficult		, ) ,	Light activity	$\cdot$	Sed / chair - Hidden with no ~ or little activity
5)	Co - morbidity	(Disease and its relationship to nutrition	requirements)		<u> </u>				
<u> </u>			1 🗆 2	7	·	, ,	<b>3</b> 4		□ s( '.
1.	, i, ,	Realthy	Mild co-	Mod	erate co -	1	severe co -		Very severe
		`,	morbidity .		bidity/age years	<u> </u>	morbidity		multiple co - morbidity
• B} \	Physical exar	nination				`	<u> </u>		
1)	Decreased far	t stores or lyss of subcutaneous fat -	'y - " <u>* v</u> i"	<u> </u>	N 1.1	ميدج	_ بر		
			□ 2	□ 3			3 4		□ 5
		Normal	Mild	Moderate		· ' - ].			Severe
2)	Sign of muscle	wasting							
			□ 2.* · · · · · · · · · · · · · · · · · · ·	', 🗀 з	٠ ' ٠	- Ti	⊒4 <sup>*</sup> . ,		□ s
	<b>—</b>	Normal is	wiq	Moderate			,		Severe
Total Score =	Sum f above 7 com	·	· <u> </u>						<u> </u>
		<u> </u>							-
Nutritional S	Status ; Based on this	pagent is		-					<u></u>
	Well Nourished		-	Ø1761/1	1at				
	Moderately Ma	· · · · · · · · · · · · · · · · · · ·		(15 to 18)	( <del>-</del> b/-		_		
	Severely Malno	<del></del>	· ·	(19 to 35)					
<del></del>	1-0-0-07			_,		<del></del>			<u> </u>
Nutrition Inte	tervention:		<del></del>						
	$\overline{}$	<del></del>	<del></del>	O		[n			
	Orai	<u> </u>		☐ Enteral		Parenteral		<u> </u>	
-	lling provided:	DIE .		□ No			T= :	<del></del>	
Frequency of	fre-assessment:	Weekly			☐ Fort - night		☐ Monthly		
Enteral / Pare	renteral	□ Daily			Calorle count:	Yes	0.48		

DATE AND TIME	DIETITIAN NOTES	SIGNATURE
and the organization	A47 years old male	
	came ~ clochest rightness	·
1311/24	was assessed to be well -	
12:00	ravished as evident by SGA	
•	KIClo-No-co-morability	9
	patient shipted to care eather propose	ource
	Non rept-patient received CHA	<b>(</b> )
	to RL- NBMoves, patient	
	tolerted eignistatiet.	
	can intate soft social diet	
		·
		٠,
	Educated me patient cy	
12/200	family on 7600 calories, con	
13/1/24	Sall, confat diet on discharge	
27:00	emphasized on small	((2)1)
	forequent meals. Diet	6286
	modifications a classications	
	dont. Diet chart opiners ondischarge	1
	Diet chart opiners ondischarge	
•	(fat.	
-		

color of the property



Signature

Handover by

Handed over to

Name

Emp. No.

**Date** 

Time

12.00



#### MI.RIAZ AHAMED

47/Male/MH1202481757 13/01/2024/IPH2024000115

Dr.G. GNANAVELU





PATIENT TRANSFER FORM DIAGNOSTICS / PROCEDURES Diagnosis: Effort ANHIMA / MOTHER ) Cuncil Supplies if any: ALCOA. From (Area) To (Area) Date Reason for Transfer / Name of Procedure Time 13/1/24/12/30 RL Cathlab sae. Method of Transfer: ☐ On Bed ☐ On Wheelchair ☐ On Stretcher ASSESSMENT OF PATIENT: General condition of Patient: Conscious 
Semi-conscious Un-conscious Language Barrier: Yes No I If Yes, specify: Fall Risk Category: Low Risk Medium Risk High Risk Vital Signs (to be documented at the time of shifting): RR (breaths/min) Temp (°F) Pulse (beats/min) SpO, (%) BP (mmHg) Pain Score 0110 Pain Scale used: ☐ PIPPS (28 weeks to ≤ 38 weeks) ☐ CRIES (38 weeks - 2 months) ☐ FLACC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years) Any pre-medication given: \_\_\_\_\_ Any critical information: \_ Any specific recommendation: Signature Name Emp. No. Date Time Handover by Handed over to After Procedure: Procedure completed: Yes Yes Any critical information: Vital Signs (to be documented at the time of shifting): RR (breaths/min) Pulse (beats/min) Temp (°F) BP (mmHg) SpO, (%) Pain Score b & (M) D 1100 Pain Scale used: ☐ PIPPS (28 weeks to ≤ 38 weeks) ☐ CRIES (38 weeks - 2 months) ☐ FLAGC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years) Numerical Rating Scale (>12 years) ☐ CPOT (ventilator / comatose)

Every heart beat counts

FOR CORUNARY ANGIOGRAM / CORONARY ANGIOPLASTY

47/Melc/MHI202481757 13/01/2024/IPH2024000115 Dr.G. GNANAVELU

ge: Sex: M/F

Nard & Bed No:

UHID

CONDITION AND PROCESSIE

Di Manave)u..... has explained that I have the following condition:

Fat (cholesterol) and calcium can build up in the arteries like rust in old pipes. It can stop the flow of blood to the heart. This can cause angina or a heart attack. The Coronary Angiography procedure is performed to show up the amount of disease in the coronary arteries, the blood vessels that supply the heart with bleed. After an injection of local anaesthetic, a fine tube (catheter) is put into the artery in the groin/hand. The tube is carefully passed into each coronary artery in turn. A series of video pictures are taken using x-rays and an iodine containing contrast medium (x-ray dye). The contrast medium may be injected into the main pumping chamber of the heart (left ventricle). This helps us to find out whether you have any narrowing or blockage of your coronary arteries. The doctor can then tell you which treatment is best for you after carefully studying and discussing your pictures. This may be an operation such as a coronary by-pass or a procedure called an angioplasty (the arteries are widened using a small sausage shaped balloon). Sometimes, drugs alone may be a suitable option.

#### RISKS OF THIS PROCEDURE

The risk of coronary angiography depends on:

(i) The nature of coronary artery disease (ii) The pumping status of the heart (iii) Your age and general health These are some of the more serious risks that can happen, but are not the only risks:

Less than 1 in 10,000 (0.0001%)	(a) skin injury from radiation, causing, reddening of the skin		
1 in 1000 people (0.001%)	<ul> <li>(b) A stroke. This can cause paralysis and long term disability</li> <li>(c) Heart attack.</li> <li>(d) A dangerous reaction to the x-ray contrast medium (dye). If this happens, you may have severe reactions such as asthma, shock and convulsions. Death in extremely rare cases about 1 in 2,50,000 to 4,00,000 injections.</li> <li>(e) Need for major surgery to the leg at the puncture site.</li> <li>(f) Need for emergency heart surgery or angioplasty.</li> <li>(g) A higher lifetime risk from x-ray exposure.</li> <li>(h) Death</li> </ul>		
1 in 100 people (0.01%)	<ul> <li>(I)the heart may not beat in a proper rhythm which will need urgent treatment</li> <li>(j) Surgical repair of the groin puncture site. This may need a longer stay in hospital.</li> <li>(k) Minor reaction to contrast medium such as hives.</li> <li>(l) Loss/impairment of kidney function due to the contrast medium</li> </ul>		
1 in 20 people (0.05%)	(m) Major bruising or swelling at the groin punture site		
Most People	(n) Minor bruising		

Pattent Consent:
Packnowledge that Dr. Thas explained my medical condition and the proposed procedure. I understand the risks of the procedure, the anaesthetic including the risks that are specific to me and the likely outcomes if complications occur. The Doctor has explained other relevant treatment options their risks and my right to refuse the treatment. He has explained my prognosis and the risks of not having the procedure. I was able to ask questions and raise concerns with the doctor about my condition, the procedure and its risks, and my treatment options. My questions and converns have been discussed and answered to my satisfaction. I understand that in the unlikely event of complications, I may require a blood transfusion, an additional procedure or surgery. The doctor has explained to me that if immediate life-threatening events happen during the procedure, they will be treated accordingly. I understand that no guarantee has been made that the procedure will improve the condition.

On the basis of the above statements,

#### I REQUEST TO HAVE THE PROCEDURE

	Signature	Name	Date	Time
Patient/Guardian with relationship	eyan ;	M. RIAT AHAMED	BILLAH	11.00
witness	249	LEULA IMAN.	1311,24	1100
Doctor	(102466)	Offswar	12/1/24.	11.00
Interpreter				11





#### **திருதய ஆன்னியோகீராம் பரிசோதனைக்கான ஒப்பம்**

நோயாளியின் பெயர்:	ഖധதു:	பாலினம்: ஆண் / பெண்	
மருத்துவ ஆனோசகர்:	வார்டு படுக்கை எண்:	யுஹெச்æφ (UHID) :	

#### நிலை மற்றும் செயல்முறை

பழைய இரும்புக் குழாய்களில் துருபிடிப்பதைப் போல், தமனிகளில் கொழுப்பு மற்றும் கால்சியம் சேரும். இது ஆன்ஜினா அல்லது மாரடைப்பினை ஏற்படுத்துகிறது. இதயத்திற்கு ரத்தத்தினை வழங்கும் ரத்தக்குழாயான இதயச்சுவர் சிரை தமனிகளில் நோயின் அளவினை கண்டறிய கரோனரி ஆஞ்சியரேக்ராஃபி செயல்முறை மேற்கொள்ளப்படும். ஒரு லோக்கல் அன்றத்படிக் (மயக்க மருந்து) வழங்கப்பட்ட பின். ஒரு சிறிய குழாயானது (கதீட்டர்) கவட்டை/கையிலுள்ள தமனியில் செலுத்தப்படும். இந்த குழாய் ஒவ்வொரு இதயச்சுவர் சிரை தமனிகளிலும் மாற்றி மாற்றி கவனமாக வரிசையாக செலுத்தப்படும். எக்ஸ்ரே மற்றும் பிற அயோடின் கொண்டுள்ளன கான்ட்ராஸ்ட் மீடியத்தினை (எண்ஸ்ரே டை.) பயன்படுத்தி, பல வீடியோ படங்கள் வரிசையாக எடுக்கப்படும். இதயத்தின் முக்கிய ஏற்றியிறைத்தல் அறையில் (இடதுபக்க இருதய கீழறை) இந்த கான்ட்ராஸ்ட் மீடியம் உட்செலுத்தப்படலாம். இது இதயத்தின் அளவினை மதிப்பிடவும் மற்றும் அது எவ்வாறு பம்ப் செய்கிறது என்பதை மதிப்படவும் மேற்கொள்ளப்படும். இப்படங்கள் நமக்கு இதயச்சுவர்சிரை தமனிகள் குறித்த ஒரு படத்தினை வழங்கும். இது உங்களுக்கு ஏதேனும் அடைப்பு இருக்கிறதா என்பதை கண்டறிய உதவும். பின்னர் உங்கள் படங்களை கவனமாக பார்த்த பின் மருத்துவரால் உங்களுக்கு ஏற்ற சிகிட்சையை மேற்கொள்ள முடியும். இவை பை-பாள் அறுவை சிகிட்சையாகவும் இருக்கலாம் அல்லது ஆன்ஜியோபிளாள்டி (புலூன் வடிவம் கொண்டதொரு சிறிய சாசேஜ் கொண்டு தமனியை அகலப்படுத்துகள் மடிடுக்குற்ற என்னும் ஒரு செயல்முறையாகவும் இருக்கலாம். சில நேரங்களில் மருந்துகள் மட்டுமே போதுமானதாக இருக்கலாம்.

#### **கெ**ச்சயல்முறையிலுள்ள **பெ**ர்பாடுகள்

இதயச்சுவர் சிரை ஆன்ஜியோகீராஃபியிலுள்ள இடர்பாடுகள் பின்வருபவைகளையே சார்ந்திருக்கும்

(i) இதயச்சுவர் சிரை தமனி தோயின் தன்மை — (ii) இதயத்தின் ஏற்றியிறைத்தல் நிலை — (iii) இதயத்தின் வயது மற்றும் பொது ஆரோக்கியம் ஏற்ப**ட வாய்ப்புள்ள சில தீவிர கிட**ர்பாடுகள் வின்வருமாறு. ஆ**ளால் கிலைகள் மட்டுமே முழுமையான கிடர்பாடு**கள் அல்ல

10.00-ல் ஒருவருக்கும் கீழ் (0.0001 சதவிகீதம்)	(a) கதிர்வீச்சின் காரணமாக ஏற்படும் தோல் பாதீப்பு. சருமம் சிவந்து போதல்
1000-ல் ஒருவருக்கு (0.001 சதவிகிதம்)	<ul> <li>(b) வலிப்பு. இது பக்கவாதம் மற்றும் நீண்டநாள் ஊனத்தை ஏற்படுத்தலாம்</li> <li>(c) மாரடைப்பு</li> <li>(d) எக்ஸ்-ரே காண்ட்ராஸ்ட் மீடியத்தின் (டை) ஆபத்தான விளைவுகள் . இவை ஏற்பட்டால் உரு்களுக்கு ஆஸ்துமா, அதீர்ச்சி மற்றும் வலிப்பு போன்றவைகள் ஏற்படலாம். 2,50,000 முதல் 4,00,000 ஊசிகளில் ஒன்று மரணத்தையும் விளைவிக்கலாம்.</li> <li>(e) குத்தப்பட்ட இடத்தில் பெரிய அறுவை சிகீச்சை மேற்கொள்ள வேண்டியது வரலாம்.</li> <li>(f) அவசரகால இதய அறுவை சிகீச்சை அல்லது ஆன்ஐயோபிளாஸ்டிக் தேவைப்படலாம்.</li> <li>(g) எக்ஸ்ரே கதீர் பாதீப்பு காரணமாக அதீக வாழ்நாள் அச்சுறுத்தல் இடர்பாடு.</li> <li>(h) இறப்பு</li> </ul>
100-ல் ஒருவருக்கு (0.01 சதவிகிதம்) ்	<ul> <li>(I) இதயம் சரியான முறையில் துடிக்காமல் இருக்கலாம். அதற்கு அவசரமாக சிகீச்சை தேவைப்படும்</li> <li>(j) குத்தப்பட்ட கவட்டை பகுதியில் அறுவை சிகீச்சை சரியாடு. இதனால் மருத்துவமனையில் நீண்ட நாட்கள் தங்கியிருக்க வேண்டியது வரலாம்</li> <li>(k) தோல் அரிப்பு போன்ற சிறு விளைவுகள்</li> <li>(l) கான்ட்ராஸ்ட் மீடியம் காரணமாக சிறுநீரகம் செயல்படாமை அல்லது அதன் வனுகுறைதல்</li> </ul>
20-ல் ஒருவருக்கு (0.01 சதவிகிதம்)	(m) குத்தப்பட்ட இடத்தில் பெரிய அளவிலான சிராய்ப்பு அல்லது வீக்கம்
பெரும்பாலான மக்களுக்கு	(n) சிறிய அளவிலான சிராய்ப்பு

#### நோயாளி ஒப்புதல்

#### செயல்முறையை எனக்கு மேற்கொள்ளுமாறு கேட்டுக்கொள்கிறேன்

	கையெமுத்து	பெயர்	தேதீ	நேரம்
நோயாளி (பாதுகாவலர்) உறவுமுறை	;	• • •		
சாட்சி ,			-	
மருத்துவர்				
மொழிபெயர்ப்பாளர்				



 $(\overline{\phantom{a}})$ 







Every heart beat counts

# TRANSRADIAL CORONARY ANGIOGRAM REPORT

Mr. RIAZ AHAMED		ID:	MHI202481757
47 M	<u></u>	IPH:	IPH 2024000115
3609		DOP:	13.01.2024
Assisted by	Technician	Phy	sician assistant
Ms. Sandhiya	Mr. Pandiyan		Ms. Shalini
	47 M 3609 Assisted by	47 M 3609 Assisted by Technician	47 M IPH: 3609 DOP: Assisted by Technician Phy

DIAGNOSIS: EFFORT ANGINA; INFEROLATERAL ISCHEMIA; NORMAL LV FUNCTION

Access: Right Radial artery

Total exposure time: 204.5"

Hardware used: 5F sheath, 5F TIG

Total DAP: 22.00 Gy.cm<sup>2</sup>

Contrast used: CONTRAPAQUE 40 ml

Total RAK: 98.75 mGy

Medications given: Inj Heparin 5000 IU IA + Inj NTG 100 mcg

Hemodynamic data: Aortic pressure 110/79(88) mmHg; HR 68 bpm; SpO2 100%

Selective Coronary angiogram done in multiple angulated views:

ARTERY	FINDINGS
LEFT MAIN	Distal LM has 20% tubular stenosis. Bifurcates into LAD & LCx.
LAD	Type 3 vessel. Ostioproximal LAD has total occlusion (CTO). Mid and Distal LAD visualized by Grade II homo and heterocollaterals.
LCx	Nondominant. Proximal LCX has 80% discrete stenosis. Distal LCX has 70% tubular stenosis followed by 90% tubular stenosis. Gives 5 OMs. OM1 is an early and major vessel, ostium has 70% stenosis. OM2 & OM3 are diffusely diseased. OM4 & OM5 are thin vessels with luminal irregularities.
RCA	Dominant. Proximal RCA has 70-80% long segment disease. Mid RCA has 90% tubular stenosis. Distal RCA has 80% discrete stenosis. PDA and PLV have luminal irregularities.
IMA	LIMA & RIMA are normal.

FINDINGS: RIGHT DOMINANT SYSTEM; TRIPLE VESSEL DISEASE

ADVICE: CABG X LAD, MAJOR OM, PDA & PLV

Dr. G.GNANAVELU, MD, DM

Dr. G. Gnanavelu MD, DM (cardio), FACC Advisor & Mentor Chief Cardiologist Reg. No: 39469

044 - 4310 8959

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel: 044 - 4310 8959

🕇 @MedwayHospitals 🕓

(C) @medwayhospitals

In @medway-hospitals

@medwayhospitals

94557 94557 1800 572 3003

 Medway Group of Hospitals

 Kodambakkam 044-2473 4455
 Mogappair 044-26530011
 Chengalpattu 044-2426829
 Villupuram 044-2473 4455
 Kumbakonam 044-2473 4455
 Kakinada 0884-2333367

Medway Centre of Excellence (Chennai)

Heart Institute Institute of Pulmonology

044-2473 4451 MHI/HOSP/2022/118



# Mr.RIAZ AHAMED 47/Malc/MHI202481757 13/01/2024/IPH2024000115 Dr.G. GNANAVELU

MHI/NUR/2022/048

DATE & TIME	Observation / Action	Signature with Emp.No
131127	cas, Pt is conscious & Brionkel	<b>A</b>
	De votals me monitoring	020
	Shin ponepulation Why diske.	
	pt TV line prevent & patter	-
	D+ Alpo: porofrom 10:00  P+ shiptod coethlab	R.
	(A) (D) 2011	0540
	Coth Cas :	
12.30	3 pt percived from Pl to cath	
	Lab. Consular and oriented	
[2.35	1 ' _ 1	120136
	Starred	
12,40	some Redfal arterial approach	$\sim$
10.4	under Local anaesthesis	Mal
1240	2500 TO goven	POHP
12.45	Agni: Hepanin 2500 Jugivas	
ון ייי	Olis Dr. Gibicit	
12.45	0313 P: 198/74 (86) mmHq, HR; 68 6+ by	YE 60 J
10.00	broa: 100% vifals stable	
12-50	arterial cheath removed, Tight	Monne
	Plaster bandage applied	/ 6 40
Document	Signature Name Emp . No. Date	Time
endorsed by	: S. Parel 0020 13/1/9	ly 12.50



DATE & TIME	Observation / Action				Signature with Emp.No
13.05					With Emp. No
	handlinger cettorday	Pt Cel	L Re	por49 _	0240
Document endorsed by	Signature Joy	Name  DAMANEWI-)	Emp. No.	Date 13/1/24	Time 19.00





# SAFE PROCEDURE CHECKLIST Adapted from WHO Safe Surgery Checklist



y matriate					
Every heart beat counts					
Mr.RIAZ AHAMED					
. 47/Malc/MHI202481757					
13/01/2024/IPH2024000115					
Dr.G. GNANAVELU					
	_				
ates that the Procedure is completed	1				
Technician + Doctor					
procedure in case of multiple					
· /					
lure done written down Yes					
specimens / investigations Yes NA	1				
id sent to lab	ļ				
/					
ms: Yes None					
	ĺ				
	Ì				
strument problem that needs to be					
	1				
	Į				
s Please Specify :					

	0	O de .		47/Matc/MHI202481757	
Name of the Procedure :	<u>('AC</u>	Location:CATh_Lab	Date & Time :	, 11000115	
Does the Procedure involve	Procedural Sedation :	<i>T</i>		Dr.G. GNANAVELU	
SIGN IN 12. 35 Before Induction of Procedural S	edation	TIME OUT 19 ~ 40 After procedural Sedation and before procedure		When Doctor indicates that the Procedure is completed	
(Anaesthetist / Qualified Physicia Sedation + Nurse + Technician + Do		(Anaesthetist or Qualified Physician administering Procedural Sedation + Nurse + Technician + Doctor performing the Procedure			
Patient Confirmation	)	All team members introduce themselves by Name and F	Role	To be done for each procedure in case of multiple procedures	
Identity by two identifiers	Yes	Identity by two identifiers	Yes	Name of the Procedure done written down	
Procedure	1∐Yes─	Procedures CAC	/ Yes	Name and site of all specimens / investigations ☐ Yes ☐ NA	
Side	rt □Lt □NA	Side Rt Radial arterial approach	I DRI DLI DNA	confirms labeling and sent to lab	
L		Expected Blood loss			
Consent	Yes	Position Scippe.	∠ Yes	Any recovery concerns : Yes None	
Known Allergy	☐Yes ☐Mo	Consent	∠ Yes ·	If Yes, Pls. specify:	
	If yes, plaese specify	Required equipment and implants available	Yes NA		
Difficult airway / aspiration risk	☐ Yes, equipment	Essential Imaging displayed	☐Yes ☐NA	1	
/ dentures	and assistance available	Antiblotic prophylaxis within last 60 minutes	☐ Yes ☐ MA		
Possibility of hypothermia	✓ No ☐ Yes, warmer in place	Name of the Antibiotic given		Any Equipment / instrument problem that needs to be	
	ľ	Venous Thromboembolism Prophylaxis Provided	☐ Yes ☐ XXA	addressed : ☐ Yes ☐ None ☐ If Yes, Pls. specify :	
All concerned anesthesia equipment a	and medication check complete	Anticipated duration briefed	□Yes	1	
Spo2 NIBP Other		Anticipated blood loss briefed	✓ Yes □ NA	] (,	
Pre OP medication taken	☐Yes ☐Ho	Adequate fluids and blood available	☑Yes ☑ NA		
L		Team briefed on any critical or unexpected steps	□Yes	Corrective action:	
Required equipment for	Yes NA	For procedural sedation cases	Yes None	·	
procedure available	/	Any patient specific concerns : Intra procedure glycemic control	Yes NA	1 (	
		Any concerns about sterility	☐ Yes ☐ None	<u> </u>	
Anaesthetist / Doctor giving	Doctor performing th	ne Nurse: PN, Candhige	Technician: mg - F	Paroliyar Others Please Specify:	
Procedural Sedațion	Procedure: 15 %	ne Nurse: PN. Sandhige	Technician, VIII	2-501	
		Granvelle 1 0084		- 90/   (	
Date:	Date: 1, / / / / /	9 Date: 11/1/04	Date: 13/1/24	Date :	
Time :	Time:	Time: 10	Time .	Time:	
L'	13.49	0 13.00	1 1 3 · 00		







Every heart beat counts

The way to better health (A Unit of United Alliance Healthcare Pvt Ltd)

Procedure Monitoring Sheet (Cath Lab)

riocedule	Monitorning St	ieer (Calii Lab

Patient Name : Mr.RIAZ AHAMED

47/Malc/MHI202481757

UHID / IP: 13/01/2024/IPH2024000115

Dr.G. GNANAVELU

Consultant:

Age/Sex: 479/17.

Ward Unit: 2L

Diagnosis: Normal Lv

FREDERI

Pre Procedure Checklist (Please tick appropriately – To	be filled by the A	Vard Nurse)	profi
PARAMETERS	YES	NO	NA
Vital signs : BP: 17 #Temp B Pulse: O4 RR:2 SPO2 VF.			
Urine voided			,
Bowel preparation			
Pre-procedure medication administered			
Procedure site marked	<b>✓</b> ,-		
Skin preparation done	/		
NPO: 10.00	٦		
Loose Tooth removed			
Contact lenses / Eye glasses removed			
Prosthesis present			,
Jewellery/Nail polish removed			
Checked for Allergies (Drug / food)			-
IV line/In-situ			
Consent taken			
Investigation reports / Pocuments received			
Signature of Nurse	Date & Time :	18-1-24	@ 11:20
Intra – Procedural Record (To be filled by the	e Cath Lab Nurse	)	
	1		

Time	HR / min	RR / min	BP mmHg	SpO₂%	Medication / Remarks	Sign. of Nurse
12-35	66 st/mt	28 Kg/N#	13/78 (90)	100-/_	•	DE 196
18 - 45	60 Him	22 hr/nis	108 74 (86)	100 %		HOOK.
12-50	84 H/m	22 horm	-130/74(90)	100-1	<del>*</del> ,	allore
		procede	ue got	0 Ubl		
		<u>'</u>	U			
<u>.                                    </u>					<u> </u>	

# Post Procedure Follow Up Data (to be filled by the doctor) 2.00 Route: Pt Radial Anterial approach Complication: BP: 130 fty (24) mmHg, HR: Ry b flut, RR: 28 Why sp02: 100 flustal Pulse: Lelt ... Puncture Site: ho oozing & homesong Advise: ♦ Shift To: Ward / ICU ♦ Bed rest up to ♦ Observe puncture site for bleeding ♦ Watch for Pulse in <u>N+ Dadial</u> artery. ◆ Diet Normal Inform Duty Medical Officer SOS a) If patient complains of any Discomfort b) If dressing is Loose or Socked with Blood c) If limbs are Cold / Absent Pulse Remove Problem on 14/1/24 at 13.00 AM /PM after informing to the consultant. Special instruction if any: N; Name & Signature of Consultant POST PROCEDURE OBSERVATION HRIRR Date & Time BP SpO2% Site Evaluation **Extremity Status** Remarks Sign. of Nurse Nurses Notes: cheath removes. Tight playted bandage applied no oozing Chematome Condition at the end of procedure : Stable ☐ Critical Patient shift to:

Patient shift to: Recovery Room Patient Room CCU Other

Name & Signature of the Nurse:

Date & Time: 199





47/Mule/MH1202481757 13/01/2024/thH2024000115

Dr.G. GNANAVELU





Every heart beat counts

Date: 2

	BRADEN S	CALE FOR PREDICTII	NG PRESSURE INJUR	Y RISK Time:	प्र	<u> </u>	* 7
SENSORY PERCEPTION ability to respond meaning-fully to pressure-related discomfort	1. Completely Limited     Unresponsive (does not moan, flinch,or grasp) to painful stimuli, due to diminished level of consciousness or sedation OR limited ability to feel pain over most of body	2. Very Limited Responds only to painful stimuli. Cannot communicate discomfort except by moaning or restlessness OR has a sensory impairment which limits the ability to feel pain or discomfort over 1/2 of body	3. Slightly Limited Responds to verbal commands, but cannot always communicate discomfort or the need to be turned OR had some sensory impairment which limits ability to feel pain or discomfort in 1 or 2 extremities	A-No Impairment Responds to verbal commands. Has no sensory deficit which would limit ability to feel or voice pain or discomfort	Jy	4	
MOISTURE degree to which skin is exposed to moisture	1. Constantly Moist Skin is kept moist almost constantly by perspiration, urine etc. Dampness is detected every time patient is moved or turned	2. Very Moist Skin is often, but not always moist. Linen must be changed at least once a shift	3. Occasionally Moist Skin is occasionally moist, requiring an extra linen change approximately once a day	4 Harely Moist Skin is usually dry, linen only requires changing at routine intervals	H	9	
ACTIVITY degree of physical activity	1. Bedfast Confined to bed	2. Chairfast Ability to walk severely limited or non-existent. Cannot bear own weight and / or must be assisted into chair or wheelchair	3. Walks Occasionally Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair	4. Walks Frequently Walks outside room at least twice a day and inside room at least once every two hours during waking hours	1	1	•
MOBILITY ability to change and control body position	Completely Immobile     Does not make even slight changes in body or extremity position without assistance	2. Very Limited  Makes occasional slight changes in body or extremity position but unable to make frequent or significant changes independently	3. Slight Limited Makes frequent through slight changes in body or extremity position independently	4. No Limitation  Makes major and frequent changes in position without assistance	4	4	
NUTRITION usual food intake pattern	1. Very Poor Never eats a complete meal. Rarely eats more than any food offered. Eats 2 servings or less of protein(meat or dairy products) per day. Takes fluids poorly. Does not take a liquid dietary supplement OR Is NPO and / or maintained on clear liquids or IV's for more than 5 days	2. Probably Inadequate Rarely eats a complete meal and generally eats only about 2 of any food offered. Protein intake includes only 3 servings of meat or diary products per day. Occasionally will take a dietary supplement	3 Adequate Eats over half of most meals. Eats a total of 4 servings of protein (meat, diary products) per day. Occasionally will refuse a meal, but will usually take a supplement when offered OR is on a tube feeding or TPN regimen which probably meets most of nutritional needs	4. Excellent Eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and diary products. Occasionally eats between meals. Does not require supplementation	3	3	
FRICTION & SHEAR	1. Problem Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent re-positioning with maximum assistance. Spasticity, contractures or agitation leads to almost constant friction	2. Potential Problem  Moves feebly or requires minimum assistance. During a move skin probably slides to some extent against sheets, chair, restraints or other devices. Maintains relatively good position in chair or bed most of the time but occasionally slides down	3. No Apparent Problem  Moves in bed and in chair independently strength to lift up completely during move. Nor chair		3 19 02x	3	
Score	Interpretation: Minimal Risk: 23 - 19; At Risk /	Mild Risk: 18 - 15; Moderate Risk: 14 - 13; F	High Risk: 12 - 10; Severe Risk: 9 - 6	Initial & Emp. No. of Sr. Staff Nurse:	K	R	W.





Pal 47/Malc/MHI202481757

Na 13/01/2024/19H2024000115

Dr.G. GNANAVELU

DO1


Consultant:

MHI/NUR/2022/052



Every heart beat counts

Date & Time	Pain Score	Pain C (dull, achy, sharp burning, refer	character , stabbing, shooting, red / radiant pain)	Duration	Location / Site		Interventions	Staff Initial & Emp. No.
13/124	0/10	No	pa un		<b>←</b>	_		oes Jackou
		F	D+ 9	ever	eved E	from	RL @ 13:05	
13:15	olio	No	pain					Posto Jour
14:15	olio	No	Pain	-				Bru Jaylor
14215	Oleo	No	pais					De Joyour
18:15	olio	No	Pair	-			_	Day Jack god
)			- Pt	J.	of disc	havged	•	
				U		V		
					-			







47/Malc/MHI202481757 13/01/2024/IPH2024000115

Dr.G. GNANAVELU





Ass	DVI RISK AS sign a score of 1 if (YES) in parameter nos. 1 to 9,				t if (YES)	in parai	meter no	. 10
	Date	13/1/20	_			<u> </u>		
	Time	11.00			<del> </del>	<u> </u>		
S. No.	PARAMETERS						ļ	
1	Active cancer (on-going treatment or diagnosed within 6 months or palliative care)	0						
2	Bedridden recently >3 days or major surgery within four weeks	0						
3	Calf swelling >3 cm compared with asymptomatic side, measured at 10 cm below tibial tubercle (Assess for both legs)	0						
4	Collateral (nonvaricose) superficial veins present (Assess for both legs)	0						
5	Entire leg swollen (Assess for both legs)	0						
6	Localized tenderness along the deep venous system (Assess for both legs)	6						
7	Pitting edema, greater in the symptomatic leg (Assess for both legs)	0						
8	Paralysis, paresis, or recent plaster immobilization of the lower extremity (Assess for both legs)	0						
9	Previously documented DVT (Assess for both legs)	0_						
10	Alternative diagnosis to DVT as likely or more likely (Assess for both legs) / Co-morbidity like ESLD / Renal disease, Renal failure, CCF Cellulitis (commonly mistaken as DVT), Dependent (stasis) oedema, Lymphatic obstruction. Septic arthritis, Cirrhosis, Nephrotic syndrome, Calf muscle tear or strain, Haematoma (collection of blood) in the muscle, Sprain or rupture of a leg tendon, Fracture.	0						
	FINAL SCORE	8						
Low R	lisk: -2 to 0   Moderate Risk: 1 to 2   High Risk: 3 to 8							
	DVT prophylaxis started	□ Yes □ No	☐ Yes ☐ No					
	Signature & Emp. No. of RN	D80						
	Signature & Emp. No. of Sr. RN	1	_					



(A Unit of United Alliance Healthcare Pvt Ltd)



## Mr.RIAZ AHAMED

47/Malc/MHI202481757 13/01/2024/IPH2024000115

Dr.G. GNANAVELU



MHI/NUR/2022/046

MODIFIED MORSE FALL RISK ASSESSMENT CHART

No Yes No Yes No Yes Yes	25 0 15	(5) (1) (5) (6) (7) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	0 25 0	0 25 0	0 25	0 25	0 25	0 25	0
No Yes No Yes	25 0 15	6 25 0	0 25 0	25	25				
Yes No Yes	0 25 0 15	6 25 0	25 0	25	25				
No Yes No	0 15 0	<b>(b)</b>	0			25	25	25	0.5
Yes No	15	$\sim$		0	Ī				25
No	0	15	4 =	_	0	0	0	0	0
			15	15	15	15	15	15	15
Yes		0	0	0	0	0	0	0	0
	(20)	(20)	20	20	20	20	20	20	20
		<b>S</b>			;				
					0	0			0
	15	15	15	15	15	15	15	15	15
	30	30	30	30	30	30	30	30	30
	<b>(0)</b>	(O)	0	0	0	0	0	0	0
	10	10	10	10	10	10	10	10	10
	20	20	20	20	20	20	20	20	20
		_							
	(0)	(o)	0	0	0	0	0	0	0
	15	15	15	15	15	15	15	15	15
No	6	(b)	0	0	0	0	0	0	0
	<del>\ \ / \</del>	<del>  \                                   </del>	_				15	15	15
	20	<b>~</b> √							
	-								
	_								
	SSXV	(B)/S				-	_		
		Ž.	2	-		<u>.</u>			
	No Yes	30 0 10 20 0 15 No 0 Yes 15	15 15 30 30 0 0 10 10 20 20 0 0 15 15 No 0 0 Yes 15 15	15 15 15 30 30 30 30 30 30 30 30 30 30 30 30 30	15 15 15 15 30 30 30 30 30 30 30 30 30 30 30 30 30	15 15 15 15 15 15 30 30 30 30 30 30 30 30 30 30 30 30 30	15 15 15 15 15 15 15 15 15 15 15 15 15 1	15 15 15 15 15 15 15 15 15 15 15 15 15 1	15 15 15 15 15 15 15 15 15 15 15 15 15 1

INTERVENTIONS  Tick as per the Risk Score  Low Risk Interventions (0 - 24)  Familiarize the patient with the immediate surroundin Remind the patient to use call bell before getting out of Keep the two side rails in the raised position at all timal patients regardless of age  Keep the call bell, bedside table, water, glasses with		11-00	2000	\ 		<u> </u>	-			
Tick as per the Risk Score  Low Risk Interventions (0 - 24)  Familiarize the patient with the immediate surroundin Remind the patient to use call bell before getting out of Keep the two side rails in the raised position at all timal patients regardless of age  Keep the call bell, bedside table, water, glasses with	gs	11-00	190		<del>-</del>	<del> </del>	<del> </del>			<del>                                     </del>
Low Risk Interventions (0 - 24)  Familiarize the patient with the immediate surroundin Remind the patient to use call bell before getting out of Keep the two side rails in the raised position at all timal patients regardless of age  Keep the call bell, bedside table, water, glasses with	gs	(1-0-	<b>\</b> ' \							
Familiarize the patient with the immediate surroundin Remind the patient to use call bell before getting out of Keep the two side rails in the raised position at all timal patients regardless of age  Keep the call bell, bedside table, water, glasses with						-	<b>├</b> ──		<del> </del>	-
Remind the patient to use call bell before getting out of Keep the two side rails in the raised position at all time all patients regardless of age Keep the call bell, bedside table, water, glasses with										
Keep the two side rails in the raised position at all tim all patients regardless of age Keep the call bell, bedside table, water, glasses with	of bed				<u> </u>		<u> </u>			_
all patients regardless of age Keep the call bell, bedside table, water, glasses with				_	ļ		<u> </u>			<b> </b>
Keep the call bell, bedside table, water, glasses with	nes for									
•	oin the					<del>                                     </del>	<del> </del>		<del> </del>	
patient's easy reach	mi uic	<b> </b>								]
Remove excess equipment or furniture to make a	clear		-			<del> </del>	<u> </u>			
path		/		· ' ,						
Keep the patient's bed in the low position at all times $\epsilon$	except				i –		<u> </u>			
during procedure			-/ `	. '						
Teach fall-prevention techniques, such as sitting up	for a		/		1					
moment before rising from the bed					<u> </u>		<u> </u>			
Bed wheels should be locked			_//	_			<u> </u>	ļ		
Encourage family participation in the patient's care		<u></u>	1,			ļ	ļ		_	
Ensure that floor of the bathroom is dry and not slippe					<u> </u>		<u> </u>		<u> </u>	
Review medications for potential side effects that	at can									
promote falls Use safety belts during movement in wheelchair			1		1	<del> </del>	╁	1		
The patients are not ambulated by themselves. They	aroto	<del>                                     </del>			<del>                                     </del>	<del> </del>	├		-	-
be ambulated only with assistance	ale to	/			ŀ				}	
Medium risk interventions (25 - 44)							<u> </u>			
Apply all the low risk interventions		1							i	
Tie yellow fall risk tag in the bed and Wheel chair / Stre	etcher				<del>}</del>	1	<del> </del>			
Make sure that proper transfer precautions are inst						<del> </del>			· · · · ·	
for heavy or debilitated patients in a bed or wheel cl							}			
on a toilet seat							L			
Use restraints and bed monitors as ordered by the do	ctor									
Allow the patient to ambulate only with assistance							<u> </u>			
Consider peak effects of the medications that effects					ľ					
of consciousness, gait and elimination when pla	inning									
patient's care	41	<u> </u>			ļ	-	<b>├</b> ──	<b></b>	-	_
Do not leave patients unattended in diagnos treatment areas	tic or									
Accompany the patient while going to bathroom		<del></del>		<u>-</u>	<del> </del>	<del> </del>	<b>├</b>	1		
Advice the patient to use grab bars near the toilet, ba	thtub	-			<del>  -</del>		├		-	
and shower	unub,									
Make sure the family and other visitors understar	nd the				_		<del>                                     </del>	<u> </u>		
restrictions mentioned above		1	'	İ						
High-risk interventions (45 or abovc)		ļ			<u> </u>	<u> </u>	<u> </u>		<del>  -</del>	<b> </b>
Apply all the low and medium risk interventions					l					
Tie red fall risk tag in the bed, wheel chair and stretche										
Locate the high-risk patients in a room close to the n	urses'	]								
station	_	<b> </b>				<del> </del>	<u> </u>			
Answer these patients call bells as quickly as possible	e	<u> </u>			<u> </u>	-	<u> </u>			
Provide a commode at bedside (if appropriate)					<del> </del>	1	<del> </del>			
Urinal/bedpan should be within easy reach (if approp	Encourage family members or other visitors to stay with				-	+	<u> </u>	<b></b>		
Encourage family members or other visitors to state them	iy with	1			]		]		]	
If appropriate, consider using protection devices:	safety				<del>                                     </del>		+			<del>                                     </del>
belts	Juicty		/	٠,			1			
Signature & Emp. No. o	f BN		16.0% 18.0%	; -	1		$\vdash$			
	——'		701		<del> </del>	1		-	-	<del>                                     </del>
Signature & Emp. No. of Sr	. RN	<u> </u>					<u></u>	<u></u>	ļ	