


## MRD CHECKLIST

	PARTICULARS	YES	NO
- IP Number allocated to ea	ch Patient	/	
- Name, Age & Sex of Patie	nt	/	
- General Admission Conse	ent		
- Initial Assessment of Patie	nt / Diagnosis	/	
- Nutritional Assessment by	Consultant		
- Plan of care counter signe	d by the Consultant		
- Treatment Orders - Date,	Time, Name & Sign.		
- Medication Order / Drug (	Chart - Date, Time, Name & Sign.		
- Vital Signs Chart (TPR Ch	art)		
- Intake Output Chart			
- Drug Chart (Duly filled)			
- Anesthesia Consent - (8 tl	ning) - Date, Time, Name & Sign. of both Patient & Anesthetist		
- Anesthesia Assessment S	heet		
- Surgery Consent - (8 thing	gs) - Date, Time, Name & Sign of both Patient & Surgeon		
- Surgery Notes - Post Ope	rative Plan		
- Pain Scoring System			
- Blood Transfusion if done			
- High Risk Procedures			
- A copy of the Discharge S	Summary		



# Medway Hospitals The way to better health (A Unit of United Alliance Modelshore Totals)



Na 57/Male/MHJ202481753 UE 11/01/2024/IPH2024000094

Dr.G. GNANAVELU





Every heart beat counts

(A Unit of United Alliance Healthcare Pvt Ltd)  ADVIISSION SLIP
Admitting Doctor: Dr. Crouwolle Speciality: Cogaio Ogist
Advised Date & Time: (1) 1 24 (20) 9. (1) Am
Provisional Diagnosis:  2 Evolved Iwas Type I Danlaido LV Dysfunction/Dus
Reason for Admission: Medical Management Surgical Management
Others (please specify details)
ldmission Type: Day Care ER Ward
CU (Specify details)
Surgery / Procedure Name (if planned):
CAQ
Blood Product Requirement: No Yes (Kindly specify details of components required in space below)
,
Expected Duration of Stay:
Expected Cost of Treatment (as per Firiancial Counseling Form):
Payer: Self Insurance Others:
Instructions to Nurse (if any):
Admission in SP
Any other Instructions (if any):
16000-1.
Doctor's Signature Name Ur. G. Gnanavolu MD, DM (Res), NACC Date Time
Advisor & Men or 3746, 11/1/24 9.5247
Reg. No: 39469

For admission desk staf	f only:			*
Room Category:	General Ward Single Room Twin Sharing Deluxe Room Suite Room	P		<i>₹</i>
Admission intimation	on Receipt Details	Admiss	sion Time in HIS	
Date	Time	Date	Time	
4101124	10;15 n·M	u/o1/24	10:15 A.H	,
	OPD  ER  Direct  d requirement specified ind Blood Bank clearance	<u></u>	Yes No	
Front office Staff Signatur	re Name	Emp. No.	Date T	ime
-bel-	Lethnor ba	mu MH10264	11/01/24 /	D:15 A



## R Medway Hospitals The way to better health

(A Unit of United Alliance Healthcare Pvt Ltd)



## Patient Details (Afficial P

UH 57/Malc/MHI202481753

DO: 11/01/2024/1PH2024000094

DOI Dr.G. GNANAVELU






MHI/HOSP/2022/129

## **ADMISSION FORM**

Marital Status	Full Address P. MII W. S. S.	Telephone Number
Occupation	Full Address P. Murrigan  451 - Valtaralam road  Timuanna malap  Date of Time of Admission Date & Time of Discharge To	93442436
PL	Timuanna mala	
Referred from	Date of Time of Admission Date & Time of Discharge To	tal No. of Days
	ANAVEW @ 10:15 ANY 11/1/24@18100 7/	ms 45 mins
UNIT DL	. MLC Yes Thio If Yes AR No.:	
	FINAL DIAGNOSIS	ICD Code
	AB - REPAIT IMMI	125.1
	MILD LU DYSFUNCTION.	T50.1
	BYSLIPI DEMIA.	E18.5
	TYPE 11 pm.	E11.9
DATE	OPERATION / PROCEDURES	ICPM Code
1/1/24	CORONARY ANGLOGRAM ROME ON MILLY.	88-20
	CN 111124.	
DATE	TYPE OF ANESTHESIA	
12/1/29	☐ GENERAL ☐ SPINAL ☐ TÓCAL ☐ REGIONAL	☐ EPIDURAL
	DISCHARGE STATUS	
☐ Cured	☐ Against Medical Advice ☐ ☐ ☐ ☐ Absconded ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Expired < 48 hours Expired > 48 hours
☐ Unchang	S. Alen	Post-Operative Death

### **AUTHORISATION FOR TREATMENT I PAYMENT**



I hereby under take to settle all the bills for hospitalisation charges related to me/the patient named overleaf on a periodic basis. In any case, I shall pay all the dues before getting discharged from the hospital.

However, in case I fail to pay the charges due to the hospital as agreed above, I hereby authorise the hospital to transfer me/the patient to any other hospital/institution for further treatment as deemed fit and proper by the hospital authorities.

I also acknowledge having been informed if the General Rules and Regulations of the Hospital and that all cash, jewellery and valuables belonging to the patient or their attendants have been removed to a place of safety / handed over to the next of kin and I absolve the hospital of any responsibility with regard to any loss.

I have read out and explained the contents of the above to the Signatory in his vernacular . சிகீச்சை, பணம் செலுத்துதல் முதலியவை செய்ய அதிகாரம் வழங்குதல்

இதன் மூலமாக நான் நீர்வாகம், மருத்துவம், தாதீயர், ஏனைய மருத்துவ ஊழியர்கள் எனக்கு / நோயானி .................................க்கு தேவைப்பட்ட சோதனைகளை செய்து மருந்துகளை கொடுக்கவும். மயக்க மருந்துகள் கொடுத்து செய்முறைகள்/அறுவை சிகீச்சை செய்யவும் அதிகாரம் வழங்குகிறேன். நான் / இதில் குறித்துள்ள நோயாளின் செலவுக்கன தொகை முழுவதும் செலுத்த இதன் மூலம் உறுதி அளிக்கிறேன்.

மேல் கூறியது போல் வேளை நான் தங்கள் மருத்துவத்திற்கான செலவுகளை கட்டத் தவறினால் என்னை நோயாளியை வேறொரு மருத்துவமனைக்கு, பிற சிகீச்சை / அறுவை சிகீச்சை செய்ய இடமாற்ற ஒப்புதலை எனது உறவினர்கள் மூலமாக பெற நான் அதிகாரம் அளிக்கீறேன்.

மருத்துவமனையின் பொது சட்ட தீட்டங்கள் பற்றி தெரிவிக்கீப்பட்டிருக்கீறேன்.

நோயாளிக்கு உரிமையான எல்லா பணம், நகை மதீப்பிடக்கூடி பொருட்கள் யாவும் பாதுகாப்பான இடத்திற்கு மாறுபட்டுவிட்டன / அல்லு நெருங்கிய உறவினரிடம் கொடுக்கப்பட்டுள்ளது. இந்த மருத்துவமனை எனது/நோயாளியின் எந்தவித நஷ்டத்திற்கு பொறுப்பில்லை என உறுதி செய்கிறேன்.

மேற்குறிப்பிட்ட அனைத்தும் எனக்கு விவரிக்கப்பட்ட பிறகுதான் கையொப்பமிட்டேன்.

செவிலியர் கையொப்பம்

தேதி

5. *தே மா டு.* எனது/உறவினர்/காப்பாளர் கையொப்பம்

Signature of Admitting Nurse

Date

Signature of the Patient / Relative / Gurdian

4/01/24

ພາງ 5 (ອາວາດ໌. ຍາລຸພຸຄາຄ


Nature of Relationship



discharge.









## **GENERAL CONSENT FOR ADMISSION**

l, .	the □ Patient or □ Representative of patient have
_	lease tick the correct option above and below)
L	
L	Been explained this consent form in English, which I fully understand.
•	I give my full consent and authorization for admission and treatment at this hospital. The proposed treatment plan has been explained to me.
•	I consent and authorize the hospital, treating doctors, nursing, technical and paramedical staff to provide relevant care and to conduct diagnostic as deemed necessary by the treating doctor / team.
•	I also consent to use of assistants such as resident doctors, other doctors, nurses, and other healthcare workers by the hospital and treating doctor/ team.
•	I consent for clinical consultation, admission, disclosure of information required for clinical management (under confidence), routine medical examination (physical examination, palpation, percussion, auscultation), routine lab and imaging investigations, general nursing care, diet and physiotherapy assessment and counselling.
•	I have been explained about the proposed care plan, expected result(s), possible outcome(s) and expected cost of treatment/ hospital stay.
•	I understand that the hospital will take due care of me / my patient but, that there is always a possibility of an unexpected complication(s) which may necessitate longer stay and / or use of intensive care services. In such cases, procedure different from those contemplated and other intervention(s) may sometimes be needed.
•	I declare that, I have and will inform the doctor of my medical history including previous illnesses, allergies, drug reaction(s), surgical procedure, relevant medical family history and all other facts relevant to my treatment. I shall not hold the hospital/ doctor responsible for any consequences which may arise due to non-disclosure of relevant information on my part.
•	I declare that I have been explained about my rights and responsibilities.
•	I have been made aware of the rules and regulations of the hospital including those related to security and I promise to abide by them.
•	I understand that in case of some unexpected event occurring during the course of my stay I may be suggested a transfer to another hospital / healthcare organization, as considered appropriate by my treating doctor.
•	I understand that, drugs, consumables and devices will be charged on an 'as actual' basis as per the hospital tariff. I have been informed and I understand that there can be usage of certain reprocessed items during the course of the treatment. I also understand that only full strips of medicines shall be issued and returned. I declare that I take full responsibility of settling the bill before leaving the hospital premises at the time of

- I further declare that I have been given an opportunity to ask question(s) related to my admission, care plan and proposed hospital stay, and that such questions have been answered to my satisfaction.
- I declare that I have received and fully understood the information provided in this consent form, that I have been given an opportunity to ask questions relating to my admission, care plan and proposed hospital stay, and that all my questions have been answered to my entire satisfaction and there are no misconceptions or false hopes in my mind. I further declare that all fields (of this form) requiring insertion or completion were filled in my presence at the time of my signing this form.
- I, the above-named Patient / named patient's representative, do further hereby declare that I am above 18 years of age as on the date of signing this form, mentally sound and am giving consent without any fear, threat or false misconception.

	Signature / Thumb Impression*	Name	Date	Time	
Patient	Flerigan	P. MURUBANI.	11/01/24	10!15	A 1
Surrogate/Guardian (if applicable #)	S. 52019.	ら、のレイチ) (Write name and relationship with patient)	11/01/24	10115	] '}
Reason for surrogate consent	Patient is unable to give consent	because:	•		
Witness				}	
Interpreter (if applicable)	Selwy	Salvam	11/01/24	10:15 +	<b>9.</b> M

<sup>\*</sup> Right Hand for Males & Left Hand for Females | # Only if Patient is a minor or unable to give consent







Everu heart beat counts (A Unit of United Alliance Healthcare Pvt Ltd)

### DAY CARE DISCHARGE SUMMARY

IP No.

IPH2024000094

D.O.A

: 11/01/2024

UHID

MHI202481753

D.O.P

: 11/01/2024

Name

Mr. MURUGAN. P

Room No. : RI.

Age / Gender

57 Years /MALE

Consultant

Dr. G. Gnanavelu. MD., DM., (cardio) FACC

D.O.D

: 11/01/2024

Chief Cardiologist

### **DIAGNOSIS:**

CAD - RECENT IWMI MILD LV DYSFUNCTION

DYSLIPIDEMIA

TYPE II DIABETES MELLITUS

PROCEDURE: CORONARY ANGIOGRAM DONE ON 11.01.2024 – TRIPLE VESSEL DISEASE.

### **BRIEF HISTORY:**

Mr. Murugan. P, 57 years old male, presented with complaints of chest pain for 2 months. He was advised Coronary angiogram and referred to Medway Heart Institute on 11.01.2024 for which he has been admitted.

### **ON EXAMINATION:**

HR: 66bpm;

BP: 132/72mmHg;

SPO<sub>2</sub>: 97% in room air

CVS: S1S2+; RS: Clear;

CNS: NFND;

Abd: Soft

### **INVESTIGATIONS:**

BLOOD: Hb- 16.8gm/dl, TWBC - 8500cells/cumm, PLT - 223000 lakhs/cumm,

Urea – 27.6mg/dl, Creatinine – 0.9mg/dl, Sodium – 138.4mg/dl, Potassium – 3.75mg/dl.

ECG: Sinus rhythm, HR @ 70bpm, T wave inversion in II, III & aVF.

ECHO: RWMA(+) – basal and mid inferior, posterior wall hypokinetic. Mild LV dysfunction, EF – 45%, dilated LA. Grade I LV diastolic dysfunciton.

### **CORONARY ANGIOGRAM FINDINGS:**

Right-dominant system; TRIPLE VESSEL DISEASE.(reports enclosed)

ADVICE: CABG x GRAFTS TO DISTAL LAD, MAJOR OM & PDA.

### #9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel : 044 - 4310 8959

@MedwayHospitals

(C) @medwayhospitals

@medway-hospitals

@medwayhospitals



**Medway Group of Hospitals** 

E-mail: info@medwayhospitals.com | Website: www.medwayhospitals.com | CIN: U74900TN2011PTC083665

Medway Centre of Excellence (Chennai)

Kodambakkam Mogappair 044-2473 4455 | 044-26530011 | 044-27426829 | 04146-242000 | 044-2473 4455 | 0884-2333367

Chengalpattu

Villupuram

Kumbakonam

Kakinada

**Heart Institute** 044 - 4310 8959 Institute of Pulmonology 044-2473 4451



UHID: MHI202481753



### Every heart beat counts (A Unit of United Alliance Healthcare Pvt Ltd)

## **ADVICE MEDICATIONS:**

SI.	NAME OF THE DRUGS WITH	DOSAGE	FRE	QUE	NCY _	ROUTE	RELATION	DURATION
NO	GENERIC NAME		M	A	N		SHIP WITH FOOD	
1	TAB. CLOPILET (CLOPIDOGREL)	75 MG	1	0	1	ORAL	AFTER FOOD	To stop 5 days before surgery
2	TAB. ECOSPIRIN AV (ASPIRIN + ATORVASTATIN)	75/40 MG	0	0	1	ORAL	AFTER FOOD	To stop 5 days before surgery
3	TAB. CONCOR (BISOPROLOL)	2.5 MG	1	0	0	ORAL	AFTER FOOD	TO CONTINUE
4	TAB. TAZLOC (TELMISARTAN)	20 MG	0	0	1	ORAL	AFTER FOOD	TO CONTINUE
5	TAB. ANGISPAN TR (NITROGLYCERIN)	2.5 MG	1	0	1	ORAL	AFTER FOOD	TO CONTINUE
6	TAB. FLAVEDON MR (TRIMETAZIDINE)	35 MG	1	0	1	ORAL	AFTER FOOD	TO CONTINUE
7	TAB. PANTOCID (PANTAPRAZOLE)	20MG	1 *	0	1	ORAL	BEFORE FOOD	TO CONTINUE
8	TAB. DAPACOSE (DAPAGLIFLOZIN)	10 MG	1	0	0	ORAL	AFTER FOOD	TO CONTINUE
9	TAB. GLYCOMET (METFORMIN)	500 MG	1	0	1	ORAL	AFTER FOOD	TO CONTINUE

,	DISCHARGE ADVICE
DIET	LOW FAT & DIABETIC DIET.
PHYSICAL ACTIVITIES	AVOID STRENUOUS ACTIVITIES.
REVIEW	REVIEW WITH DR. ANBARASU MOHANRAJ FOR CABG.

If temp > 101 'F / Difficulty in breathing / chest pain / Giddiness/ palpitations. To report:

In case of emergency Contact: Medway Hospitals @ 4310 8959.

Dr. G. Gnanavelu. MD., DM., (cardio) FACC Chief Cardiologist

Typed by: Ezhilarasi. "Junderstood the Content of the

Dr. G. Gnanavelu MD, DM (cardio), FACC Chief Cardiologist Reg. No. 39469

044 - 4310 8959

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel: 044 - 4310 8959

f @MedwayHospitals

(C) @medwayhospitals

medway-hospitals

@medwayhospitals

94557 94557 1800 572 3003

044-2473 4451

**Medway Group of Hospitals** Medway Centre of Excellence (Chennai) Kakinada **Heart Institute** Institute of Pulmonology Kodambakkam Mogappair Chengalpattu Villupuram Kumbakonam

044-2473 4455 | 044-26530011 | 044-27426829 | 04146-242000 | 044-2473 4455 | 0884-2333367 | E-mail: info@medwayhospitals.com | Website: www.medwayhospitals.com | CIN: U74900TN2011PTC083665







Every heart beat counts

## DAY CARE INITIAL ASSESSMENT FORM

Dat	e: 11124 Time of arriva	al: 10.15	OLOOMLIN 1	,	
Part A	A (to be filled by Nurses		<u> </u>		
Vital Respi	Signs: Temp:연구 (Pr iration: 9년 (breaths/min)	ulse / HR: <u> </u>	/min)   BP: <u>  9</u> # (m   <del>  </del>  (cms)  Weight: <u> </u>  5-3-(	mHg) kgs)   BMI: 2	7.9 Kalw
	_anguage Barrier: ☐ Yes √ gies : ☐ Yes ☑ No   If Yes		nguage Coordinator / Trans	lator	
Alcol Do ye	~	Substance Abuse: Yes	es No Smoking: Ceeds to be considered?		
Pain: Pain Fain N Du	LACC Scale (2 months - 7 y lumerical Rating Scale (Age	weeks to < 38 weeks)	CRIES (38 weeks - 2 mon ACES Pain Rating Scale (7 tion:	years - 12 year	
Last	itional Screening: 3 months Appetite  lncrea 3 months Weight  lncrea		To Change To Change	,	
     A	Risk Screening for adults: ge more than 65 years Valks with assistance se of 2 or more criteria met	□ No Risk □ History of fall in la □ Any neurological initiate detailed fall assessm		ocol	
□н	_	Neurological problem (verti	go, seizure, etc) Deranç	-	☐ No Risk
	Signature	Name	Emp. No.	Date	Time
Nurse	800	Sunt	boks	11/1/24.	10.35

	rt B (to be filled by Physicians	9)				1
<b>O</b> 1	er Complaints					
	Chese bush	× 1/	12			
}						
Pas	t Medical History					
	•					.,
	,'			~ , , , .		
Pe	rsonal History				**	
<u> </u>	,				٠	,
				-		
ľ						
Sig	nificant Family History					
			~	<u> </u>	•	
				·-	· .	
				+ f	12	-
	rent Medication	1	I		Data & Time	To be continued during
S. No.	Current Medication	Dose	Route	Frequency	Date & Time of last dose	To be continued during hospital stay
ł	7. avpus	m	n	1-0-1	11/1/24@8100	✓☐ Yes ☐ No
2	1. ENSPRIN BY	30140	PI	6-0-1	1	✓ Yes □ No
3	9-2000	2.5	ሌ	1-0-0	,	☐ Yes ☐ No
y	7-77-2000	22	ro	6-0-1	<u> </u>	Yes □ No
5	noma upon on	219	M	870m-4pm	į,	√Yes □ No
Ь	na cooming	30	ſ~	1-87		[⊿Yes □ No
4	7-DAM 8257h	W	N	1-50	<u>,</u>	✓ Yes ☐ No
	14 us compl	av	er	1-0-1	1.	✓ Yes     No
9	1. Ruscombl	w	Po	100	71.	□/Yes □ No
	1	3	4	- 4	· · ·	. ☐ Yes ☐ No

## Clinical Examination / Investigation

Cvj-sh

and - roms.

160-16.8

Semury - Mr

Na - 138.4

W-3-25

anno -0-9

Muan - 27.0

EF-451.

## **Provisional Diagnosis**


I Growing (mm) 0m/ mins was /04p

## Plan of Care (including Investigations Ordered)

perun my









(A Unit of United Alliance	e Healthcare Pvt Ltd) Every heart beat counts
-	DOCTOR'S PROGRESS NOTES
DATE	NOTES
l . kry	CAG
TITL ON M	- Pt radical access
12140 PM	- SF Sheath
·	- SF TIG -> CAG done
	Dup: Rt dominant/TVD.
	Adv: CARSU.
	Ano _
	9721
	· · · · · · · · · · · · · · · · · · ·
11/24	CISIB OR MIST (can)
13.95	
13.2	Pr. Denamo
	WO STATULE CAN
	cm - No
	- Pun - 70 Rw DR. Am + CNS Arm
- Myn	Dr. Arish Nelson Reg. No: 88434
( <b>\$0</b> 0	A DE DISCHARLAND
	Juni -
	Dr. Anish Nelson Rea. No: 88434







### Every heart beat counts

### Mr.MURUGAN P

57/Malc/MHI202481753

11/01/2024/IPH2024000094

dr.G. Gnanavelu

## Department of Dietetics

## NUTRITION ASSESSMENT AND CARE PLAN FORM

$I/\cup I$	cms \	Evolved: Weight::Kgs	Food allergies:	Yes/ No. if y	es, specify	***************************************	•	
s Beliefs:		Vegetarian	Non Veget	arian		Egge	tarian	☐ Jain
scription:	6 6 6 7	alones,				いっト	esic c	401-
CTIVE	GLOBA	AL ASSESSMENT	(ADIII TS)	<u>ب کر کر د</u>	AKA	حسرا		<del></del>
	0202/			•	•		1 (3	Coone find e
	(A) -	Patient's related Medical Histor	y	. * 1	i		<del>-                                    </del>	<del>(                                     </del>
	1)	Weight Change (overall change				· <u> </u>		
	-	<b>21</b> 7 . 17 . 1	12	□3	· · · · · ·	.1 🗆41	•	□ 5
		No weight change/ gain -	<5%	5-10%		10 - 15 X		>15%
2)	Dietary Intake	Ourstan:						
	_	<b>2</b> 1.	□2 · 12. · ·	□ 3	,s 's'	<del> </del>		s
	Oral	No change	Sub - optimal solid diet	Full liquid die moderate overall decre	بر د از ( ase	Hypo - ca liquid die	t	Starvation
	Enteral / Parenteral Nutrition	Adequate / Excessive	Sub - optimal	Inadequate		Typo ca feeds		Stanyation
3)	Gastrointestin	al Symptoms Duration:	<u> </u>					
,			□2 ; , i, ,	□3			<del>_</del>	<b>5</b>
		No symptoms		Vomiting /	,	Diarrhoe		severe anorexia
	Τ.	<u> </u>	* <u>,                                   </u>	symptoms	1 1		*1	
4) . ,	Functional Ca	pacity (flutrition related functional Impai			<del>;</del>		<del></del>	
		None /Improved	Difficulty with	Difficult	ις τ <sub>ε γ</sub> ου.	는 나를 1	1 activity	Bed/chair-
•		, ,	ambulation 3	normal	ectivity	; ,   - ,	•	efdden with no or little activity
5)	Ca - morbidity	Disease and its relationship to nutrition :			7	3		
•		□ <b>1</b> :		1 2 3		`   .0	l - :•	□ 5
		Healthy	Mild co- morbidity	mor	erate co - bidity/ age years		ere co- rbidity	Very severe multiple co - morbidity
		,	, , ,					
В)	Physical exam	lnation '	<u> </u>	3   1	1	<u>'-                                    </u>		•
B)	<del></del>	ination stores or loss of subcutaneous fat		-	,	<u>'-                                    </u>		
	<del></del>			. 🗀 3	,		· · ·	
	<del></del>	stores or loss of subcutaneous fat		-	,			
	<del></del>	stores or loss of subcutaneous fat	□2 <u> </u>	. 🗆 3	,			_ s
1)	Decreased fat	stores or loss of subcutaneous fat	□ 2 1 · · · Mild	. □ 3 Moderate	,			Severe
1)	Decreased fat	stores or loss of subcutaneous fat	Mild	, 🗀 3 Moderate	,	•   0		5 Severe
2)	Decreased fat	stores or loss of subcutaneous fat  Normal  Normal	□ 2 1 · · · Mild	. □ 3 Moderate	,	•   0		Severe
2)	Decreased fat	stores or loss of subcutaneous fat  Normal  Normal	□ 2 1 · · · Mild	. □ 3 Moderate	,	•   0		Severe
1) 2) Total Score = Su	Decreased fat Sign of muscle w mi f above 7 comp	stores or loss of subcutaneous fat  Normal  Normal  Normal	Muld	Moderate	,	•   0		□ 5 Severe □ 5 . Severe
1) 2) Total Score = Su	Decreased fat Sign of muscle w mf above 7 comp us; Based on this	stores or loss of subcutaneous fat	Mild 1 - · ·	Moderate    3   Moderate     3   Moderate     3	,	•   0		□ 5 Severe □ 5 . Severe
1) 2) Total Score = Su	Decreased fat Sign of muscle w mf above 7 comp vs : Based on this Well Nourished Moderately Mal	stores or loss of subcutaneous fat  Normal  Normal  Normal  patient is	Mild I	Moderate    3   Moderate     3   Moderate     3   Moderate     3	,	•   0		□ 5 Severe □ 5 . Severe
1) 2) Total Score = Su	Decreased fat Sign of muscle w mf above 7 comp us; Based on this	stores or loss of subcutaneous fat  Normal  Normal  Normal  patient is	Mild 1 - · · Mad	Moderate    3   Moderate     3   Moderate     3	,	•   0		□ 5 Severe □ 5 . Severe
2)  Total Score = 5: Nutritional Stat	Sign of muscle w  Sign of muscle w  If above 7 comp  us; Based on this  Well Nourished  Moderately Malnot	stores or loss of subcutaneous fat  Normal  Normal  Normal  patient is	Mild 1 - · · Mad	Moderate    3   Moderate     3   Moderate     3   Moderate     3	,	•   0		□ 5 Severe □ 5 . Severe
2)  Total Score = Su  Nutritional Stat	Sign of muscle w  sign of muscle w  in f above 7 comp  ws; Based on this  Well Nourished  Moderately Mallou  severely Malnou  endon:	stores or loss of subcutaneous fat  Normal  Normal  Normal  patient is	Mild 2 1 · · · Mild D 2 Mad	3   Moderate   3   Moderate   17 to 10   (15 to 18)   (19 to 35)	9)			Severe    5   5   5   5   5   5   5   5   6   7   7   7   7   7   7   7   7   7   7
2)  Total Score = Su  Nutritional Stat	Sign of muscle w  If above 7 comp  us; Based on this  Well Nourished  Moderately Mal  Severely Malnot  endon:	stores or loss of subcutaneous fat  Normal  Normal  Normal  pattent is	Mild I	3   Moderate   3 7 to 14    3 17 to 14    3 17 to 15    3 19 to 35	9)	•   0		□ 5 Severe □ 5 . Severe
1) 2) Total Score = Su Nutritional Stat	Sign of muscle w  sign of muscle w  m I above 7 comp  us : Based on this  Well Nourished  Moderately Mallo  Severely Malnot  ention:  Oral  provided:	stores or loss of subcutaneous fat  Normal  Normal  Normal  patient is	Mild I	3   Moderate   3   Moderate   17 to 10   (15 to 18)   (19 to 35)	9)			Severe    5   5   5   5   5   5   5   5   6   7   7   7   7   7   7   7   7   7   7

Dietitian Signature / Name / Date / Time;

11/1/24 11:00

DATE AND TIME	DIETITIAN NOTES	SIGNATURE
111/24	A 57 years ald gentlemen came to clo thest pain was assessed to be well- nowrished as evident by SGA. KIC/O-TODM patient shifted to cathlab For Proceduce (VAG). Kept NBM.	D286
11/1/24	patient received to RL-NBM over patient To lasted Diapetic liquid can intalt diabetic Soft solid diet.  Educated me patient 4 Jamely on 1600 calories. Cow part, sow Salt, 2 Diabetic diet on discharge. Emphasized on small frequent	Soone Flud
	neals piet modifications q clarifications done Diet chart given on discharge	

Mr.MURUGAN P 57/Malc/MHI202481753 11/01/2024/IPH2024000094 Dr.G. GNANAVELU



Every heart beat counts

## PATIENT TRANSFER FORM DIAGNOSTICS / PROCEDURES


Diagnosis:										
From (Area	1)	To (Area	ı)	Date	Time	Reaso	Reason for Transfer / Name of Procedure			
RL		cathlet	<b>)</b>	11/1/24	11:35	-	CA64			
Method of Transfer: On Bed On Wheelchair On Stretcher										
ASSESSMENT OF PATIENT:  General condition of Patient:   Conscious   Semi-conscious   Un-conscious										
Language Bar	rier: 🗌	Yes ☐ ₩o ☐ If	Yes, spe	cify:						
Fall Risk Cate	gory: 🗀	Low Risk Me	dium Ris	k 🗌 High F	Risk —–—					
Vital Signs (to t	e docur	nented at the tim	e of shift	ing):						
Temp (°F)	RR (t	oreaths/min)		e (beats/mi	n)	SpO <sub>2</sub> (%)	BP (mmHg)	Pain	Score	
9412	24/	nt	86	Port		SAY.	132/72		100	
☐ Numerical R Any pre-medic	ating Sc ation gi ormatio	ale (>12 years)[ ven: n:	□ CPOT			-	e (7 years - 12 year	s) 		
	Sign	 atbre	Nan	ne C			Emp. No.	Date	Time	
Handover by	-	80-		Sucto			ooG_	Wiley	1130	
Handed over to		Py		Prujer	رځ		6233	11/1/24	11.40	
	pleted: J	Yes   Yes			tion:		wil			
Temp (°F)		oreaths/min)		e (beats/mi	n)	SpO <sub>2</sub> (%)	BP (mmHg)	Pain	Score	
98'F	20	br/mt	7/1	btlmt		994-	140/70mm10	1 /10		
Pain Scale used: ☐ PIPPS (28 weeks to ≤ 38 weeks) ☐ CRIES (38 weeks - 2 months) ☐ FLACC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years) ☐ Numerical Rating Scale (>12 years) ☐ CPOT (ventilator / comatose)										
	<del></del>	ature	Nan	<del>\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ </del>			Emp. No.	Date	Time	
Handover by	<b>→</b> /~	<u> </u>	#	Juja-S	<u> </u>		0233	11/1/24	13.25	
Handed over to	<u> </u>	m.		farcar	yla		0128	11/24	13.80	

G









## CONSENT FOR CORONARY ANGIOGRAM / CORONARY ANGIOPLASTY

CONDITION AND PROCEDURE

Dr 11914 Chas explained that I have the following condition:

Fat (cholesterol) and calcium can build up in the arteries like rust in old pipes. It can stop the flow of blood to the heart. This can cause angina or a heart attack. The Coronary Angiography procedure is performed to show up the amount of disease in the coronary arteries, the blood vessels that supply the heart with bleed. After an injection of local anaesthetic, a fine tube (catheter) is put into the artery in the groin/hand. The tube is carefully passed into each coronary artery in turn. A series of video pictures are taken using x-rays and an iodine containing contrast medium (x-ray dye). The contrast medium may be injected into the main pumping chamber of the heart (left ventricle). This helps us to find out whether you have any narrowing or blockage of your coronary arteries. The doctor can then tell you which treatment is best for you after carefully studying and discussing your pictures. This may be an operation such as a coronary by-pass or a procedure called an angioplasty (the arteries are widened using a small sausage shaped balloon). Sometimes, drugs alone may be a suitable option.

### RISKS OF THIS PROCEDURE

The risk of coronary angiography depends on:

(i) The nature of coronary artery disease (ii) The pumping status of the heart (iii) Your age and general health These are some of the more serious risks that can happen, but are not the only risks:

Less than 1 in 10,000 (0.0001%)	(a) skin injury from radiation, causing, reddening of the skin				
1 in 1000 people (0.001%)	<ul> <li>(b) A stroke. This can cause paralysis and long term disability</li> <li>(c) Heart attack.</li> <li>(d) A dangerous reaction to the x-ray contrast medium (dye). If this happens, you may have severe reactions such as asthma, shock and convulsions. Death in extremely rare cases about 1 in 2,50,000 to 4,00,000 injections.</li> <li>(e) Need for major surgery to the leg at the puncture site.</li> <li>(f) Need for emergency heart surgery or angioplasty.</li> <li>(g) A higher lifetime risk from x-ray exposure.</li> <li>(h) Death</li> </ul>				
1 in 100 people (0.01%)	<ul> <li>(I)the heart may not beat in a proper rhythm which will need urgent treatmet</li> <li>(j) Surgical repair of the groin puncture site. This may need a longer stay in hospital.</li> <li>(k) Minor reaction to contrast medium such as hives.</li> <li>(l) Loss/impairment of kidney function due to the contrast medium</li> </ul>				
1 in 20 people (0.05%) (m) Major bruising or swelling at the groin punture site					
Most People	(n) Minor bruising				

### I REQUEST TO HAVE THE PROCEDURE

	Signature	Name	Date	Time
Patient/Guardian with relationship	P. Hung	2-2 mr. MURUGIAN	11/1/24	10.25
witness	Syptems 4	5 (BLOTTA (NIE)	11 1 24	10125
Doctor	0124	Dr. Salai Sudhan	111124	10,25
Interpreter				







Every heart beat counts

The way to better health (A Unit of United Alliance Healthcare Pyt Ltd Patient Details (Affix Label here)

UHID: DOB: Sex:

## இருதய ஆன்ஜியோகிராம் பரிசோதனைக்கான ஒப்பம்

_			
நூலை	വസ്തവ	செயல்முறை	ū

பழைய இரும்புக் குழாய்களில் துருபிடிப்பதைப் போல், தமனிகளில் கொழுப்பு மற்றும் கால்சியம் சேரும். இது ஆன்ஜினா அல்லது மாரடைப்பினை ஏற்படுத்துகிறது. தெயத்தீற்கு ரத்தத்தினை வழங்கும் ரத்தக்குழாயான இதயச்சுவர் சிரை தமனிகளில் நோயின் அளவினை கண்டறிய கரோனரி ஆஞ்சியரேகிராஃபி செயல்முறை மேற்கொள்ளப்படும். ஒரு னோக்கல் அனஸ்தீட்டிக் முயக்க மருந்து) வழங்கப்பட்ட பின், ஒரு சிறிய குழாயானது (கதீட்டர்) கவட்டை/கையிலுள்ள தமனியில் செலுத்தப்படும், இந்த குழாய் ஒவ்வொரு இதயச்சுவர் சிரை தமனிகளிலும் மாற்றி மாற்றி கவனமாக வரிசையாக செலுத்தப்படும். எக்ஸ்ரே மற்றும் பிற அயோடின் கொண்டுள்ளள கான்ட்ராஸ்ட் மீடியத்தினை (எண்ஸ்ரே டை) பயன்படுத்தி, பல வீடியோ படங்கள் வரிசையாக எடுக்கப்படும், இதயத்தீன் முக்கிய ஏற்றியிறைத்தல் அறையில் (இடதுபக்க இருதய கீழறை) இந்த கான்ட்ராடை மிடியம் உட்செலுத்தப்படலாம். இது இதயத்தின் அளவினை மதிப்பிடவும் மற்றும் அது எவ்வாறு பம்ப் செய்கீறது என்பதை மதிப்படவும் மேற்கொள்ளப்படும். இப்படங்கள் நமக்கு இதயச்சுவர்சிரை தமனிகள் குறித்த ஒரு படத்தினை வழங்கும். இது உங்களுக்கு ஏதேனும் அடைப்பு இருக்கிறதா எண்பதை கண்டறிய 🛽 உதவும். பின்னர் உங்கள் படங்களை கவணமாக பார்த்த பின் மருத்துவரால் உங்களுக்கு ஏற்ற சிகீட்சையை மேற்கொள்ள முடியும். இவை பை-பாஸ் அறுவை சிகிட்சையாகவும் இருக்கலாம் அல்லது ஆன்ஜயோயினாஸ்டி (பனூன் வடிவம் கொண்டதொரு சிறிய சாசேஜ் கொண்டு தமனியை அக்கப்படுத்துதல்) என்னும் ஒரு செயல்முறையாகவும் இருக்கலாம். சில நேரங்களில் மருந்துகள் மட்டுமே போதுமானதாக இருக்கலாம்.

### கிச்சையல்முறையிலுள்ள கிடர்பாடுகள்

இதயச்சுவர் சிரை ஆன்ஜியோகிராஃபியிலுள்ள இடர்பாடுகள் பின்வருபவைகளையே சார்ந்திருக்கும்

(i) இதயச்சுவர் சிரை தமனி நோயின் தன்மை (ii) இதயத்தின் ஏற்றியிறைத்தல் நிலை (iii) இதயத்தின் வயது மற்றும் பொது ஆரோக்கியம் ஏற்பட வாய்ப்புள்ள சில தீவிர இடர்பாடுகள் மீன்வருமாறு. ஆனால் கிலைகள் மட்டுமே முமுமையான இடர்பாடுகள் அல்ல

10,00-ல் ஒருவருக்கும் கீழ் (0.0001 சதவிகீதம்)	(a) கதீர்வீச்சின் காரணமாக ஏற்படும் தோல் பாதீப்பு. சரூமம் சிவந்து போதல்
1000-ல் ஒருவருக்கு (0.001 சதவிதேம்)	(b) வலிப்பு. இது பக்கவாதம் மற்றும் நீண்டநாள் ஊனத்தை ஏற்படுத்தலாம் (c) மாரடைப்பு (d) எக்ஸ்-ரே காண்ட்ராஸ்ட் மீடியத்தின் (டை) ஆபத்தான வீளைவுகள் . இவை ஏற்பட்டால் உங்களுக்கு ஆஸ்துமா, அதிர்ச்சி மற்றும் வலிப்பு போன்றவைகள் ஏற்படலாம். 2,50,000 முதல் 4,00,000 ஊசிகளில் ஒன்று மரணத்தையும் விளைவிக்கலாம். (c) குத்தப்பட்ட இடத்தில் பெரிய அறுவை சிகீச்சை மேற்கொள்ள வேண்டியது வரலாம். (f) அவசரகால இதய அறுவை சிகீச்சை அல்லது ஆன்ஐயோயினாஸ்டிக் தேவைப்படலாம். (g) எக்ஸ்ரே கதிர் பாதிப்பு காரணமாக அதிக வாழ்நாள் அச்சுறுத்தல் இடர்பாடு. (h) இறப்பு
100-ல் ஒருவருக்கு (0.01 சதவிகீதம்)	(1)இதயம் சரியான முறையில் துடிக்காமல் இருக்கலாம். அதற்கு அவசரமாக சிகீச்சை தேவைப்படுட (j) குத்தப்பட்ட கவட்டை பகுதியில் அறுவை சிகீச்சை சரிபாடு. இதனால் மருத்துவமளையில் நீண்ட நாட்கள் தங்கியிருக்க வேண்டியது வரலாம் (k) தோல் அரிப்பு போன்ற சிறு விளைவுகள் (l) கான்ட்ராஸ்ட் மீடியம் காரணமாக சிறுநீரகம் செயல்படாமை அல்லது அதன் வலுகுறைதல்
20-ல் ஒருவருக்கு (0.01 சதவிகீதம்)	(m) குத்தப்பட்ட இடத்தில் பெரிய அளவிலான சிராய்ப்பு அல்லது வீக்கம்
பெரும்பாலான மக்களுக்கு	(n) சிறிய அளவிலான சிராப்ப்பு

#### Cranunal ຄວາມສຸດ

செயல்முறையையும் எனக்கு விளக்கீனார். செயல்முறையிலுள்ள இடர்பாடுகள், மயக்க மருந்துகள் உட்பட எனக்கு குறிப்பாக ஏற்படும் இடர்பாடுகள் மற்றும் சிக்கல்கள் ஏற்பட்டால் என்னவாகும் என்பவைகளை நான் புரிந்து கொண்டள்ளேன். மருத்துவர் பிற தொடர்புள்ள சிகீச்சை விருப்பத் தேர்வுகள், அதன் இடர்பாடுகள் மற்றும் சிகீச்சை மறுப்பதற்கான என்னுடைய உரிமை ஆகியவைகளையும் எனக்கு விளக்கீனார். அதன் தொற்றின்மை மற்றும் ஒருமைப்பாடு உறுதிசெய்யப்பட்டவுடன் சில மறு செயலாக்கப்பட்ட பொருட்கள் பயன்படுத்தப்படலாம் என்று எனக்கு விளக்கப்பட்டுள்ளது. அவர் என்னுடைய முன் கணிப்புகள் மற்றும் செயல்முறையை மேற்கொள்ளாமல் இருப்பதால் ஏற்பட வாய்ப்புள்ள இடர்பாடுகள் ஆகியவைகளையும் எனக்கு விளக்கீனார். என்னுடைய நிலை குறித்து என்னால் கேள்வி எழுப்ப முடிந்தது மற்றும் என்னுடைய கவலைகளை தெரிவிக்கவும், செயல்முறை மற்றும் அதன் பலன்களை தெரிவிக்கவும் மற்றும் எனது சிகீச்சை விருப்பத்தேர்வுகள் குறித்த கவலைகளையும் என்னால் தெரிவிக்க முடிந்தது. என்னுடைய கேள்விகளும் மற்றும் கவலைகளும் கலந்தாலோசிக்கப்பட்டது மற்றும் எனக்கு திருப்திகரமான முறையில் அவற்றிற்கு பதிலளிக்கப்பட்டது. அசாதாரணமான குழலில், எனக்கு இரத்தமேற்றுதல், ஒரு கூடுதல் செயல்முறை அல்லது அறுவைசிகீச்சை தேவைப்படலாம் என்பதை நான் புரிந்து கொண்டுள்ளேன். உயிருக்கு ஆபத்தீனை விளைக்கும் நீகழ்வுகள் ஏற்பட்டால் அதற்கு உடனடியாக சிகீச்சையனிக்கப்டும் என்பதை எனக்கு விளக்கினார். இச்செயல்முறையினால் என்னுடைய நிலை மேம்படும் என்பதற்கு எத்தகைய உத்திரவாதமும் இல்லை என்பதை நான் புரிந்துகொண்டுள்ளேன்.

### செயல்முறையை எனக்கு மேற்கொள்ளுமாறு கேட்டுக்கொள்கிறேன்

		கையெழுத்து	பெயர்	தேதி	நேரம்
	உறவுமு.க ) நோயாளி (பாதுகாவலர்)			. ,	
	சாட்சி , -			-	
	மருத்துவர் ் ் ்	• * •			
Г	വെസ്റ്റിലെയന്ന് വരണ്				-







Every heart beat counts (A Unit of United Alliance Healthcare Pvt Ltd)

## TRANSRADIAL CORONARY ANGIOGRAM REPORT

Patient Name:	Mr.MURUGAN.P	ID:	MHI202481753	
Age/Gender :	57 M	IPH:	IPH2024000094	
Cath No. :	3588		DOP:	11.01.2024
Done by	Assisted by	Assisted by Technician		sician assistant
Dr.G.Gnanavelu	Ms. Panchavarnam Mr. Tamil		Ms. Shalini	

DIAGNOSIS: CAD-RECENT IWMI, MILD LV DYSFUNCTION, T2DM, DLP

Access: Right radial artery

Total exposure time: 225.5"

Hardware used: 5F sheath, 5F TIG

Total DAP: 20.0 Gy.cm<sup>2</sup>

Contrast used: CONTRAPAQUE 50 ml

Total RAK: 78.19 mGy

Medications given: Inj NTG 200 mcg & Inj Heparin 2500 IU IA

Hemodynamic data: Aortic pressure: 136/71(92) mmHg; HR 73 bpm; SpO2 98%

Selective Coronary angiogram done in multiple angulated views:

ARTERY	FINDINGS
LEFT MAIN	Normal. Bifurcates into LAD & LCx.
LAD	Type 3 vessel. Proximal LAD has non flow limiting disease. Mid LAD astride major diagonal has long segment disease of maximum 80-90% severity. Distal LAD has luminal irregularities. Gives three major diagonals, all major diagonals have 50-60% ostial stenosis, minor septals appear normal.
LCx	Nondominant. Ostial LCX has 60-70% stenosis, Proximal LCX has luminal irregularities, Distal LCx is diffusely diseased with a maximum of 95-99% sverity. Gives 3 major OMs, OM1 has long segment disease of maximum 80% severity. OM2 and OM3 have 80-90% stenosis in the ostio-proximal part.
RCA	Dominant. Proximal RCA has non flow limiting disease; Mid RCA is diffusely diseased with a maximum of 80-90% severity. Distal RCA is diffusely diseased with a maximum of 80-90% severity; PDA and PLV are diffusely diseased.

FINDINGS: RIGHT DOMINANT SYSTEM; TRIPLE VESSEL DISEASE

ADVICE: CABG x GRAFTS TO DISTAL LAD, MAJOR OM & PDA

Dr. G.GNANAVELU, MD, DM

Dr. G. Gnac avelu MD, DM (cordio), FACC Chief Cardiologist Reg. No: 39469

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel : 044 - 4310 8959

₱ @MedwayHospitals

Mogappair

Kodambakkam

(C) @medwayhospitals

in @medway-hospitals

@medwayhospitals

94557 94557 1800 572 3003

**Medway Group of Hospitals** Chengalpattu

Villupuram

Kumbakonam

**Heart Institute** Kakinada 044 - 4310 8959

Medway Centre of Excellence (Chennai) Institute of Pulmonology 044-2473 4451

MHI/HOSP/2022/118

044-2473 4455 | 044-26530011 | 044-27426829 | 04146-242000 | 044-2473 4455 | 0884-2333367 E-mail: info@medwayhospitals.com | Website: www.medwayhospitals.com | CIN: U74900TN2011PTC083665



## Mr.MURUGAN P

57/Male/MHI202481753 11/01/2024/tPH2024000094

## Dr.G. GNANAVELU

MHI/NUR/2022/048

DATE &		Observation / Action			Signature
TIME	<u> </u>				with Emp.No
11 2 24	-> Patient	got admi	iston_	in_	
@10.16.	RL how	Oxelogy o	here fo	e -	
	procedeve	caciba	tient 1	ras _	10150
			Hable_		0150
		· · · · · · · · · · · · · · · · · · ·		ne	
	conscious	& oriented			
10.30.	-> CBEY	, , , , , , , , , , , , , , , , , , ,	IV cli	ne	Alex
	inverted.		<u> </u>	· .J.,	0.12
	-> porece	wation don	<u> </u>	oneent	
	taken.	NPO malotain	2d @ 8	00	-80-
	= Patier	nt shifted	to cat	Reb	008.
11/219		CATH LAB		,	
11.40		received From	mill to	cath	100
	lab, pt conc	rous and ori	ented_		6239
11.45	svitals st	able ov line	lefts	ide_	- <del>10.v</del>
	patent			· ,	Polys
12.40	> Sterile	diapping do	ne proce	dure.	
	OAG Started				Spor
10.50	SP+ Radio	I artery app	mach u	nden	
	local anesH			· .	220
12.50	RINT: NTG	200 mg + IN	T: Hepari	'n	<i>T</i>
	2500 DA 9	ven o/B pr	GG (sir)		1300
12.55	=> HR: 82 bflm	ut Bp: 156/63/94	mmHa		D
		vitals Stable	- J		1823
Document	Signature	Name	Emp . No.	Date	Time
endorsed by		Sathry's;	colb	11/1/24	12.55.



DATE & TIME	Observation / Action	Signature with Emp.No
13.00	sprocedure CAG done. Rt Radicel	
	arbery shouth removed. Tight plaster bandage applied no cozing no hematuru	Do
	bardage applied no cozing no hemalous	0213
13,25	=> parient shifted to EL all reports	Do avi
13.30	pardonon to be staff  > Patient secent from cathlab	(Ino 2I)
15, 20	CACI Lindings TUD, plan! CARGO	
	vitals stable.	
	=> patrint was the amody namically	10158
	ostable V.	00-5
	=> Self voided, had fulce	
	no dry reaction.	·
18:100	⇒ patient got descharged	DU .
	no any other complications	DVE8
	Vitale stable.	1
	>> Iv dine semovod ID	
	band gemoved.	
	=> Discharge advice modecation	0188
	explained to patient & here	
	family person.	
Document	Signature Name Emp . No. Date	Time
endorsed by	Joy of JayaDEVI.7 0002 11/1/21	1 18:30





## SAFE PROCEDURE CHECKLIST Adapted from WHO Safe Surgery Checklist

Mr.MURUGAN P 57/Male/MHI202481753 11/01/2024/IPH2024000094 Dr.G. GNANAVELU

AT 118 MARIA DE PROPERTO DE LA CONTRACTOR DE LA CONTRACTO

/OT/2022/086

Heart Institute

Every heart beat counts

(A Unit of United Alliance Healthcare Po	u rta)			_	
Name of the Procedure :	CP G	Location: Cath lab I	Date & Time :	11/24	PATIENT LABEL
Does the Procedure involve	Procedural Sedation :	] Yes No			
SIGN IN 12.4 o Before Induction of Procedural S	edation	TIME OUT 7 2,50 After procedural Sedation and before procedure		SIGN OUT 13.00 When Doctor indicates that the Pro	·
(Anaesthetist / Qualified Physicia Sedation + Nurse + Technician + Do	n administering Procedural ctor performing the procedure)	(Anaesthetist or Qualified Physician	administering Procedura performing the Proced	al Sedation + Nurse + Technician + Do fure	octor
Patient Confirmation		All team members introduce themselves by Name and Role		To be done for each procedure in c procedures	case of multiple
Identity by two identifiers	Yes	Identity by two identifiers	Yes	Name of the Procedure done writte	en down Yes
Procedure	☑Ýes	Procedures CA-G	Yes	Name and site of all specimens / in	vestigations Yes NA
Side	□Rt □ Lt □NA	Side Rt Radial orthographroad	DKÍ □LI □NA	confirms labeling and sent to lab	· ' /
;		Expected Blood loss			
Consent	Yes	Position Sup. Inc	☐ Yes	Any recovery concerns :	☐ Yes ☑ None
Known Allergy	☐ Yes ☐ No	Consent	√DYes.	If Yes, Pls. specify:	
	If yes, plaese specify	Required equipment and implants available	☑Yes □NA		
Difficult airway / aspiration risk	✓No ☐ Yes, equipment	Essential Imaging displayed	Yes NA_		
/ dentures	and assistance available	Antibiotic prophylaxis within last 60 minutes	☐Yes ☑NA		·
Possibility of hypothermia	✓ No   ☐ Yes, warmer in place	Name of the Antibiotic given		Any Equipment / instrument proble	m that needs to be
		Vencus Thromboembolism Prophylaxis Provided	☐ Yes, ☐ XXA	addressed : If Yes, Pls. specify :	☐ Yes ☐ None
All concerned anesthesia equipment	and medication check complete	Anticipated duration briefed	Yes	,	
DSpo2 DNIBP □ Cuher	s pls. specify ECG	Anticipated blood loss briefed	Yes □NA	/	
Pre OP medication taken	☐ Yes ☐ No	Adequate fluids and blood available	Z Yes □ NA		
		Team briefed on any critical or unexpected steps	r Yes	Corrective action :	1
Required equipment for procedure available	DYes □ NA	For procedural sedation cases Any patient specific concerns :	Yes None	//	
procedure available		Intra procedure glycernic control	Yes NA	<del> </del>	
		Any concerns about sterility	Yes None	<u> </u>	<u> </u>
Anaesthetist / Doctor giving	Doctor performing th	Nurse: P/N panchavorina, T	echnician: Mr. Pa	Others Please Spe	ecify:
Procedural Sedation	Procedure:	m 17070000000000000000000000000000000000	- ( , -	100,747	
L 1//		anou 0020	). /	_ (	1/
Date :	Date: U/1/24	Date: 11/1/24 D	Date: 11/1/24	Date:	
Time:	Time 73 (10	Time: 12,10	ime:  3,10	Time:	







Every heart beat counts

The way to better health

**Procedure Monitoring Sheet (Cath Lab)** 

(A Unit of United Alliance Healthcare Pvt Ltd)

Mr.MURUGAN P

Patient Name: 57/Malc/MHI202481753 11/01/2024/IPH2024000094

UHID / IP:

Dr.G. GNANAVELU

Ward Unit : p)

Age / Sex:

THE OWNERS HAVE THE THE PROPERTY OF THE OWNER WHEN THE Consultant: Diagnosis: Pre Procedure Checklist (Please tick appropriately - To be filled by the Ward Nurse) **PARAMETERS** NO YES NA Vital signs: BP: 122 A Jemp: 9. I. Pulse: 66 ARR: 24 JUSPO2: 90. Urine voided Bowel preparation Pre-procedure medication administered Procedure site marked Skin preparation done **NPO** l coo Loose Tooth removed Contact lenses / Eye glasses removed Prosthesis present Jewellery/Nail polish removed Checked for Allergies (Drug / food) scon IV line/In-situ Consent taken Investigation reports / Documents received Signature of Nurse: Date & Time: Intra - Procedural Record (To be filled by the Cath Lab Nurse) HR / min. Time RR / min BP mmHg SpO<sub>2</sub>% Medication / Remarks Sign. of Nurse

## Post Procedure Follow Up Data (to be filled by the doctor)

Time:_	15	3110			Route:	R+ Radial a	ntery oup	mach
Compli	cation:	Nil	1		_		0 17	•
BP: 15 Byach Bistal P	ал	_		mmHg, HR	: <u> </u>	20 bylat spo2	: <u>997</u>	
Advise	:	_•				<del></del>	MONG!	
	ft To: Wa	•	• •			-		
♦ Bec	l rest up	to _		<u> L</u> a	hours .	•		
♦ Obs	serve pur	nctur ulse	e site in	e for bleedin	dia) artery.			
	DM.				arery.		7. '	,
			_	Officer SOS				- *
	-			ns of any Di		-		1
•		_		e or Socke Abşent Pul	d with Blood			, 1
♦ Rer	nove <u>P</u>	-P	تلعد	al outer	essing on 12 1/24	at50	AM /PM :	after informing
	ne consu			any: 🎺 )			· <b>/</b> -	
▼ Ope		uone	,,,,,,	 			/my/	•
						Na	me & Signature	of Consultant
	•	,			POST PROCEDURE OF	SERVATION		
ate & Time	BP	HR	RR	SpO2%	Site Evaluation	Extremity Status	Remarks	Sign. of Nurse
				-	( )		-	
		!				·		<u> </u>
		-		- 1	/_/_		•	-
,		<u> </u>		-	<u> </u>	-		
`   No	N-4			V-				
Nurses	Notes :				ace long Pi	- Redial a	ivitery d	cheath
	P	ne C	ed	me	CAU SOINCE IC		, , , , , , , , , , , , , , , , , , ,	
remen	ed. S	rigi	ht	Plast	caa done. Ri ter bardage	applied, ne	oozing	no
hema	-					•	•	
					<i>/</i> ·			-
Conditio	n at the	end (	of pro	ocedure: 🖟	Stable Cr	itical		-
Patient s	shift to:			Recovery R	Room Patient Room	☐ CCU ☐ Other	rRL	
Name &	Signatu	re of	the I			Date & Time:	11/1/24	
				Jy223	S .	(a)	1325	





## Mr.MURUGAN P

57/Malc/MHI202481753 11/01/2024/IPH2024000094

Dr.G. GNANAVELU





Every heart beat counts

Date:

	BRADEN S	CALE FOR PREDICTII	NG PRESSURE INJUR	Y RISK Time:	1 11	1	<u> </u>
SENSORY PERCEPTION ability to respond meaning-fully to pressure-related discomfort	Completely Limited     Unresponsive (does not moan, flinch,or grasp) to painful stimuli, due to diminished level of consciousness or sedation OR limited ability to feel pain over most of body	2. Very Limited Responds only to painful stimuli. Cannot communicate discomfort except by moaning or restlessness OR has a sensory impairment which limits the ability to feel pain or discomfort over 1/2 of body	3. Slightly Limited Responds to verbal commands, but cannot always communicate discomfort or the need to be turned OR had some sensory impairment which limits ability to feel pain or discomfort in 1 or 2 extremities	4. No Impairment Responds to verbal commands. Has no sensory deficit which would limit ability to feel or voice pain or discomfort	4	4	
MOISTURE degree to which skin is exposed to moisture	1. Constantly Moist Skin is kept moist almost constantly by perspiration, urine etc. Dampness is detected every time patient is moved or turned	2. Very Moist Skin is often, but not always moist. Linen must be changed at least once a shift	3. Occasionally Moist Skin is occasionally moist, requiring an extra linen change approximately once a day	4. Parely Moist Skin is usually dry, linen only requires changing at routine intervals		A	
ACTIVITY degree of physical activity	1. Bedfast Confined to bed	2. Chairfast Ability to walk severely limited or non-existent. Cannot bear own weight and / or must be assisted into chair or wheelchair	3. Walks Occasionally Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair	4. Valks Frequently Walks outside room at least twice a day and inside room at least once every two hours during waking hours	11	A	
MOBILITY ability to change and control body position	Completely Immobile     Does not make even slight changes in body or extremity position without assistance	2. Very Limited Makes occasional slight changes in body or extremity position but unable to make frequent or significant changes independently	3. Sight Limited  Makes frequent through slight changes in body or extremity position independently	4. No Limitation Makes major and frequent changes in position without assistance		3	•
NUTRITION usual food intake pattern	1. Very Poor  Never eats a complete meal. Rarely eats more than any food offered. Eats 2 servings or less of protein(meat or dairy products) per day. Takes fluids poorly. Does not take a liquid dietary supplement OR Is NPO and / or maintained on clear liquids or IV's for more than 5 days	2. Probably Inadequate Rarely eats a complete meal and generally eats only about 2 of any food offered. Protein intake includes only 3 servings of meat or diary products per day. Occasionally will take a dietary supplement	3. Adequate Eats over half of most meals. Eats a total of 4 servings of protein (meat, diary products) per day. Occasionally will refuse a meal, but will usually take a supplement when offered OR Is on a tube feeding or TPN regimen which probably meets most of nutritional needs	4. Excellent Eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and diary products. Occasionally eats between meals. Does not require supplementation	3.	3	
FRICTION & SHEAR	1. Problem Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent re-positioning with maximum assistance. Spasticity, contractures or agitation leads to almost constant friction		3. No Apparent Problem Moves in bed and in chair independent strength to lift up completely during move. Nor chair		3 200	3	
Score	Interpretation: Minimal Risk: 23 - 19; At Risk I	Mild Risk: 18 - 15; Moderate Risk: 14 - 13; I	High Risk: 12 - 10; Severe Risk: 9 - 6	Initial & Emp. No. of Sr. Staff Nurse:	ha	Ran	



PAIN RE-ASSESSMENT & MONITORING CHART



## Mr.MURUGAN P

57/Male/MHI202481753 11/01/2024/IPH2024000094

Dr.G. GNANAVELU




MHI/NUR/2022/052



Every heart beat counts

Date & Time	Pain Score	Pain Character (dull, achy, sharp, stabbing, shooting, burning, referred / radiant pain)	Duration	Location / Site	Interventions	Staff Initial & Emp. No.	Senior Staff Initial & Emp. No.
124 pr. 201	्रीक	No Pour	1			REIN	Jorla
OQ'II	olo	No Pain	l.	-		024n	Jul of
			pat	ant shif	ted @ 11.25		
13,30	0/10	No pain				OUR	Jacob
<u> 4180</u>	%	No pain				10158	Jan ou
	<u></u>	9	-	· •		PLSE	Jos of
6·3	%	•				TAL	John Can
<u>। म ३</u> ०	Pla	No pain				pus	Jorde
			Jo+	diechar	ged.		







## Mr.MURUGAN P 57/Malc/MHi202481753 11/01/2024/IPH2024000094





## **DVT RISK ASSESSMENT**

ASS	sign a score of 1 if (YES) in parameter nos. 1 to 9,			Sre oi -∠	11 (165)	ш раган	neter no	
	Date	11/24						
	Time					'	, '	
S. No.	PARAMETERS				'	<u> </u>	<u> </u>	<u> </u>
1	Active cancer (on-going treatment or diagnosed within 6 months or palliative care)	0						
2	Bedridden recently >3 days or major surgery within four weeks	0						
3	Calf swelling >3 cm compared with asymptomatic side, measured at 10 cm below tibial tubercle (Assess for both legs)	0						
4	Collateral (nonvaricose) superficial veins present (Assess for both legs)	0						
5	Entire leg swollen (Assess for both legs)	0			!			
6	Localized tenderness along the deep venous system (Assess for both legs)	0						
7	Pitting edema, greater in the symptomatic leg (Assess for both legs)	0						
8	Paralysis, paresis, or recent plaster immobilization of the lower extremity (Assess for both legs)	0						
9	Previously documented DVT (Assess for both legs)	0						
10	Alternative diagnosis to DVT as likely or more likely (Assess for both legs) / Co-morbidity like ESLD / Renal disease, Renal failure, CCF Cellulitis (commonly mistaken as DVT), Dependent (stasis) oedema, Lymphatic obstruction. Septic arthritis, Cirrhosis, Nephrotic syndrome, Calf muscle tear or strain, Haematoma (collection of blood) in the muscle, Sprain or rupture of a leg tendon, Fracture.	0						
	FINAL SCORE	0						
Low R	Risk: -2 to 0   Moderate Risk: 1 to 2   High Risk: 3 to 8	cuil						
	DVT prophylaxis started	☐ Yes ☐ No	☐ Yes ☐ No	□Yes □No	☐ Yes ☐ No	□ Yes □ No	□ Yes □ No	☐ Yes ☐ No
	Signature & Emp. No. of RN	& Sill						
	Signature & Emp. No. of Sr. RN	Da	<b>}</b>				\[ \text{\tin}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tint{\text{\tin}\text{\texi\tint{\text{\text{\text{\text{\text{\text{\tin}}\\ \text{\text{\text{\text{\text{\text{\ti}\}\tint{\text{\text{\text{\text{\texi}\tinz{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\tint{\text{\text{\text{\text{\texi}\tint{\text{\text{\texi}\titt{\text{\text{\text{\text{\texi}\tint{\text{\texi}\tint{\text{\text{\text{\texi}\tint{\text{\texi}\tint{\text{\texi}\texi	



## Medway Hospitals

The way to better health
(A Unit of United Alliance Healthcare Pvt Ltd)



### Mr.MURUGAN P

57/Male/MHI202481753 11/01/2024/IPH2024000094

Dr.G. GNANAVELU





## MODIFIED MORSE FALL RISK ASSESSMENT CHART

				. ‡		***			ويد ورا	-
Vostilities	Date	11/1/24	11/1/25	1		;,			73	
Variables	Time	11:00	13.30	) y :	- 1 .	J., .	af q North	1 6 2 1	2.3	· - i
History of falling	No	<b>(0)</b>	(b)	0	0	0	0	0 `	<b>0</b>	Ő
(immediate or within 6 months)	Yes	25	25	25	25	25	25	25	25	25
Secondary diagnosis	_ No	, ,0	0	0	0	0	£0,55	·. 0' .	(C.O	0
(≥ 2 medical diagnosis)	Yes	(15)	(15)	15 <sup> '</sup>	15	15	ູ້ໄ <b>້</b>	15	. 15	15
Intravenous Therapy /	No	O	0	ĊO	0 _	0	0 _	0 _	0,75	0
Heparin Lock / Tubes Insitu.	- Yes	(20) -	(20)	20	20.	20	20-	-20	20	20
AMBULATORY AID	1			1		J	٠,,	+ F1_	* 7 [1,78; ]	
None / Bed Rest / Nurse Assist		-(0)	(0)	0 ~	0	. 0 .	0	0		0
Crutches / Cane / Walker		15	- 15	15	15	15-	15	-15	15	15
Furniture	1 	30	~~;30 °	30	30	30	30	30	30	30
GAIT	-	(		्रे सः अः	1.2010	l			70.1	
Normal / Bed Rest / Wheel Chair		(9)	(0)	0	0	0 -3 +1 +1	0	, 0	0	0
Weak	,	10	10	10 1	10	<u> </u>	- د 10 پ	10 <sub>1.5</sub>	10	10
Impaired	: -	20	20	20	<sup>14</sup> 20 <sup>5 #</sup>	20	20 M	ີ20ີ	201	20
MENTAL STATUS			+	37		,,			$\frac{1}{2ME^{-3}}$	
Oriented to own stability		(O)	(0)	0	0	_ 0	0	0	0_0	0
Overestimated or forgets limitations	·	15	15	15 -	15	-15 <sup>10</sup>	15	15	15	- 15
MEDICATIONS Includes PCA / opiates, diuretics,								.,	741	
laxatives, hypnotics, sedatives, immunosuppresent, anticonvulsants,	No	(e)	(6)	0	0	0		O	, <b>0</b> ,55	0
anti-hypertensives, hypoglycemics.	Yes	15	, <b>1</b> 5	15	15	15	15	15	15	_15
and psychotropics	- : -	;			2 7 7,2	* 121.0			. 19 4	
Total Score	dt. r	35	35	e /	1 1979 1	- 7 - 1 - 1			NG 21	
Low Risk (0 - 24)			,		- -	-	_			
Medium Risk (25 - 44)		~	1	ř.		-		ů.		
				<del>,</del>	<del></del>	<b>-</b>	<del>   </del>		<del></del>	l
High Risk (45 or above)	!			1500		٠.٠٠ ٠.			٠٦٠	
		8	A A	Tak Tak Tak	; -5 .			S AND THE STATE OF		

· · · · · · · · · · · · · · · · · · ·		10	. \ 98		~		_			
INTERVENTIONS	Date	11/1/24	$\eta_{ii}$	<u> </u>						
Tick as per the Risk Score	Time	11.00	12.30			-				-
Low Pick Interventions (0, 24)		11,00	12 2	<del></del>						
Low Risk Interventions (0 - 24)	lingo	سرا		1	-		±			
Familiarize the patient with the immediate surround					<del>-</del>		}		<del></del> -	
Remind the patient to use call bell before getting ou Keep the two side rails in the raised position at all t	_				<del>                                     </del>				ļ	
all patients regardless of age	imes ior		<b>N</b>			ŀ	1			
Keep the call bell, bedside table, water, glasses w	ithin tha	·	9	<u> </u>						
patient's easy reach	iu iiri u te			} .	·			_	•	-
Remove excess equipment or furniture to make	a alaar	<u> </u>						_	· · ·	<u> </u>
path'n	_a Cibai			· ~		`		-	-	
Keep the patient's bed in the low position at all times	e evenit	<del></del>	7	~ .	-	-	<del></del>			_
during procedure	эслоорг	€⁄رت.		ļ <sup>*</sup>		_				2
Teach fall-prevention techniques, such as sitting	up for a		<del></del>	<u> </u>		-	<u> </u>		<del>  -,                                   </del>	
moment before rising from the bed	up ioi a					1	]	· "		
Bed wheels should be locked	<del></del>			-	1		<del> </del> -			-
	<del></del>	<del>                                     </del>		<del>                                     </del>	<del></del>	<del> </del>	<del> </del> -	-	-	-
Encourage family participation in the patient's care		<del></del>		<u> </u>	1	<del>                                     </del>	<del> </del>	-	ļ	<u> </u>
Ensure that floor of the bathroom is dry and not slip				] 	<del>                                     </del>	<del></del>	<del> </del>	<del></del>		
Review medications for potential side effects t	nat can		1.	<u>'</u>		;			~	-
promote falls lic	,			."		-				_ <del></del>
Use safety belts during movement in wheelchair	· · · · · · · · · · · · · · · · · · ·		( ) ·			- 3"				
The patients are not ambulated by themselves. The	ey are to	- /		1 1 5 1	-					
be ambulated only with assistance		<i>'</i> ,			l <u>-</u> .	- , , ` `	<u>'</u>	=		<u>.</u> –
Medium risk interventions (25 - 44)	<del>, -</del> .		V	-	*	• 7		_ 4	-	~-
Apply all the low risk interventions			<u> </u>	-			-		ļ · ·	
Tie yellow fall risk tag in the bed and Wheel chair/S						1	ļ <u>.                                    </u>		-	
Make sure that proper transfer precautions are in			ا م- ا				<u> </u>		, ; -	. •
for heavy or debilitated patients in a bed or wheel	chair or			]					7.7	
on a toilet seat ⊕	<del></del>		·			7 -		, ·		-
Use restraints and bed monitors as ordered by the	doctor -	<i>//</i>		· -						- 1
Allow the patient to ambulate only with assistance				<u> </u>						
Consider peak effects of the medications that effe				J.5 -		-				
of consciousness, gait and elimination when p	planning	-		-		<b> </b>	,		}	
patient's care	•				,			<del></del>		
Do not leave patients unattended in diagno	ostic or							- · · .	-	-
treatment areas		-	٠		-	,,			u 4.	
Accompany the patient while going to bathroom			<u></u>		٠.				7 - 1	
Advice the patient to use grab bars near the toilet, I	bathtub,	'/		· ~ ~ -		.,-		` <u>-</u>		
and shower		<u> </u>			<u> </u>	<del>  ;</del>	<del> </del>		, ". ,	
Make sure the family and other visitors underst	and the	4	· • · · ·			٠	-	_	¥.	٠,
restrictions mentioned above	erage.	-		144						÷
High-risk interventions (45 or abovc)	\$-1 m.	څ	1				1 1 1			
Apply all the low and medium risk interventions	-							7	0	<u> </u>
Tie red fall risk tag in the bed, wheel chair and streto		AND THE					ļ	<del>-</del>		*.=
Locate the high-risk patients in a room close to the	untses.	-		l.	٠.		- ·	ļ		
station 1	- blo	2 +25	<del> </del>		1 1	1.	<del> </del>	· · · · · · · · ·	12 22 W	
Answer these patients call bells as quickly as possi	DIE	L	<del>  -                                   </del>			<del> </del>				<del> </del>
Provide a commode at bedside (if appropriate)			<del></del>		ļ	1.5		<u> </u>		<u> </u>
Urinal/bedpan should be within easy reach (if appro		<u> </u>	[					. , , ,		ļ -
Encourage family members or other visitors to s	tay with		_		'	-12.00	] :	3 m ;	ļ. * * * * * * * * * * * * * * * * * * *	-
them:	- Tage 27	-	-	-	-	7 2		.e <u>2</u>		
If appropriate consider using protection devices	s: satety	1	آ آ کیا ا		-				[	,
belts is	سر د داند	'	W/20							
Signature & Emp. No.	of RN	X	1500	7-		]- "		-		- 1
Signature & Emp. No. of	Sr. RN	100	70	/	-			-		-
orginal de amp. Hel of		<del>/                                      </del>	r Ycha.	<u> </u>			<del> </del>	a and a second	California de la compansión de la compansi La compansión de la compa	<u> </u>
		400	-				•	-	-	

### MEDWAY HOSPITALS

## KODAMBAKKAM (HEART)

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai,

Tamilnadu, India 044-2473 4455

care@medwayhospitals.com

Registration No

: MHI202481753

Patient Name

: MURUGAN P

Age

57

Gender

: Male

IP Number

: MMH/HM/IPH2024000094

Discharge Date

: 11/01/2024 3:21:00PM

Bill No

: MMH/HM/IPH202400092

Bill Date

: 11/01/2024 3:20:08PM

Ward Name

: RADIAL LOUNGE

Bed Name

: RL-2

## NO DUE

