



MRD CHECKLIST

PARTICULARS	YES	NO
- IP Number allocated to each Patient	/	
- Name, Age & Sex of Patient	/	
- General Admission Consent	/	
- Initial Assessment of Patient / Diagnosis	/	
- Nutritional Assessment by Consultant	/	
- Plan of care counter signed by the Consultant	/	
- Treatment Orders - Date, Time, Name & Sign.	/	
- Medication Order / Drug Chart - Date, Time, Name & Sign.	/	
- Vital Signs Chart (TPR Chart)	/	
- Intake Output Chart	/	
- Drug Chart (Duly filled)	/	
- Anesthesia Consent - (8 thing) - Date, Time, Name & Sign. of both Patient & Anesthetist		
- Anesthesia Assessment Sheet		
- Surgery Consent - (8 things) - Date, Time, Name & Sign of both Patient & Surgeon		
- Surgery Notes - Post Operative Plan		
- Pain Scoring System		
- Blood Transfusion if done		
- High Risk Procedures		
- A copy of the Discharge Summary	/	



Medway Hospitals
The way to better health
(A Unit of United Alliance Healthcare Pvt Ltd)



Patient: Mrs. KALAISELVI S
Name: 45/Female/MHI202381297
UHID: 28/12/2023/IPH2023002619
DOB: Dr. G. GNANAVELU
DDA:
Consult:

VHI/IPD/2022/002



Every heart beat counts

ADMISSION SLIP

Admitting Doctor: Dr. Gnanavelu

Specialty: Cardiology

Advised Date & Time: 28/12/23 @ 9.37 AM

Provisional Diagnosis: S/P MVR / Mild to moderate to severe AS / Mild moderate AR

① LV function

Reason for Admission: ☐ Medical Management ☐ Surgical Management
☒ Others (please specify details)

Admission Type: ☒ Day Care ☐ ER ☐ Ward
☐ ICU (Specify details)

Surgery / Procedure Name (if planned):

CAG

Blood Product Requirement: ☒ No ☐ Yes (Kindly specify details of components required in space below)

Expected Duration of Stay: Day Care

Expected Cost of Treatment (as per Financial Counseling Form):

Payer: ☒ Self ☐ Insurance ☐ Others:

Instructions to Nurse (if any):

Admission in GP

Any other Instructions (if any):

16000/-

Doctor's Signature

[Signature]

Name

Dr. G. Gnanavelu MD, DM (cardio), FACC

Chief Cardiologist
Reg. No: 39469

Reg. No.

Date

28/12/23

Time

9.37 AM

For admission desk staff only:

Room Category: ☐ General Ward

☐ Single Room

☐ Twin Sharing

☐ Deluxe Room

☐ Suite Room

☒ Others SR

Admission intimation Receipt Details

Admission Time in HIS

Date

Time

Date

Time

28/12/23

10:31AM

28/12/23

10:31AM

Source: ☒ OPD

☐ ER

☐ Direct

To be filled only if Blood requirement specified by the Doctor:

Is Blood Reservation and Blood Bank clearance completed as advised: ☐ Yes ☐ No


Front office Staff Signature

Name

Emp. No.

Date

Time



Soundararaj

2209

28/12/23

10:31AM

ADMISSION FORM

Marital Status M	Full Address A 302 Colorberry Apartment, 18th Cross Street, Padur Channar	Telephone Number 8098855116
Occupation —		
Referred from Dr. Gnanavelu	Date of Time of Admission 28/12/23 @ 10:31 AM	Date & Time of Discharge 28/12/23 @ 18:30
UNIT RL	Total No. of Days 8^{hrs}	
MLC <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes AR No. :		
FINAL DIAGNOSIS		ICD Code
RHEUMATIC HEART DISEASE		I09.9
SIP MOR WITH 27mm TTE CHITRA		
MECHANICAL VALVE + 2011		
ATRIAL FIBRILLATION WITH CVR		I48.0
SEVERE AORTIC STENOSIS		I35.0
MODERATE AR		I35.1
NORMAL LV FUNCTION		I50.1
DATE	OPERATION / PROCEDURES	ICPM Code
8/12/23	CORONARY ANGIOGRAM	88.50
DATE	TYPE OF ANESTHESIA	
28/12/23	<input type="checkbox"/> GENERAL <input type="checkbox"/> SPINAL <input checked="" type="checkbox"/> LOCAL <input type="checkbox"/> REGIONAL <input type="checkbox"/> EPIDURAL	
DISCHARGE STATUS		
<input checked="" type="checkbox"/> Cured <input type="checkbox"/> Discharge at Request <input type="checkbox"/> Expired < 48 hours <input type="checkbox"/> Improved <input type="checkbox"/> Against Medical Advice <input type="checkbox"/> Expired > 48 hours <input type="checkbox"/> Unchanged <input type="checkbox"/> Absconded <input type="checkbox"/> Post-Operative Death <input type="checkbox"/> Transferred to		
Signature of the Consultant		Signature of Medical Records Officer

AUTHORISATION FOR TREATMENT I PAYMENT

I hereby authorise the Administration, Medical and Nursing and Paramedical, Staff of the Hospital Investigate treat and administer such drugs as may be necessary and to perform such operation under anaesthesia or otherwise as may be deemed necessary and / or advisable in the diagnosis and treatment of my illness / patient MRS. Kalaiselvi who is my Mother-in-law (Relationship).

I hereby under take to settle all the bills for hospitalisation charges related to me/the patient named overleaf on a periodic basis. In any case, I shall pay all the dues before getting discharged from the hospital.

However, in case I fail to pay the charges due to the hospital as agreed above, I hereby authorise the hospital to transfer me/the patient to any other hospital/institution for further treatment as deemed fit and proper by the hospital authorities.

I also acknowledge having been informed if the General Rules and Regulations of the Hospital and that all cash, jewellery and valuables belonging to the patient or their attendants have been removed to a place of safety / handed over to the next of kin and I absolve the hospital of any responsibility with regard to any loss.

I have read out and explained the contents of the above to the Signatory in his vernacular

சிகிச்சை, பணம் செலுத்துதல் முதலியவை செய்ய அதிகாரம் வழங்குதல்

இதன் மூலமாக நான் நிர்வாகம், மருத்துவம், தாதியர், ஏனைய மருத்துவ உழியர்கள் எனக்கு / நோயாளி-க்கு தேவைப்பட்ட சோதனைகளை செய்து மருந்துகளை கொடுக்கவும். மயக்க மருந்துகள் கொடுத்து செய்முறைகள்/அறுவை சிகிச்சை செய்யவும் அதிகாரம் வழங்குகிறேன். நான் / இதில் குறித்துள்ள நோயாளின் செலவுக்கான தொகை முழுவதும் செலுத்த இதன் மூலம் உறுதி-அளிக்கிறேன்.

மேல் கூறியது போல் வேளை நான் தங்கள் மருத்துவத்திற்கான செலவுகளை கட்டத் தவறினால் என்னை நோயாளியை வேறொரு மருத்துவமனைக்கு, பிற சிகிச்சை / அறுவை சிகிச்சை செய்ய இடமாற்ற ஒப்புதலை எனது உறவினர்கள் மூலமாக பெற நான் அதிகாரம் அளிக்கிறேன்.

மருத்துவமனையின் பொது சட்ட திட்டங்கள் பற்றி தெரிவிக்கப்பட்டிருக்கிறேன்.

நோயாளிக்கு உரிமையான எல்லா பணம், நகை மதிப்பிடக்கூடிய பொருட்கள் யாவும் பாதுகாப்பான இடத்திற்கு மாறுபட்டுவிட்டன / அல்லு நெருங்கிய உறவினரிடம் கொடுக்கப்பட்டுள்ளது. இந்த மருத்துவமனை எனது/நோயாளியின் எந்தவித நஷ்டத்திற்கு பொறுப்பில்லை என உறுதி செய்கிறேன்.

மேற்குறிப்பிட்ட அனைத்தும் எனக்கு விவரிக்கப்பட்ட பிறகுதான் கையொப்பமிட்டேன்.


செவிலியர் கையொப்பம்

Signature of Admitting Nurse

தேதி

Date

28/12/23


எனது/உறவினர்/காப்பாளர் கையொப்பம்

Signature of the Patient / Relative / Guardian

உறவுமுறை

Nature of Relationship

Son in law

GENERAL CONSENT FOR ADMISSION



I, MRS. Kalaiselvi S the ☐ Patient or ☐ Representative of patient have
(please tick the correct option above and below)

☐ Read

☐ Been explained this consent form in English, which I fully understand.

- I give my full consent and authorization for admission and treatment at this hospital. The proposed treatment plan has been explained to me.
- I consent and authorize the hospital, treating doctors, nursing, technical and paramedical staff to provide relevant care and to conduct diagnostic as deemed necessary by the treating doctor / team.
- I also consent to use of assistants such as resident doctors, other doctors, nurses, and other healthcare workers by the hospital and treating doctor / team.
- I consent for clinical consultation, admission, disclosure of information required for clinical management (under confidence), routine medical examination (physical examination, palpation, percussion, auscultation), routine lab and imaging investigations, general nursing care, diet and physiotherapy assessment and counselling.
- I have been explained about the proposed care plan, expected result(s), possible outcome(s) and expected cost of treatment/ hospital stay.
- I understand that the hospital will take due care of me / my patient but, that there is always a possibility of an unexpected complication(s) which may necessitate longer stay and / or use of intensive care services. In such cases, procedure different from those contemplated and other intervention(s) may sometimes be needed.
- I declare that, I have and will inform the doctor of my medical history including previous illnesses, allergies, drug reaction(s), surgical procedure, relevant medical family history and all other facts relevant to my treatment. I shall not hold the hospital/ doctor responsible for any consequences which may arise due to non-disclosure of relevant information on my part.
- I declare that I have been explained about my rights and responsibilities.
- I have been made aware of the rules and regulations of the hospital including those related to security and I promise to abide by them.
- I understand that in case of some unexpected event occurring during the course of my stay I may be suggested a transfer to another hospital / healthcare organization, as considered appropriate by my treating doctor.
- I understand that, drugs, consumables and devices will be charged on an 'as actual' basis as per the hospital tariff. I have been informed and I understand that there can be usage of certain reprocessed items during the course of the treatment. I also understand that only full strips of medicines shall be issued and returned. I declare that I take full responsibility of settling the bill before leaving the hospital premises at the time of discharge.

- I further declare that I have been given an opportunity to ask question(s) related to my admission, care plan and proposed hospital stay, and that such questions have been answered to my satisfaction.
- I declare that I have received and fully understood the information provided in this consent form, that I have been given an opportunity to ask questions relating to my admission, care plan and proposed hospital stay, and that all my questions have been answered to my entire satisfaction and there are no misconceptions or false hopes in my mind. I further declare that all fields (of this form) requiring insertion or completion were filled in my presence at the time of my signing this form.
- I, the above-named Patient / named patient's representative, do further hereby declare that I am above 18 years of age as on the date of signing this form, mentally sound and am giving consent without any fear, threat or false misconception.

	Signature / Thumb Impression*	Name	Date	Time
Patient				
Surrogate/Guardian (if applicable #)		RANJITHKumar (Write name and relationship with patient)	28/12/23	10:31 AM
Reason for surrogate consent	Patient is unable to give consent because:			
Witness		S. POOVARASI	28/12/23	10:34 AM
Interpreter (if applicable)				

* Right Hand for Males & Left Hand for Females | # Only if Patient is a minor or unable to give consent



DAY CARE DISCHARGE SUMMARY

IP No.	IPH2023002619	D.O.A	: 28/12/2023
UHID	MHI202381297	D.O.P	: 28/12/2023
Name	Mrs. KALAISELVI.S	Room No.	: RL
Age / Gender	45Years / FEMALE		
Consultant	Dr. G. Gnanavelu. MD., DM., (cardio) FACC Chief Cardiologist	D.O.D	: 28/12/2023

DIAGNOSIS:

RHEUMATIC HEART DISEASE

S/P MVR WITH 27MM TTK CHITRA MECHANICAL VALVE- 2011

ATRIAL FIBRILLATION WITH CVR

SEVERE AORTIC STENOSIS

MODERATE AR

NORMAL LV FUNCTION

PROCEDURE: CORONARY ANGIOGRAM DONE ON 28.12.2023 – MINIMAL CORONARY ARTERY DISEASE.

BRIEF HISTORY:

Mrs. Kalaiselvi.S, 45 years old Female, presented with complaints of pricking type chest pain and left hand pain. She was advised Coronary angiogram and referred to Medway Heart Institute on 28.12.2023 for which she has been admitted.

ON EXAMINATION:

HR: 57bpm ; BP: 101/61mmHg ; SPO₂ : 99% in room air
CVS: S1S2+ ; RS : Clear ; CNS: NFND; Abd: Soft

INVESTIGATIONS:

BLOOD: HB – 11.4gm/dl, TWBC – 9250cell/cumm, PLT – 286000cells/cumm, Urea – 19mg/dl, Creatinine – 0.67mg/dl. INR – 3.3.

ECG: Atrial Fibrillation, HR – 81bpm

ECHO: Irregular rhythm observed during study. S/P MVR. Adequate functioning prosthetic valve in mitral position. Gradient across the mitral prosthetic valve (MG – 6mmHg). Mild MS. No paravalvular leak. Thick and calcified aortic valve. Moderate to severe aortic stenosis(PG – 66mmHg, MG – 41mmHg). Mild to moderate aortic regurgitation. No obvious RWMA. Good biventricular function. Both atria dilated. IAS/ IVS intact. Trivial MR. Mild TR. Mild pulmonary HTN. Adequate RV function. No clot / pericardial effusion.

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel : 044 - 4310 8959

f @MedwayHospitals @medwayhospitals in @medway-hospitals @medwayhospitals

PATIENT
HELPLINE
94457 94457
1800 572 3003

Medway Group of Hospitals

Kodambakkam 044-2473 4455	Mogappair 044-26530011	Kumbakonam 044-2473 4455	Chengalpattu 044-27426829	Villupuram 04146-242000
------------------------------	---------------------------	-----------------------------	------------------------------	----------------------------


Medway Centre of Excellence (Chennai)

Heart Institute
044 - 4310 8959

Institute of Pulmonology
044-2473 4454

E-mail : info@medwayhospitals.com | Website : www.medwayhospitals.com | CIN : U74900TN2011PTC083665

MHI/HOSP/2022/118



JCI ACCREDITED NABH ACCREDITED

NAME: Mrs. K. LAISELVI.S

UHID: MH1202381297

IP.NO: IPH802300619



Every heart beat counts
(A Unit of United Alliance Healthcare Pvt Ltd)

CORONARY ANGIOGRAM FINDINGS:

Right -dominant system; **MINIMAL CORONARY ARTERY DISEASE.** (reports enclosed)

ADVICE: AORTIC VALVE REPLACEMENT.

ADVICE MEDICATIONS:

SL NO	NAME OF THE DRUGS WITH GENERIC NAME	DOSAGE	FREQUENCY			ROUTE	RELATION SHIP WITH FOOD	DURATION
			M	A	N			
1	TAB. ACITROM	4 MG	0	0	1	ORAL	AFTER FOOD	TO CONTINUE
2	TAB. AZPLAT	75 MG	0	1	0	ORAL	AFTER FOOD	TO CONTINUE
3	TAB. AZTOR	20 MG	0	0	1	ORAL	AFTER FOOD	TO CONTINUE
4	TAB. FLAVEDON MR	35 MG	1	0	1	ORAL	AFTER FOOD	TO CONTINUE
5	TAB. CALAPTIN SR	120 MG	0	0	1	ORAL	AFTER FOOD	TO CONTINUE
6	TAB. AMIFRU	40 MG	½	0	0	ORAL	AFTER FOOD	TO CONTINUE
7	TAB. DIOFER	1 TAB	1	0	0	ORAL	AFTER FOOD	TO CONTINUE
8	TAB. LEVO V PLUS	1 TAB	0	0	1	ORAL	AFTER FOOD	TO CONTINUE
9	TAB. PANTOCID	40 MG	1	0	0	ORAL	BEFORE FOOD	TO CONTINUE

DISCHARGE ADVICE

DIET	LOW FAT DIET.
PHYSICAL ACTIVITIES	AVOID STRENUOUS ACTIVITIES.
REVIEW	REVIEW WITH DR. RAJESH.V FOR AVR.

To report: If temp > 101 °F / Difficulty in breathing / chest pain / Giddiness/ palpitations.
In case of emergency Contact: Medway Hospitals @ 4310 8959.

"I understood the Content of the discharge summary."

Typed by: Ezhilarasi.

Dr. G. Gnanavelu. MD., DM., (cardio) FACC
Chief Cardiologist

Dr. G. Gnanavelu MD DM (cardio), FACC
Chief Cardiologist
Reg. No: 39469

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel : 044 - 4310 8959

f @MedwayHospitals @medwayhospitals in @medway-hospitals @medwayhospitals

94457 94457
1800 572 3003

Medway Group of Hospitals

Kodambakkam 044-2473 4455 | Mogappair 044-26530011 | Kumbakonam 044-2473 4455 | Chengalpattu 044-27426829 | Villupuram 04146-242000

E-mail : info@medwayhospitals.com | Website : www.medwayhospitals.com | CIN : U74900TN2011PTC083665

Medway Centre of Excellence (Chennai)

Heart Institute
044 - 4310 8959

Institute of Pulmonology
044-2473 4454

MHI/HOSP/2022/118

DAY CARE INITIAL ASSESSMENT FORM

Date: 28/12/23 Time of arrival: 10.10

Part A (to be filled by Nurses)

Vital Signs: Temp: 97.2 (°F) | Pulse / HR: 57 (beats/min) | BP: 101/61 (mmHg)
Respiration: 22 (breaths/min) | SpO₂: 99 (%) | Height: 151 (cms) | Weight: 67.7 (kgs) | BMI: 27.5 kg/m²

Any Language Barrier: ☐ Yes ☒ No If yes, please call Language Coordinator / Translator

Allergies : ☐ Yes ☒ No If Yes, specify: _____

Psychosocial Assessment:

Alcohol Intake: ☐ Yes ☒ No **Substance Abuse:** ☐ Yes ☒ No **Smoking:** ☐ Yes ☒ No

Do you have any special religious, spiritual or cultural needs to be considered? ☐ Yes ☒ No

If Yes, specify details: _____

Pain Screening

Pain: ☐ Yes ☒ No. If Yes, Score: 0/10

Pain Scale used: ☐ PIPPS (28 weeks to < 38 weeks) ☐ CRIES (38 weeks - 2 months)

☐ FLACC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years)

☒ Numerical Rating Scale (Age more than 12 years)

Duration: _____ Location: _____

Pain Character: ☐ Dull ☐ Aching ☐ Sharp ☐ Stabbing ☐ Shooting ☐ Burning ☐ Referred / Radiant Pain

Nutritional Screening:

Last 3 months Appetite ☐ Increased ☐ Decreased ☒ No Change

Last 3 months Weight ☐ Increased ☐ Decreased ☒ No Change

Fall Risk Screening for adults:

☒ No Risk

☐ Age more than 65 years

☐ History of fall in last 3 months

☐ Walks with assistance


☐ Any neurological problem

In case of 2 or more criteria met initiate detailed fall assessment and fall prevention protocol

Fall Risk Screening (for pediatrics)

☐ H/O fall in last 3 months ☐ Neurological problem (vertigo, seizure, etc) ☐ Deranged Mobility ☐ No Risk

In case of 2 or more criteria met initiate detailed fall assessment and fall prevention protocol

	Signature	Name	Emp. No.	Date	Time
Nurse		<u>Madhumita</u>	<u>02HH</u>	<u>28/12/23</u>	<u>11:30</u>

Part B (to be filled by Physicians)**Chief Complaints**

PROLONGED SPIR OR CHEST PAIN } x 1 1/2
 A/w chest and arm

Past Medical History

—

Personal History

✓

Significant Family History

✓

Current Medication

S. No.	Current Medication	Dose	Route	Frequency	Date & Time of last dose	To be continued during hospital stay
1	7-AZIDR	1mg	Po	0-0-1	27/12/23 at 8pm	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
2	7-AZIDR	20g	Po	0-1-0	27/12/23 at 2pm	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3	7-CLARITHROMICIN SR	120g	Po	0-0-1	27/12/23 at 2pm	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
4	7-AMICIN	60g	Po	1/2-0-0	28/12/23 at 8pm	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5	1-010FIR		Po	1-0-0	28/12/23 at 8pm	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
6	7-LEVO PMS		Po	0-0-1	27/12/23 at 8pm	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
7	T-AZIDR	20g	Po	0-0-1	27/12/23 at 8pm	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
8	7-FURAZEDON -m	20g	Po	0-0-1	27/12/23 at 8pm	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
9	7-PANIDOL	100g	Po	1-0-0	28/12/23 at 8pm	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
						<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Clinical Examination / Investigation

CVS - S, G

123 - avrb

Arb Son

CWS - ~~AMT~~

1NR - 3.3

serology - negative.

creative 0.64.
clear - 19.

Provisional Diagnosis

SWP MV12 (2011) - current value

modms / mod to generate as

W40 to maximum 17L

norma cur

Plan of Care (including Investigations Ordered)
$$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3 \longrightarrow \text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_3$$

Doctor's Signature


Name

Dr. Anish Nelson
Reg. No: 88434

Dr. Anish Nelson
Reg. No: 88434

Date 28/12/23.

Time 11:30.



DOCTOR'S PROGRESS NOTES

DATE	NOTES
28/12/23 13:30	App (R) Radial artery Minimal cath plan - AVR con Motus
	102464
28/12/2023	ASLS DR. NELSON (102464)
13:55	- PS. Nervous - ITO Catheter - CAG - minimal cath - P-wire - AVR - to do CUS P-wire / catheter removal
	Dr. Anish Nelson Reg. No: 88434
8 PM 14:30	Platinum CATHETER DISCONTINUATION Dr. Anish Nelson Reg. No: 88434

Every heart beat counts

Department of Dietetics

NUTRITION ASSESSMENT AND CARE PLAN FORM

Patient Details (Affix Label here)
Name: Mr. Kalaiselvi
UHID: 202381297
DOB: 45Y Sex: Female
DOA: 28/12/23
Consultant: Dr. G. Gnanavelu



Diagnosis: DM / ACS - EVOLVED / WMI / EF - 20.1 / CAG / RHD / S/p HWR (2011)
Height: 180 cms Weight: 82 Kgs Food allergies: Yes/ No, if yes, specify
Religious Beliefs: ☐ Vegetarian ☒ Non Vegetarian ☐ Eggetarian ☐ Jain
Diet Prescription: 1600 calories, low fat, low salt, diet, Avoid vitamin
SUBJECTIVE GLOBAL ASSESSMENT (ADULTS) diet.

(A) Patient's related Medical History				
1) Weight Change (overall change in past 6 months)				
<input checked="" type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
No weight change/ gain	<5%	5 - 10%	10 - 15%	>15%
2) Dietary Intake Duration:				
<input checked="" type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
Oral	No change	Sub - optimal solid diet	Full liquid diet/ moderate overall decrease	Hypo - caloric liquid diet
Enteral / Parenteral Nutrition	Adequate / Excessive	Sub - optimal	Inadequate	Typo - caloric feeds
3) Gastrointestinal Symptoms Duration:				
<input checked="" type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
No symptoms	Nausea	Vomiting / moderate GI symptoms	Diarrhoea	severe anorexia
4) Functional Capacity (Nutrition related functional impairment) Duration:				
<input checked="" type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
None / Improved	Difficulty with ambulation	Difficulty with normal activity	Light activity	Bed / chair - ridden with no or little activity
5) Co - morbidity (Disease and its relationship to nutrition requirements)				
<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input checked="" type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
Healthy	Mild co - morbidity	Moderate co - morbidity/ age >75 years	severe co - morbidity	Very severe multiple co - morbidity
(B) Physical examination				
1) Decreased fat stores or loss of subcutaneous fat				
<input checked="" type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
Normal	Mild	Moderate		Severe
2) Sign of muscle wasting				
<input checked="" type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
Normal	Mild	Moderate		Severe
Total Score = Sum of above 7 components				
Nutritional Status : Based on this patient is				
Well Nourished		<input checked="" type="checkbox"/> (17 to 14)		
Moderately Malnourished		<input type="checkbox"/> (15 to 18)		
Severely Malnourished		<input type="checkbox"/> (19 to 35)		
Nutrition Intervention:				
<input checked="" type="checkbox"/> Oral		<input type="checkbox"/> Enteral		<input type="checkbox"/> Parenteral
Diet counselling provided: <input checked="" type="checkbox"/> Yes		<input type="checkbox"/> No		
Frequency of re-assessment: <input checked="" type="checkbox"/> Weekly		<input type="checkbox"/> Fort - night		<input type="checkbox"/> Monthly
Enteral / Parenteral <input type="checkbox"/> Daily		Calorie count: <input type="checkbox"/> Yes		<input checked="" type="checkbox"/> No

Dietitian Signature / Name / Date / Time:

[Signature]

28/12/23 16:00

DATE AND TIME	DIETITIAN NOTES	SIGNATURE
<p>28/12/23 12:00</p>	<p>A 70 years old gentleman came to NO complaints of was assessed to be well-nourished as evident by SGA.</p> <p>K/C/O - DM / dyslipidemia / RHD</p> <p>patient shifted to cathlab for procedure. kept on NBM. patient received to radial lounge. NBM over. patient tolerated diabetic liquid, Avoid vitamin K diet on initiate diabetic, Avoid vitamin K Soft solid diet.</p> <p>educated the patient and family on 1600 calories, low fat, Low salt, Avoid vitamin K Diabetic diet. on <u>discharge</u>.</p>	<p> 0286</p>
<p>28/12/23 16:00</p>	<p>Emphasized on small frequent meals. Diet modifications and clarifications done. <u>diet chart</u> on discharge.</p> <p>emphasized on importance of Avoidance of vitamin K rich foods.</p>	<p> 0286.</p>



PATIENT TRANSFER FORM DIAGNOSTICS / PROCEDURES

Diagnosis: SP. NUR. Mild MS Allergies if any: NKAD

From (Area)	To (Area)	Date	Time	Reason for Transfer / Name of Procedure
<u>Q2</u>	<u>Cath lab</u>	<u>28/12/23</u>	<u>13.15</u>	<u>CAG</u>

Method of Transfer: ☐ On Bed ☒ On Wheelchair ☐ On Stretcher

ASSESSMENT OF PATIENT:

General condition of Patient: ☒ Conscious ☐ Semi-conscious ☐ Un-conscious

Language Barrier: ☐ Yes ☒ No ☒ If Yes, specify: _____

Fall Risk Category: ☐ Low Risk ☒ Medium Risk ☐ High Risk

Vital Signs (to be documented at the time of shifting):

Temp (°F)	RR (breaths/min)	Pulse (beats/min)	SpO ₂ (%)	BP (mmHg)	Pain Score
<u>98.4°F</u>	<u>18 b/min</u>	<u>48 b/min</u>	<u>98%</u>	<u>100/60 mmHg</u>	<u>0/10</u>

Pain Scale used: ☐ PIPPS (28 weeks to ≤ 38 weeks) ☐ CRIES (38 weeks - 2 months)
☐ FLACC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years)
☒ Numerical Rating Scale (>12 years) ☐ CPOT (ventilator / comatose)

Any pre-medication given: _____

Any critical information: _____

Any specific recommendation: _____

Handover by	Signature	Name	Emp. No.	Date	Time
	<u>[Signature]</u>	<u>Maathumitha</u>	<u>0244</u>	<u>28/12/23</u>	<u>13.15</u>
Handed over to	<u>[Signature]</u>	<u>Paragharaj</u>	<u>0176</u>	<u>28/12/23</u>	<u>13.15</u>

After Procedure:

Procedure completed: ☒ Yes ☐ No | Any critical information: Nil

Vital Signs (to be documented at the time of shifting):

Temp (°F)	RR (breaths/min)	Pulse (beats/min)	SpO ₂ (%)	BP (mmHg)	Pain Score
<u>98.4°F</u>	<u>22 b/min</u>	<u>82 b/min</u>	<u>100%</u>	<u>125/55 (70)</u>	<u>0/10</u>

Pain Scale used: ☐ PIPPS (28 weeks to ≤ 38 weeks) ☐ CRIES (38 weeks - 2 months)
☐ FLACC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years)
☒ Numerical Rating Scale (>12 years) ☐ CPOT (ventilator / comatose)

Handover by	Signature	Name	Emp. No.	Date	Time
	<u>[Signature]</u>	<u>Paragharaj</u>	<u>0176</u>	<u>28/12/23</u>	<u>13.52</u>
Handed over to	<u>[Signature]</u>	<u>Anthi</u>	<u>028</u>	<u>28/12/23</u>	<u>13.52</u>

P Mrs. KALAISELVI S
 45/Female/MHI202381297
 N 28/12/2023/IPH2023002619
 UI Dr. G. GNANAVELU
 DI

CONSENT FOR CORONARY ANGIOGRAM / CORONARY ANGIOPLASTY

CONDITION AND PROCEDURE

Dr. G. Gnanavelu has explained that I have the following condition:

Fat (cholesterol) and calcium can build up in the arteries like rust in old pipes. It can stop the flow of blood to the heart. This can cause angina or a heart attack. The Coronary Angiography procedure is performed to show up the amount of disease in the coronary arteries, the blood vessels that supply the heart with blood. After an injection of local anaesthetic, a fine tube (catheter) is put into the artery in the groin/hand. The tube is carefully passed into each coronary artery in turn. A series of video pictures are taken using x-rays and an iodine containing contrast medium (x-ray dye). The contrast medium may be injected into the main pumping chamber of the heart (left ventricle). This helps us to find out whether you have any narrowing or blockage of your coronary arteries. The doctor can then tell you which treatment is best for you after carefully studying and discussing your pictures. This may be an operation such as a coronary by-pass or a procedure called an angioplasty (the arteries are widened using a small sausage shaped balloon). Sometimes, drugs alone may be a suitable option.

RISKS OF THIS PROCEDURE

The risk of coronary angiography depends on:

- (i) The nature of coronary artery disease (ii) The pumping status of the heart (iii) Your age and general health

These are some of the more serious risks that can happen, but are not the only risks:



Less than 1 in 10,000 (0.0001%)	(a) skin injury from radiation, causing, reddening of the skin
1 in 1000 people (0.001%)	(b) A stroke. This can cause paralysis and long term disability (c) Heart attack. (d) A dangerous reaction to the x-ray contrast medium (dye). If this happens, you may have severe reactions such as asthma, shock and convulsions. Death in extremely rare cases about 1 in 2,50,000 to 4,00,000 injections. (e) Need for major surgery to the leg at the puncture site. (f) Need for emergency heart surgery or angioplasty. (g) A higher lifetime risk from x-ray exposure. (h) Death
1 in 100 people (0.01%)	(i) the heart may not beat in a proper rhythm which will need urgent treatment (j) Surgical repair of the groin puncture site. This may need a longer stay in hospital. (k) Minor reaction to contrast medium such as hives. (l) Loss/impairment of kidney function due to the contrast medium
1 in 20 people (0.05%)	(m) Major bruising or swelling at the groin puncture site
Most People	(n) Minor bruising

PATIENT CONSENT:

I acknowledge that Dr. Gnanavelu has explained my medical condition and the proposed procedure. I understand the risks of the procedure, the anaesthetic including the risks that are specific to me and the likely outcomes if complications occur. The Doctor has explained other relevant treatment options their risks and my right to refuse the treatment. He has explained my prognosis and the risks of not having the procedure. I have been explained that some reprocessed items might be used once its sterility and integrity is confirmed. I was able to ask questions and raise concerns with the doctor about my condition, the procedure and its risks, and my treatment options. My questions and concerns have been discussed and answered to my satisfaction. I understand that in the unlikely event of complications, I may require a blood transfusion, an additional procedure or surgery. The doctor has explained to me that if immediate life-threatening events happen during the procedure, they will be treated accordingly. I understand that no guarantee has been made that the procedure will improve the condition.

On the basis of the above statements,

I REQUEST TO HAVE THE PROCEDURE

	Signature	Name	Date	Time
Patient/Guardian with relationship		Mrs. Kalaiselvi S	28/12/23	11-10
witness	S. Ponarasi	S. Ponarasi (Daughter)	28/12/23	11-10
Doctor		Dr. G. Gnanavelu	28/12/23	11-10
Interpreter				

Patient Details (Affix Label here)

Name:

UHID:

DOB:

Sex:

இருதய ஆன்ஜியோகிராம் பரிசோதனைக்கான ஒப்பம்

நிலை மற்றும் செயல்முறை

பின்வரும் கൃபுநிலையை நான் கொண்டிருப்பதாக மருத்துவர் அவர்கள் விளக்கினார்.

பழைய இருமடிக் குழாய்களில் துருபிடிப்பதைப் போல், தமனிகளில் கொழுப்பு மற்றும் கால்சியம் சேரும். இது ஆன்ஜினா அல்லது மாறடைப்பினை ஏற்படுத்துகிறது. இதயத்திற்கு ரத்தத்தினை வழங்கும் ரத்தக்குழாயான இதயச்சுவர் சிறை தமனிகளில் நோயின் அளவினை கண்டறிய கரோனரி ஆஞ்சியோகிராஃபி செயல்முறை மேற்கொள்ளப்படும். ஒரு நோக்கல் அனஸ்தீடிக் (மயக்க மருந்து) வழங்கப்பட்ட பின், ஒரு சிறிய குழாயானது (கத்தீடர்) கவடை/கையிலுள்ள தமனியில் செலுத்தப்படும். இந்த குழாய் ஒவ்வொரு இதயச்சுவர் சிறை தமனிகளிலும் மாற்றி மாற்றி கவனமாக வரிசையாக செலுத்தப்படும். எக்ஸ்ரே மற்றும் பிற அயோடின்கொண்டுள்ள காண்ட்ராஸ்ட் மீடியத்தினை (எண்ஸ்ரே டைட்) பயன்படுத்தி, பல வீடியோ படங்கள் வரிசையாக எடுக்கப்படும். இதயத்தின் முக்கிய ஏற்றியிறைத்தல் அறையில் (இடதுபக்க இருதய கீழறை) இந்த காண்ட்ராஸ்ட் மீடியம் உட்செலுத்தப்படலாம். இது இதயத்தின் அளவினை மதிப்பிடவும் மற்றும் அது எவ்வாறு பம்பு செய்கிறது என்பதை மதிப்பிடவும் மேற்கொள்ளப்படும். இப்படங்கள் நமக்கு இதயச்சுவர்சிறை தமனிகள் குறித்த ஒரு படத்தினை வழங்கும். இது உங்களுக்கு ஏதேனும் அடைப்பு இருக்கிறதா என்பதை கண்டறிய உதவும். பின்னர் உங்கள் படங்களை கவனமாக பார்த்த பின் மருத்துவரால் உங்களுக்கு ஏற்ற சிகிச்சையை மேற்கொள்ள முடியும். இவை பை-பாஸ் அறுவை சிகிச்சையாகவும் இருக்கலாம் அல்லது ஆன்ஜியோபிளாஸ்டி (புலான் வடிவம் கொண்டதொரு சிறிய சாசேஜ் கொண்டு தமனியை அகலப்படுத்துதல்) என்னும் ஒரு செயல்முறையாகவும் இருக்கலாம். சில நேரங்களில் மருந்துகள் மட்டுமே போதுமானதாக இருக்கலாம்.

கிச்சையல்முறையிலுள்ள கிப்பாடுகள்

இதயச்சுவர் சிறை ஆன்ஜியோகிராஃபியிலுள்ள கிப்பாடுகள் பின்வருபவைகளையே சார்ந்திருக்கும்

(i) இதயச்சுவர் சிறை தமனி நோயின் தன்மை (ii) இதயத்தின் ஏற்றியிறைத்தல் நிலை (iii) இதயத்தின் வயது மற்றும் பொது ஆரோக்கியம் ஏற்பட வாய்ப்புள்ள சில தீவிர கிப்பாடுகள் பின்வருமாறு. ஆனால் கிவைகள் மட்டுமே முழுமையான கிப்பாடுகள் அல்ல

10,00-ல் ஒருவருக்கும் கீழ் (0.0001 சதவிகிதம்)	(a) கதிர்வீச்சின் காரணமாக ஏற்படும் தோல் பாதிப்பு, சருமம் சிவந்து போதல்
1000-ல் ஒருவருக்கு (0.001 சதவிகிதம்)	(b) வலிப்பு, இது பக்கவாதம் மற்றும் நீண்டநாள் ஊனத்தை ஏற்படுத்தலாம் (c) மாறடைப்பு (d) எக்ஸ்-ரே காண்ட்ராஸ்ட் மீடியத்தின் (டைட்) ஆபத்தான விளைவுகள் . இவை ஏற்பட்டால் உங்களுக்கு ஆஸ்துமா, அதிர்ச்சி மற்றும் வலிப்பு போன்றவைகள் ஏற்படலாம். 2,50,000 முதல் 4,00,000 ஊசிகளில் ஒன்று மரணத்தையும் விளைவிக்கலாம். (e) குத்தப்பட்ட இடத்தில் பெரிய அறுவை சிகிச்சை மேற்கொள்ள வேண்டியது வரலாம். (f) அவசரமாக இதய அறுவை சிகிச்சை அல்லது ஆன்ஜியோபிளாஸ்டிக் தேவைப்படலாம். (g) எக்ஸ்ரே கதிர் பாதிப்பு காரணமாக அதிக வாழ்நாள் அச்சுறுத்தல் இடர்பாடு. (h) இறப்பு
100-ல் ஒருவருக்கு (0.01 சதவிகிதம்)	(I)இதயம் சரியான முறையில் துடிக்காமல் இருக்கலாம். அதற்கு அவசரமாக சிகிச்சை தேவைப்படும் (j) குத்தப்பட்ட கவடை பகுதியில் அறுவை சிகிச்சை சரிபாடு. இதனால் மருத்துவமனையில் நீண்ட நாட்கள் தங்கியிருக்க வேண்டியது வரலாம் (k) தோல் அரிப்பு போன்ற சிறு விளைவுகள் (l) காண்ட்ராஸ்ட் மீடியம் காரணமாக சிறுநீரகம் செயல்படாமை அல்லது அதன் வலு குறைதல்
20-ல் ஒருவருக்கு (0.01 சதவிகிதம்)	(m) குத்தப்பட்ட இடத்தில் பெரிய அளவினை சிராய்ப்பு அல்லது வீக்கம்
பெரும்பாலான மக்களுக்கு	(n) சிறிய அளவினை சிராய்ப்பு

நோயாளி ஒப்புதல்

மருத்துவர் அவர்கள் என்னுடைய மருத்துவ நிலையையும் மற்றும் முன்மொழியப்பட்டுள்ள செயல்முறையையும் எனக்கு விளக்கினார். செயல்முறையிலுள்ள கிப்பாடுகள், மயக்க மருந்துகள் உட்பட எனக்கு குறிப்பாக ஏற்படும் கிப்பாடுகள் மற்றும் சிக்கல்கள் ஏற்பட்டால் என்னவாகும் என்பவைகளை நான் புரிந்து கொண்டேன். மருத்துவர் பிற தொட்புள்ள சிகிச்சை விருப்பத் தேர்வுகள், அதன் கிப்பாடுகள் மற்றும் சிகிச்சை மறுப்பதற்கான என்னுடைய உரிமை ஆகியவைகளையும் எனக்கு விளக்கினார். அதன் தொற்றின்மை மற்றும் ஒருமைப்பாடு உறுதிசெய்யப்பட்டவுடன் சில மறு செயலாக்கப்பட்ட பொருட்கள் பயன்படுத்தப்படலாம் என்று எனக்கு விளக்கப்பட்டுள்ளது. அவர் என்னுடைய முன் கணிப்புகள் மற்றும் செயல்முறையை மேற்கொள்ளாமல் இருப்பதால் ஏற்பட வாய்ப்புள்ள கிப்பாடுகள் ஆகியவைகளையும் எனக்கு விளக்கினார். என்னுடைய நிலை குறித்து என்னால் கேள்வி எழுப்ப முடிந்தது மற்றும் என்னுடைய கவலைகளை தெரிவிக்கவும், செயல்முறை மற்றும் அதன் பலன்களை தெரிவிக்கவும் மற்றும் எனது சிகிச்சை விருப்பத்தேர்வுகள் குறித்த கவலைகளையும் என்னால் தெரிவிக்க முடிந்தது. என்னுடைய கேள்விகளும் மற்றும் கவலைகளும் கலந்தாலோசிக்கப்பட்டது மற்றும் எனக்கு திருப்திகரமான முறையில் அவற்றிற்கு பதிலளிக்கப்பட்டது. அசாதாரணமான கழுவில், எனக்கு இரத்தமேற்றாதல், ஒரு கூடுதல் செயல்முறை அல்லது அறுவைசிகிச்சை தேவைப்படலாம் என்பதை நான் புரிந்து கொண்டுள்ளேன். உயிருக்கு ஆபத்தினை விளைக்கும் நிகழ்வுகள் ஏற்பட்டால் அதற்கு உடனடியாக சிகிச்சையளிக்கப்படும் என்பதை எனக்கு விளக்கினார், கிச்சையல்முறையினால் என்னுடைய நிலை மேம்படும் என்பதற்கு எத்தகைய உத்தரவாதமும் இல்லை என்பதை நான் புரிந்துகொண்டுள்ளேன்.

செயல்முறையை எனக்கு மேற்கொள்ளுமாறு கேட்டுக்கொள்கிறேன்

கையெழுத்து	பெயர்	தேதி	நேரம்
நோயாளி (பாதுகாவலர்) உறவுமுறை			
சாட்சி			
மருத்துவர்			
மொழிபெயர்ப்பாளர்			



Every heart beat counts
(A Unit of United Alliance Healthcare Pvt Ltd)

TRANSRADIAL CORONARY ANGIOGRAM REPORT

Patient Name:	Mrs.KALAISELVI S	ID:	MHI202381297
Age/Gender :	45 F	IPH:	IPH2023002619
Cath No. :	3492	DOP:	28.12.2023
Done by	Assisted by	Technician	Physician assistant
Dr.Gnanavelu	Ms. Sathya	Mr. Pratap	Ms. Shalini

DIAGNOSIS: RHD; S/P MVR -TTK CHITRA-2011; AF - CVR; SEVERE AS; MODERATE AR; EF 65%

Access: Right radial artery

Total exposure time: 170 "

Hardware used: 5F sheath, 5F TIG

Total DAP: 16.41 Gy.cm²

Contrast used: CONTRAPAQUE 50 ml

Total RAK: 55.22 mGy

Medications given: Inj NTG 200 mcg & Inj Heparin 2500 IU IA

Hemodynamic data: Aortic pressure: 135/71 (92) mmHg; HR 74 bpm; SpO2 99%

Selective Coronary angiogram done in multiple angulated views:

ARTERY	FINDINGS
LEFT MAIN	Normal. Trifurcates into LAD, Ramus & LCx.
LAD	Type 3 vessel. LAD appears normal. Gives three minor diagonals and many septals which appear normal.
RAMUS	Good calibre vessel with 20-30% ostial stenosis
LCx	Dominant. Proximal and Distal LCx appear normal. Gives 3 OM's, OM2,3 are major OM's which appear normal. LPDA and LPLB appear normal.
RCA	Non Dominant. RCA appears normal.

FINDINGS: LEFT DOMINANT SYSTEM ; MINIMAL CORONARY ARTERY DISEASE

ADVICE : AORTIC VALVE REPLACEMENT

Dr. G. GNANAVELU, MD, DM

Dr. G. Gnanavelu MD (Cardio), FACC
Chief Cardiologist
Reg. No. 39469

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel : 044 - 4310 8959

f @MedwayHospitals @medwayhospitals in @medway-hospitals @medwayhospitals



94457 94457
1800 572 3003

Medway Group of Hospitals

Kodambakkam 044-2473 4455	Mogappair 044-26530011	Kumbakonam 044-2473 4455	Chengalpattu 044-27426829	Villupuram 04146-242000
------------------------------	---------------------------	-----------------------------	------------------------------	----------------------------

Medway Centre of Excellence (Chennai)

Heart Institute
044 - 4310 8959

Institute of Pulmonology
044-2473 4454

E-mail : info@medwayhospitals.com | Website : www.medwayhospitals.com | CIN : U74900TN2011PTC083665

MHI/HOSP/2022/118

DATE & TIME	Observation / Action	Signature with Emp.No
28/12/23. @ 11.10	Pt Got admission in RL. Pt V/S are checked and recorded. Pt Parts Preparation was done.	
11.30	IV line inserted.	
11.40	consent taken.	
13.15	Pt shifted to cath lab.	AD 02114.
28/12/23 13.15	Cath lab, ⇒ Pt Received from RL to cath lab. conscious and oriented. Vitals stable.	AD 0176
13.20	⇒ Sterile Drapping done. CAG procedure started.	
13.20	⇒ Pt Radial Arterial approach under local anaesthesia.	AD 0176
13.30	⇒ IN: NTG 200 mcg + IN: Heparin 2500 IU given O/B Dr. Gnanavelu	
13.30	⇒ BP: 134/68(90) mmHg, HR: 80 B/min SpO2: 100% Vitals stable.	AD 0176
13.35	⇒ Procedure CAG done Pt Radial arterial sheath removed. Right plaster bandage applied. no oozing & hemostatic	AD 0176
Document endorsed by	Signature Name Gathiga	Emp. No. 0016 Date 28/12/23 Time 13:35

[illegible]

SAFE PROCEDURE CHECKLIST
Adapted from WHO Safe Surgery Checklist

MHI/OT/2022/086



Every heart beat counts

Mrs. KALAISELVI S

45 / Female / MHI202381297

28/12/2023 / IPH2023002619

Dr. G. GNANAVELU



Name of the Procedure : CAG Location : Cath Lab Date & Time : 28/12/23

Does the Procedure involve Procedural Sedation : ☐ Yes ☒ No

SIGN IN <u>13.20</u> Before Induction of Procedural Sedation		TIME OUT <u>13.30</u> After procedural Sedation and before procedure		SIGN OUT <u>13.35</u> When Doctor indicates that the Procedure is completed	
(Anaesthetist / Qualified Physician administering Procedural Sedation + Nurse + Technician + Doctor performing the procedure)		(Anaesthetist or Qualified Physician administering Procedural Sedation + Nurse + Technician + Doctor performing the Procedure)			
Patient Confirmation		All team members introduce themselves by Name and Role		To be done for each procedure in case of multiple procedures	
Identity by two identifiers	<input checked="" type="checkbox"/> Yes	Identity by two identifiers	<input checked="" type="checkbox"/> Yes	Name of the Procedure done written down <u>CAG</u> <input checked="" type="checkbox"/> Yes	
Procedure	<input checked="" type="checkbox"/> Yes	Procedures <u>CAG</u>	<input checked="" type="checkbox"/> Yes	Name and site of all specimens / investigations confirms labeling and sent to lab <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA	
Side	<input checked="" type="checkbox"/> Rt <input type="checkbox"/> Lt <input type="checkbox"/> NA	Side <u>Rt Radial Arterial approach</u>	<input checked="" type="checkbox"/> Rt <input type="checkbox"/> Lt <input type="checkbox"/> NA		
		Expected Blood loss <u>NA</u>			
Consent	<input checked="" type="checkbox"/> Yes	Position <u>Supine</u>	<input checked="" type="checkbox"/> Yes	Any recovery concerns : <input type="checkbox"/> Yes <input checked="" type="checkbox"/> None	
Known Allergy	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, please specify	Consent	<input checked="" type="checkbox"/> Yes	If Yes, Pls. specify :	
		Required equipment and implants available	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> NA		
Difficult airway / aspiration risk / dentures	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes, equipment and assistance available	Essential Imaging displayed	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> NA		
		Antibiotic prophylaxis within last 60 minutes	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA		
Possibility of hypothermia	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes, warmer in place	Name of the Antibiotic given		Any Equipment / instrument problem that needs to be addressed : <input type="checkbox"/> Yes <input checked="" type="checkbox"/> None	
		Venous Thromboembolism Prophylaxis Provided	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA	If Yes, Pls. specify :	
All concerned anesthesia equipment and medication check complete		Anticipated duration briefed	<input checked="" type="checkbox"/> Yes		
<input type="checkbox"/> Spo2 <input checked="" type="checkbox"/> NIBP <input type="checkbox"/> Others pls. specify <u>CAG</u>		Anticipated blood loss briefed	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> NA		
Pre OP medication taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Adequate fluids and blood available	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> NA		
		Team briefed on any critical or unexpected steps	<input checked="" type="checkbox"/> Yes	Corrective action:	
Required equipment for procedure available	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> NA	For procedural sedation cases			
		Any patient specific concerns :	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> None		
		Intra procedure glycemic control	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA		
		Any concerns about sterility	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> None		

Anaesthetist / Doctor giving Procedural Sedation	Doctor performing the Procedure : <u>Dr. G. Gnana Velu</u>	Nurse : <u>P. Lal. Sarthiyya</u>	Technician : <u>Mr. Prathap</u>	Others Please Specify :
Date : <u>28/12/23</u>	Date : <u>28/12/23</u>	Date : <u>28/12/23</u>	Date : <u>28/12/23</u>	Date :
Time : <u>13.45</u>	Time : <u>13.45</u>	Time : <u>13.45</u>	Time : <u>13.45</u>	Time :


**Medway Hospitals®**

The way to better health
(A Unit of United Alliance Healthcare Pvt Ltd)



Every heart beat counts

Procedure Monitoring Sheet (Cath Lab)

Mrs. KALAISELVI S
 Patient Name : 45 / Female / MHJ202381297
 28/12/2023 / IPH2023002619
 UHID / IP : Dr.G. GNANAVELU
 Consultant : 

Age / Sex : 45y / F

Ward Unit: RL

Diagnosis : SIP MVR

Pre Procedure Checklist (Please tick appropriately – To be filled by the Ward Nurse)

PARAMETERS	YES	NO	NA
Vital signs : BP: 100/65 Temp: 99.2 Pulse: 57 RR: 20 SPO2: 99	✓		
Urine voided	✓		
Bowel preparation		✓	
Pre-procedure medication administered		✓	
Procedure site marked	✓		
Skin preparation done	✓		
NPO @ 9.00 AM	✓		
Loose Tooth removed		✓	
Contact lenses / Eye glasses removed		✓	
Prosthesis present		✓	
Jewellery/Nail polish removed	✓		
Checked for Allergies (Drug / food)	✓	✓	
IV line/In-situ	✓		
Consent taken	✓		
Investigation reports / Documents received	✓		
Signature of Nurse : <i>[Signature]</i>	Date & Time : 28/12/23 11.30		

Intra – Procedural Record (To be filled by the Cath Lab Nurse)

Time	HR / min	RR / min	BP mmHg	SpO ₂ %	Medication / Remarks	Sign. of Nurse
12-00	82 bt/ml	22 br/ml	125/75 (92)	100%	-	QD 178
13-30	80 bt/ml	22 br/ml	134/68 (90)	100%	-	QD 178
13-35	82 bt/ml	22 br/ml	125/55 (78)	100%	-	QD 178
Procedure got			over			

Post Procedure Follow Up Data (to be filled by the doctor)

Time : 13.45 Route : Rt Radial arterial approach
 Complication : Nil

BP : 125/55 (78) mmHg, HR : 82 b/min, RR 22 vol/min, SpO2 : 100%

Brachial Distal Pulse: felt, Puncture Site: no oozing & hematoma

Advise:

- ◆ Shift To: Ward / ICU
- ◆ Bed rest up to 4 hours
- ◆ Observe puncture site for bleeding
- ◆ Watch for Pulse in Rt Radial artery.
- ◆ Diet Normal
- ◆ Inform Duty Medical Officer SOS
 - a) If patient complains of any Discomfort
 - b) If dressing is Loose or Socked with Blood
 - c) If limbs are Cold / Absent Pulse
- ◆ Remove Rt Radial arterial dressing on 29/12/23 at 13.00 AM /PM after informing to the consultant.
- ◆ Special instruction if any: Nil

[Signature]
 Name & Signature of Consultant

POST PROCEDURE OBSERVATION

Date & Time	BP	HR	RR	SpO2%	Site Evaluation	Extremity Status	Remarks	Sign. of Nurse

Nurses Notes :

procedure can done. Rt Radial arterial sheath removed. Tight Plaster bandage applied. no oozing & hematoma

Condition at the end of procedure : ☒ Stable ☐ Critical

Patient shift to : ☐ Recovery Room ☐ Patient Room ☐ CCU ☒ Other Re

Name & Signature of the Nurse :

Date & Time : 28/12/23
@ 13.50

[Signature]

Date: 28/12/23
Time: M 6

BRADEN SCALE FOR PREDICTING PRESSURE INJURY RISK

SENSORY PERCEPTION ability to respond meaning-fully to pressure-related discomfort	1. Completely Limited Unresponsive (does not moan, flinch, or grasp) to painful stimuli, due to diminished level of consciousness or sedation OR limited ability to feel pain over most of body	2. Very Limited Responds only to painful stimuli. Cannot communicate discomfort except by moaning or restlessness OR has a sensory impairment which limits the ability to feel pain or discomfort over 1/2 of body	3. Slightly Limited Responds to verbal commands, but cannot always communicate discomfort or the need to be turned OR had some sensory impairment which limits ability to feel pain or discomfort in 1 or 2 extremities	4. No Impairment Responds to verbal commands. Has no sensory deficit which would limit ability to feel or voice pain or discomfort	4	4	
MOISTURE degree to which skin is exposed to moisture	1. Constantly Moist Skin is kept moist almost constantly by perspiration, urine etc. Dampness is detected every time patient is moved or turned	2. Very Moist Skin is often, but not always moist. Linen must be changed at least once a shift	3. Occasionally Moist Skin is occasionally moist, requiring an extra linen change approximately once a day	4. Rarely Moist Skin is usually dry, linen only requires changing at routine intervals	4	4	
ACTIVITY degree of physical activity	1. Bedfast Confined to bed	2. Chairfast Ability to walk severely limited or non-existent. Cannot bear own weight and/or must be assisted into chair or wheelchair	3. Walks Occasionally Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair	4. Walks Frequently Walks outside room at least twice a day and inside room at least once every two hours during waking hours	4	4	
MOBILITY ability to change and control body position	1. Completely Immobile Does not make even slight changes in body or extremity position without assistance	2. Very Limited Makes occasional slight changes in body or extremity position but unable to make frequent or significant changes independently	3. Slight Limited Makes frequent through slight changes in body or extremity position independently	4. No Limitation Makes major and frequent changes in position without assistance	4	4	
NUTRITION usual food intake pattern	1. Very Poor Never eats a complete meal. Rarely eats more than any food offered. Eats 2 servings or less of protein (meat or dairy products) per day. Takes fluids poorly. Does not take a liquid dietary supplement OR is NPO and/or maintained on clear liquids or IVs for more than 5 days	2. Probably Inadequate Rarely eats a complete meal and generally eats only about 2 of any food offered. Protein intake includes only 3 servings of meat or dairy products per day. Occasionally will take a dietary supplement	3. Adequate Eats over half of most meals. Eats a total of 4 servings of protein (meat, dairy products) per day. Occasionally will refuse a meal, but will usually take a supplement when offered OR is on a tube feeding or TPN regimen which probably meets most of nutritional needs	4. Excellent Eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and dairy products. Occasionally eats between meals. Does not require supplementation	4	4	
FRICTION & SHEAR	1. Problem Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent re-positioning with maximum assistance. Spasticity, contractures or agitation leads to almost constant friction	2. Potential Problem Moves feebly or requires minimum assistance. During a move skin probably slides to some extent against sheets, chair, restraints or other devices. Maintains relatively good position in chair or bed most of the time but occasionally slides down	3. No Apparent Problem Moves in bed and in chair independently and has sufficient muscle strength to lift up completely during move. Maintains good position in bed or chair		3	3	
					TOTAL SCORE	23	23
					Initial & Emp. No. of Staff Nurse:	[Signature]	
					Initial & Emp. No. of Sr. Staff Nurse:	[Signature]	



Score Interpretation: Minimal Risk: 23 - 19; At Risk / Mild Risk: 18 - 15; Moderate Risk: 14 - 13; High Risk: 12 - 10; Severe Risk: 9 - 6

PAIN RE-ASSESSMENT & MONITORING CHART

Date & Time	Pain Score	Pain Character (dull, achy, sharp, stabbing, shooting, burning, referred / radiant pain)	Duration	Location / Site	Interventions	Staff Initial & Emp. No.	Senior Staff Initial & Emp. No.
28/12/23 11-20	0/10	NO Pain	-	-	-	Dr. H. Jayaraj	Dr. Jayaraj
		Patient received room cath Lab					
13:50	0/10	No pain	Nil	Nil	Nil	Dr. Jayaraj	Dr. Jayaraj
14:50	0/10	No pain	Nil	Nil	Nil	Dr. Jayaraj	Dr. Jayaraj
15:50	0/10	No pain	-	-	-	Dr. Jayaraj	Dr. Jayaraj
16:50	0/10	No pain	-	-	-	Dr. Jayaraj	Dr. Jayaraj
17:50	0/10	No pain	-	-	-	Dr. Jayaraj	Dr. Jayaraj
18:20		Pt. Got Discharged					

Date & Time	Pain Score	Pain Character (dull, achy, sharp, stabbing, shooting, burning, referred / radiant pain)	Duration	Location / Site	Interventions	Staff Initial & Emp. No.	Senior Staff Initial & Emp. No.

PAIN SCALES



PIPPS (28 weeks to \leq 38 weeks)	6 or less = Minimal to no pain 7 - 12 = Mild pain - Provide comfort measures >12 = Moderate to severe pain - Pharmacological intervention					
CRIES (38 weeks - 2 months)	The CRIES scale is used for infants > than or = 38 weeks of gestation. A maximal score of 10 is possible. If the CRIES score is > 4, further pain assessment should be undertaken, and analgesic administration is indicated for a score of 6 or higher.					
FLACC Scale (2 months - 7 years)	0: Relaxed & comfortable, 1-3: Mild discomfort, 4-6: Moderate discomfort, 7-10: Severe discomfort / pain / both					
Wong-Baker FACES Pain Rating Scale (7 years - 12 years)	 <div> <div>0</div>No Hurt <div>2</div>Hurts Little Bit <div>4</div>Hurts Little More <div>6</div>Hurts Even More <div>8</div>Hurts Whole Lot <div>10</div>Hurts Worst </div>					Numerical Rating Scale (age more than 12 years) 
Critical care Pain Observation Tool (CPOT) (ventilator / comatose)	FACIAL EXPRESSION: 0 - Relaxed, Neutral, 1 - Tense, 2 - Grimacing BODY MOVEMENTS: 0 - Absence of movements or normal position, 1 - Protection, 2 - Restlessness / Agitation COMPLIANCE WITH VENTILATION (intubated patients): 0 - Tolerating Ventilator or Movement, 1 - Coughing but tolerating, 2 - Fighting ventilator (or) VOCALIZATION (non-intubated patients): 0 - Talking on normal tone or no sound, 1 - Sighing, Moaning, 2 - Crying out, sobbing MUSCLE TENSION: 0 - Relaxed, 1 - Tense, Rigid, 2 - Very Tense, Rigid TOTAL SCORE: 0 - 2: No Pain; 3 - 4: Moderate Pain; 5 - 8: Severe Pain					
Non-pharmacological Interventions	Distraction: A - Relaxation-conducive environment; B - TV; C - Music; D - Physical and mental exercisers Cutaneous Stimulation and massage: E - Positioning; F - Rubbing / Massage the skin Thermal Therapies (no longer than 15 to 20 minutes): G - Cold application; H - Hot application; I - Shortwave diathermy Transcutaneous electrical nerve stimulation (TENS): J - Interferential therapy Psycho-social therapy/counselling: K - Individual Counseling; L - Family counseling					

Pharmacological Interventions as per doctor's prescription



DVT RISK ASSESSMENT

Assign a score of 1 if (YES) in parameter nos. 1 to 9, and assign a score of -2 if (YES) in parameter no. 10

		Date						
		Time						
S. No.	PARAMETERS							
1	Active cancer (on-going treatment or diagnosed within 6 months or palliative care)	0						
2	Bedridden recently >3 days or major surgery within four weeks	0						
3	Calf swelling >3 cm compared with asymptomatic side, measured at 10 cm below tibial tubercle (Assess for both legs)	0						
4	Collateral (nonvaricose) superficial veins present (Assess for both legs)	0						
5	Entire leg swollen (Assess for both legs)	0						
6	Localized tenderness along the deep venous system (Assess for both legs)	0						
7	Pitting edema, greater in the symptomatic leg (Assess for both legs)	0						
8	Paralysis, paresis, or recent plaster immobilization of the lower extremity (Assess for both legs)	0						
9	Previously documented DVT (Assess for both legs)	0						
10	Alternative diagnosis to DVT as likely or more likely (Assess for both legs) / Co-morbidity like ESLD / Renal disease, Renal failure, CCF Cellulitis (commonly mistaken as DVT), Dependent (stasis) oedema, Lymphatic obstruction. Septic arthritis, Cirrhosis, Nephrotic syndrome, Calf muscle tear or strain, Haematoma (collection of blood) in the muscle, Sprain or rupture of a leg tendon, Fracture.	0						
FINAL SCORE		0						
Low Risk: -2 to 0 Moderate Risk: 1 to 2 High Risk: 3 to 8		Low						
DVT prophylaxis started		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No
Signature & Emp. No. of RN								
Signature & Emp. No. of Sr. RN								

MODIFIED MORSE FALL RISK ASSESSMENT CHART

Variables	Date	28/12/23	02/12/23							
	Time	11:20	14:35							
History of falling (immediate or within 6 months)	No	0	0	0	0	0	0	0	0	0
	Yes	25	25	25	25	25	25	25	25	25
Secondary diagnosis (≥ 2 medical diagnosis)	No	0	0	0	0	0	0	0	0	0
	Yes	15	15	15	15	15	15	15	15	15
Intravenous Therapy / Heparin Lock / Tubes Insitu	No	0	0	0	0	0	0	0	0	0
	Yes	20	20	20	20	20	20	20	20	20
AMBULATORY AID										
None / Bed Rest / Nurse Assist		0	0	0	0	0	0	0	0	0
Crutches / Cane / Walker		15	15	15	15	15	15	15	15	15
Furniture		30	30	30	30	30	30	30	30	30
GAIT										
Normal / Bed Rest / Wheel Chair		0	0	0	0	0	0	0	0	0
Weak		10	10	10	10	10	10	10	10	10
Impaired		20	20	20	20	20	20	20	20	20
MENTAL STATUS										
Oriented to own stability		0	0	0	0	0	0	0	0	0
Overestimated or forgets limitations		15	15	15	15	15	15	15	15	15
MEDICATIONS Includes PCA / opiates, diuretics, laxatives, hypnotics, sedatives, immunosuppressant, anticonvulsants, anti-hypertensives, hypoglycemics and psychotropics	No	0	0	0	0	0	0	0	0	0
	Yes	15	15	15	15	15	15	15	15	15
Total Score		35	25							
Low Risk (0 - 24)										
Medium Risk (25 - 44)		✓	✓							
High Risk (45 or above)										
Signature & Emp. No. of RN		Dr. G. GNANAVELU	Dr. G. GNANAVELU							
Signature & Emp. No. of Sr. RN		Dr. G. GNANAVELU	Dr. G. GNANAVELU							

0 - 24: Low Risk; 25 - 44: Medium Risk; 45 or above: High Risk

INTERVENTIONS <i>Tick as per the Risk Score</i>	Date									
	Time									
Low Risk Interventions (0 - 24)										
Familiarize the patient with the immediate surroundings	/	/								
Remind the patient to use call bell before getting out of bed	/	/								
Keep the two side rails in the raised position at all times for all patients regardless of age	/	/								
Keep the call bell, bedside table, water, glasses within the patient's easy reach	/	/								
Remove excess equipment or furniture to make a clear path	/	/								
Keep the patient's bed in the low position at all times except during procedure	/	/								
Teach fall-prevention techniques, such as sitting up for a moment before rising from the bed	/	/								
Bed wheels should be locked	/	/								
Encourage family participation in the patient's care	/	/								
Ensure that floor of the bathroom is dry and not slippery	/	/								
Review medications for potential side effects that can promote falls	/	/								
Use safety belts during movement in wheelchair	/	/								
The patients are not ambulated by themselves. They are to be ambulated only with assistance	/	/								
Medium risk interventions (25 - 44)										
Apply all the low risk interventions	/	/								
Tie yellow fall risk tag in the bed and Wheel chair / Stretcher	/	/								
Make sure that proper transfer precautions are instituted for heavy or debilitated patients in a bed or wheel chair or on a toilet seat	/	/								
Use restraints and bed monitors as ordered by the doctor	/	/								
Allow the patient to ambulate only with assistance	/	/								
Consider peak effects of the medications that effects level of consciousness, gait and elimination when planning patient's care	/	/								
Do not leave patients unattended in diagnostic or treatment areas	/	/								
Accompany the patient while going to bathroom	/	/								
Advice the patient to use grab bars near the toilet, bathtub, and shower	/	/								
Make sure the family and other visitors understand the restrictions mentioned above	/	/								
High-risk interventions (45 or above)										
Apply all the low and medium risk interventions										
Tie red fall risk tag in the bed, wheel chair and stretcher										
Locate the high-risk patients in a room close to the nurses' station										
Answer these patients call bells as quickly as possible										
Provide a commode at bedside (if appropriate)										
Urinal/bedpan should be within easy reach (if appropriate)										
Encourage family members or other visitors to stay with them										
If appropriate, consider using protection devices: safety belts										
Signature & Emp. No. of RN										
Signature & Emp. No. of Sr. RN										

000
 605