

| PARTICULARS | YES | NO |
|---|-----|----|
| - IP Number allocated to each Patient | ✓ | |
| - Name, Age & Sex of Patient | ✓ | |
| - General Admission Consent | ✓ | |
| - Initial Assessment of Patient / Diagnosis | ✓ | |
| - Nutritional Assessment by Consultant | ✓ | |
| - Plan of care counter signed by the Consultant | ✓ | |
| - Treatment Orders - Date, Time, Name & Sign. | ✓ | |
| - Medication Order / Drug Chart - Date, Time, Name & Sign. | ✓ | |
| - Vital Signs Chart (TPR Chart) | ✓ | |
| - Intake Output Chart | ✓ | |
| - Drug Chart (Duly filled) | ✓ | |
| - Anesthesia Consent - (8 thing) - Date, Time, Name & Sign. of both Patient & Anesthetist | | |
| - Anesthesia Assessment Sheet | | |
| - Surgery Consent - (8 things) - Date, Time, Name & Sign of both Patient & Surgeon | | |
| - Surgery Notes - Post Operative Plan | | |
| - Pain Scoring System | | |
| - Blood Transfusion if done | | |
| - High Risk Procedures | | |
| - A copy of the Discharge Summary | ✓ | |


Medway Hospitals
The way to better health

(A Unit of United Alliance Healthcare Pvt Ltd)

Mr. PRABAKARAN N

50/Male/MHI202381529

29/12/2023/IPH2023002631

Dr.G. GNANAVELU



Where heart beat never stops...

ADMISSION SLIP

 Admitting Doctor: Dr. Gnanavelu

 Speciality: Cardiology

 Advised Date & Time: 29/12/23 @ 10:24 AM

Provisional Diagnosis:

Class III Angina / LVSF

 Reason for Admission: ☐ Medical Management ☐ Surgical Management

☒ Others (please specify details) CHG

 Admission Type: ☒ Day Care ☐ ER ☐ Ward

☐ ICU (Specify details)

Surgery / Procedure Name (if planned):

CHG

 Blood Product Requirement: ☒ No ☐ Yes (Kindly specify details of components required in space below)

 Expected Duration of Stay: Day care

Expected Cost of Treatment (as per Financial Counseling Form):

 Payer: ☐ Self ☐ Insurance ☐ Others: ESI

Instructions to Nurse (if any):

Admission in PL

Any other Instructions (if any):

ESI

Doctor's Signature

Name

Dr. G. Gnanavelu MD, DM (cardio), FACC

 Advisor & Mentor
Chief Cardiologist
Reg. No: 39469

Reg. No.

Date

29/12/23

Time

10:24 AM

For admission desk staff only:

Room Category: ☐ General Ward
☐ Single Room
☐ Twin Sharing
☐ Deluxe Room
☐ Suite Room
☒ Others RC

Admission Intimation Receipt Details

Admission Time in HIS

Date

Time

Date

Time

29/12/23

10:39

29/12/23

10:39

Source: ☒ OPD

☐ ER

☐ Direct

To be filled only if Blood requirement specified by the Doctor:

Is Blood Reservation and Blood Bank clearance completed as advised: ☐ Yes ☐ No

Front office Staff Signature

Name

Emp. No.

Date

Time

[Signature]

[Signature]

0192

29/12/23

10:39



Medway Hospitals

The way to better health

(A Unit of United Alliance Healthcare Pvt Ltd)



Mr. PRABAKARAN N

50/Malc/MHI202381529

29/12/2023/1PH2023002631

Dr. G. GNANAVELU



MHI/HOSP/2022/129



Where heart beat never stops...

ADMISSION FORM

| | | | |
|--|--|--|---------------------------------------|
| Marital Status M | Full Address N. Prabakaran No. 459, L.N.P.K St Valapandal, Arcot T.K. 632312 | | Telephone Number 9791345255 |
| Occupation RL | | | |
| Referred from Dr. G. G. | Date of Time of Admission 29/12/23 10:39 | Date & Time of Discharge 29/12/23 at 12:30 | Total No. of Days 7hr |
| UNIT RL | MLC <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes AR No. : | | |
| FINAL DIAGNOSIS | | | ICD Code |
| EXERTIONAL ANGINA III | | | I20.8 |
| NORMAL LV FUNCTION | | | I50.1 |
| TYPE II DIABETES MELLITUS | | | E11.9 |
| | | | |
| | | | |
| | | | |
| | | | |
| DATE | OPERATION / PROCEDURES | | ICPM Code |
| 1/12/23 | CORONARY ANGIOGRAM | | 88.50 |
| DATE | TYPE OF ANESTHESIA | | |
| 29/12/23 | <input type="checkbox"/> GENERAL <input type="checkbox"/> SPINAL <input checked="" type="checkbox"/> LOCAL <input type="checkbox"/> REGIONAL <input type="checkbox"/> EPIDURAL | | |
| DISCHARGE STATUS | | | |
| <input type="checkbox"/> Cured <input type="checkbox"/> Discharge at Request <input type="checkbox"/> Expired < 48 hours <input checked="" type="checkbox"/> Improved <input type="checkbox"/> Against Medical Advice <input type="checkbox"/> Expired > 48 hours <input type="checkbox"/> Unchanged <input type="checkbox"/> Absconded <input type="checkbox"/> Post-Operative Death <input type="checkbox"/> Transferred to | | | |
| Signature of the Consultant [Signature] | | Signature of Medical Records Officer [Signature] | |

AUTHORISATION FOR TREATMENT I PAYMENT

I hereby authorise the Administration, Medical and Nursing and Paramedical, Staff of the Hospital Investigate treat and administer such drugs as may be necessary and to perform such operation under anaesthesia or other wise as may be deemed necessary and / or advisable in the diagnosis and treatment of my illness / patient..... who is my (Relationship).

I hereby under take to settle all the bills for hospitalisation charges related to me/the patient named overleaf on a periodic basis. In any case, I shall pay all the dues before getting discharged from the hospital.

However, in case I fail to pay the charges due to the hospital as agreed above, I hereby authorise the hospital to transfer me/the patient to any other hospital/institution for further treatment as deemed fit and proper by the hospital authorities.

I also acknowledge having been informed if the General Rules and Regulations of the Hospital and that all cash, jewellery and valuables belonging to the patient or theis attendants have been removed to a place of safety / handed over to the next of kin and I absolve the hospital of any responsibility with regard to any loss.

I have read out and explained the contents of the above to the Signatory in his vernacular .

சிகிச்சை, பணம் செலுத்துதல் முதலியவை செய்ய அதிகாரம் வழங்குதல்

இதன் மூலமாக நான் நிர்வாகம், மருத்துவம், தாதியர், ஏனைய மருத்துவ ஊழியர்கள் எனக்கு / நோயாளி-க்கு தேவைப்பட்ட சோதனைகளை செய்து மருந்துகளை கொடுக்கவும். மயக்க மருந்துகள் கொடுத்து செய்முறைகள்/அறுவை சிகிச்சை செய்யவும் அதிகாரம் வழங்குகிறேன். நான் / இதில் குறித்துள்ள நோயாளின் செலவுக்கான தொகை முழுவதும் செலுத்த இதன் மூலம் உறுதி அளிக்கிறேன்.

மேல் கூறியது போல் வேளை நான் தங்கள் மருத்துவத்திற்கான செலவுகளை கட்டத் தவறினால் என்னை நோயாளியை வேறொரு மருத்துவமனைக்கு, பிற சிகிச்சை / அறுவை சிகிச்சை செய்ய இடமாற்ற ஒப்புதலை எனது உறவினர்கள் மூலமாக பெற நான் அதிகாரம் அளிக்கிறேன்.

மருத்துவமனையின் பொது சட்ட திட்டங்கள் பற்றி தெரிவிக்கப்பட்டிருக்கிறேன்.

நோயாளிக்கு உரிமையான எல்லா பணம், நகை மதிப்பிடக்கூடிய பொருட்கள் யாவும் பாதுகாப்பான இடத்திற்கு மாறுபட்டுவிட்டன / அல்ல நெருங்கிய உறவினரிடம் கொடுக்கப்பட்டுள்ளது. இந்த மருத்துவமனை எனது/நோயாளியின் எந்தவித நஷ்டத்திற்கு பொறுப்பில்லை என உறுதி செய்கிறேன்.

மேற்குறிப்பிட்ட அனைத்தும் எனக்கு விவரிக்கப்பட்ட பிறகுதான் கையொப்பமிட்டேன்.

செவிலியர் கையொப்பம்

Signature of Admitting Nurse

தேதி

Date

21/12/23

எனது/உறவினர்/காப்பாளர் கையொப்பம்

Signature of the Patient / Relative / Gurdian

wife

உறவுமுறை

Nature of Relationship



GENERAL CONSENT FOR ADMISSION

I, PRABAKARAN N the ☒ Patient or ☐ Representative of patient have
(please tick the correct option above and below)

☐ Read

☐ Been explained this consent form in English, which I fully understand.

- I give my full consent and authorization for admission and treatment at this hospital. The proposed treatment plan has been explained to me.
- I consent and authorize the hospital, treating doctors, nursing, technical and paramedical staff to provide relevant care and to conduct diagnostic as deemed necessary by the treating doctor / team.
- I also consent to use of assistants such as resident doctors, other doctors, nurses, and other healthcare workers by the hospital and treating doctor / team.
- I consent for clinical consultation, admission, disclosure of information required for clinical management (under confidence), routine medical examination (physical examination, palpation, percussion, auscultation), routine lab and imaging investigations, general nursing care, diet and physiotherapy assessment and counselling.
- I have been explained about the proposed care plan, expected result(s), possible outcome(s) and expected cost of treatment/ hospital stay.
- I understand that the hospital will take due care of me / my patient but, that there is always a possibility of an unexpected complication(s) which may necessitate longer stay and / or use of intensive care services. In such cases, procedure different from those contemplated and other intervention(s) may sometimes be needed.
- I declare that, I have and will inform the doctor of my medical history including previous illnesses, allergies, drug reaction(s), surgical procedure, relevant medical family history and all other facts relevant to my treatment. I shall not hold the hospital/ doctor responsible for any consequences which may arise due to non-disclosure of relevant information on my part.
- I declare that I have been explained about my rights and responsibilities.
- I have been made aware of the rules and regulations of the hospital including those related to security and I promise to abide by them.
- I understand that in case of some unexpected event occurring during the course of my stay I may be suggested a transfer to another hospital / healthcare organization, as considered appropriate by my treating doctor.
- I understand that, drugs, consumables and devices will be charged on an 'as actual' basis as per the hospital tariff. I have been informed and I understand that there can be usage of certain reprocessed items during the course of the treatment. I also understand that only full strips of medicines shall be issued and returned. I declare that I take full responsibility of settling the bill before leaving the hospital premises at the time of discharge.

- I further declare that I have been given an opportunity to ask question(s) related to my admission, care plan and proposed hospital stay, and that such questions have been answered to my satisfaction.
- I declare that I have received and fully understood the information provided in this consent form, that I have been given an opportunity to ask questions relating to my admission, care plan and proposed hospital stay, and that all my questions have been answered to my entire satisfaction and there are no misconceptions or false hopes in my mind. I further declare that all fields (of this form) requiring insertion or completion were filled in my presence at the time of my signing this form.
- I, the above-named Patient / named patient's representative, do further hereby declare that I am above 18 years of age as on the date of signing this form, mentally sound and am giving consent without any fear, threat or false misconception.

| | Signature / Thumb Impression* | Name | Date | Time |
|---|--|--|----------|-------|
| Patient | N. Prabhakaran | N. Prabhakaran | 29/12/23 | 10:39 |
| Surrogate/Guardian (if applicable #) | R. Amala | R. Amala (Write name and relationship with patient) | 29/12/23 | 10:39 |
| Reason for surrogate consent | Patient is unable to give consent because: | | | |
| Witness | R. Rajeswarar | R. RAJESWARAR | 29/12/23 | 10:39 |
| Interpreter (if applicable) | | | | |

* Right Hand for Males & Left Hand for Females | # Only if Patient is a minor or unable to give consent



Every heart beat counts
(A Unit of United Alliance Healthcare Pvt Ltd)

DAY CARE DISCHARGE SUMMARY

| | | | |
|--------------|---|----------|--------------|
| IP No. | IPH2023002631 | D.O.A | : 29/12/2023 |
| UHID | MHI2023814529 | D.O.P | : 29/12/2023 |
| Name | Mr. PRABAKARAN.N | Room No. | : RL |
| Age / Gender | 50 Years /MALE | | |
| Consultant | : Dr. G. Gnanavelu. MD., DM., (cardio) FACC Chief Cardiologist | D.O.D | : 29/12/2023 |

DIAGNOSIS:

EXERTIONAL ANGINA III

NORMAL LV FUNCTION

TYPE II DIABETES MELLITUS

PROCEDURE: CORONARY ANGIOGRAM DONE ON 29.12.2023 – TRIPLE VESSEL DISEASE.

BRIEF HISTORY:

Mr. Marimuthu. U, 66years old male, presented with complaints of chest pain on exertion. History of breathlessness (+) on exertion. He was evaluated in ESIC hospital and advised Coronary angiogram and referred to Medway Heart Institute on 29.12.2023 for which he has been admitted.

ON EXAMINATION:

HR: 64bpm ; BP: 118/74mmHg ; SPO₂: 99% in room air
CVS: S1S2+ murmur+ ; RS : Clear ; CNS: NFND; Abd: Soft

INVESTIGATIONS:

BLOOD: Hb- 14.8gm/dl, TWBC – 4400cells /cumm, PLT – 261000 cells/cumm, Urea – 20.66 mg/dl, Creatinine – 0.59mg/dl, Sodium – 137mg/dl, Potassium – 4.44mg/dl, PT/INR – 11.9/1.0.

ECG: sinus rhythm, HR – 67 bpm. No ST-T changes

ECHO: RWMA(+)Mid inferior, mid posterior wall hypokinesia. Normal LV systolic function. EF – 72%. ¼ MR. No PE / clot / PHT.

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel : 044 - 4310 8959

f @MedwayHospitals **@** @medwayhospitals **in** @medway-hospitals **tw** @medwayhospitals



94457 94457
1800 572 3003

Medway Group of Hospitals

| | | | | |
|------------------------------|---------------------------|-----------------------------|------------------------------|----------------------------|
| Kodambakkam 044-2473 4455 | Mogappair 044-26530011 | Kumbakonam 044-2473 4455 | Chengalpattu 044-27426829 | Villupuram 04146-242000 |
|------------------------------|---------------------------|-----------------------------|------------------------------|----------------------------|

Medway Centre of Excellence (Chennai)

| | |
|------------------------------------|---|
| Heart Institute 044 - 4310 8959 | Institute of Pulmonology 044-2473 4454 |
|------------------------------------|---|

E-mail : info@medwayhospitals.com | Website : www.medwayhospitals.com | CIN : U74900TN2011PTC083665

MHI/HOSP/2022/118



JCI ACCREDITED



NABH ACCREDITED

NAME: MR. PRABHAKARAN.N

UHID: MHI2023814529

**Every heart beat counts**

(A Unit of United Alliance Healthcare Pvt Ltd)

CORONARY ANGIOGRAM FINDINGS:Co-dominant system; **TRIPLE VESSEL DISEASE.** (reports enclosed)**ADVICE : CABG X DISTAL LAD, MAJOR OM , LPDA/LPLV & RCA .****ADVICE MEDICATIONS:**

| SL NO | NAME OF THE DRUGS WITH GENERIC NAME | DOSAGE | FREQUENCY | | | ROUTE | RELATION SHIP WITH FOOD | DURATION |
|-------|---------------------------------------|--------|-----------|---|---|-------|-------------------------|-------------------------------|
| | | | M | A | N | | | |
| 1 | TAB. ASA (ASPIRIN) | 75 MG | 0 | 1 | 0 | ORAL | AFTER FOOD | TO STOP 5 DAYS BEFORE SURGERY |
| 2 | TAB. CLOPILET (CLOPIDOGREL) | 75 MG | 0 | 1 | 0 | ORAL | AFTER FOOD | TO STOP 5 DAYS BEFORE SURGERY |
| 3 | TAB. NITROCONTIN (NITROGLYCERIN) | 2.6 MG | 1 | 0 | 1 | ORAL | AFTER FOOD | TO CONTINUE |
| 4 | TAB. MET XL (METOPROLOL SUCCINATE) | 25 MG | 1 | 0 | 0 | ORAL | AFTER FOOD | TO CONTINUE |
| 5 | TAB. ENVAS (ENALAPRIL) | 2.5 MG | 1 | 0 | 1 | ORAL | AFTER FOOD | TO CONTINUE |
| 6 | TAB. ATORVA (ATORVASTATIN) | 10 MG | 0 | 0 | 1 | ORAL | AFTER FOOD | TO CONTINUE |
| 7 | TAB. METFORMIN | 500 MG | 2 | 0 | 1 | ORAL | AFTER FOOD | TO CONTINUE |
| 8 | TAB. GLIMEPIRIDE (AMARYL) | 1 MG | 1 | 0 | 1 | ORAL | AFTER FOOD | TO CONTINUE |
| 9 | TAB. MVT | 1 TAB | 1 | 0 | 0 | ORAL | AFTER FOOD | TO CONTINUE |

DISCHARGE ADVICE

| | |
|----------------------------|---|
| DIET | LOW FAT DIET. |
| PHYSICAL ACTIVITIES | AVOID STRENUOUS ACTIVITIES. |
| REVIEW | REVIEW WITH CTVS TEAM FOR CABG AFTER APPROVAL FROM ESIC HOSPITAL. |

To report: If temp > 101°F / Difficulty in breathing / chest pain / Giddiness/ palpitations.

In case of emergency Contact: Medway Hospitals @ 4310 8959.

* R. Rajeswarar

"I understood the Content of the discharge summary."

Dr. G. Gnanavelu MD., DM (cardio), FACC

Chief Cardiologist
Reg. No: 39469Dr. G. Gnanavelu. MD., DM., (cardio) FACC
Chief Cardiologist

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel : 044 - 4310 8959

Typed by: Ezimmarasi.

f @MedwayHospitals @medwayhospitals in @medway-hospitals @medwayhospitals

94457 94457
1800 572 3003**Medway Group of Hospitals**

| | | | | |
|------------------------------|---------------------------|-----------------------------|------------------------------|----------------------------|
| Kodambakkam 044-2473 4455 | Mogappair 044-26530011 | Kumbakonam 044-2473 4455 | Chengalpattu 044-27426829 | Villupuram 04146-242000 |
|------------------------------|---------------------------|-----------------------------|------------------------------|----------------------------|


Medway Centre of Excellence (Chennai)Heart Institute
044 - 4310 8959Institute of Pulmonology
044-2473 4454

E-mail : info@medwayhospitals.com | Website : www.medwayhospitals.com | CIN : U74900TN2011PTC083665

MHI/HOSP/2022/118



Medway Hospitals
The way to better health
(A Unit of United Alliance Healthcare Pvt Ltd)



MHI/NUR/2022/203



Every heart beat counts

DAY CARE INITIAL ASSESSMENT FORM

Date: 29/12/23 Time of arrival: 10:45

Part A (to be filled by Nurses)

Vital Signs: Temp: 98.4 (°F) | Pulse / HR: 64 (beats/min) | BP: 118/74 (mmHg)
Respiration: 24 (breaths/min) | SpO₂: 94 (%) | Height: 154 (cms) | Weight: 55 (kgs) | BMI: 25.3 kg/m²

Any Language Barrier: ☐ Yes ☒ No If yes, please call Language Coordinator / Translator

Allergies: ☐ Yes ☒ No If Yes, specify: _____

Psychosocial Assessment:

Alcohol Intake: ☐ Yes ☒ No Substance Abuse: ☐ Yes ☒ No Smoking: ☐ Yes ☒ No

Do you have any special religious, spiritual or cultural needs to be considered? ☐ Yes ☒ No

If Yes, specify details: _____

Pain Screening

Pain: ☐ Yes ☒ No. If Yes, Score: 0/10

Pain Scale used: ☐ PIPPS (28 weeks to < 38 weeks) ☐ CRIES (38 weeks - 2 months)
☐ FLACC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years)
☒ Numerical Rating Scale (Age more than 12 years)

Duration: _____ Location: _____

Pain Character: ☐ Dull ☐ Aching ☐ Sharp ☐ Stabbing ☐ Shooting ☐ Burning ☐ Referred / Radiant Pain

Nutritional Screening:

Last 3 months Appetite ☐ Increased ☐ Decreased ☒ No Change

Last 3 months Weight ☐ Increased ☐ Decreased ☒ No Change

Fall Risk Screening for adults: ☒ No Risk

☐ Age more than 65 years ☐ History of fall in last 3 months
☐ Walks with assistance ☐ Any neurological problem

In case of 2 or more criteria met initiate detailed fall assessment and fall prevention protocol

Fall Risk Screening (for pediatrics)

☐ H/O fall in last 3 months ☐ Neurological problem (vertigo, seizure, etc) ☐ Deranged Mobility ☒ No Risk

In case of 2 or more criteria met initiate detailed fall assessment and fall prevention protocol

| | Signature | Name | Emp. No. | Date | Time |
|-------|-----------|---------------|-------------|-----------------|--------------|
| Nurse | | <u>Aarthi</u> | <u>0288</u> | <u>29/12/23</u> | <u>10:50</u> |

Part B (to be filled by Physicians)

Chief Complaints

C/O chest pain on exertion initially
w/ breathlessness & anxiety

Past Medical History

T2DM
~~hypertension~~

Personal History

—

Significant Family History

—

Current Medication

| S. No. | Current Medication | Dose | Route | Frequency | Date & Time of last dose | To be continued during hospital stay |
|--------|--------------------|------|-------|-----------|--------------------------|---|
| 1. | T. ASA | 25g | PO | once | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 2. | T. Clopidogrel | 25g | PO | once | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 3. | T. Nitroglycerin | 25g | PO | 1-2 | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 4. | T. Omeprazole | 25g | PO | 1-2 | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 5. | T. Enalapril | 25g | PO | 1-2 | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 6. | T. Atorvastatin | 20g | PO | once | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 7. | T. Metformin | | PO | 1-2 | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 8. | T. Glyburide | 1g | PO | 1-2 | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| | | | | | | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| | | | | | | <input type="checkbox"/> Yes <input type="checkbox"/> No |

Since yesterday
28/12/23
@ 21.00

CBL - 413 mg/dl.

Clinical Examination / Investigation

CVS - S-S - (A)

B - BAR (A)

Echocardiogram
EF - 72%.

mid infarct
mid posterior wall
hypokinesis

HIV
H300
HCC } negative

creat - 0.5

H: 4-44.

Provisional Diagnosis

CAD.

T2DM.

class III bym

Plan of Care (including Investigations Ordered)

CAD

Doctor's Signature

[Signature]

Name

Dr. Kuthu

Reg. No.

8589

Date

27/12/23

Time

10:55

DOCTOR'S PROGRESS NOTES

| DATE | NOTES |
|--------------------|---|
| 29/12/23 1:55pm | <u>CAG</u> - RT radial access - SF sheaths - SF TIA → CAG done <u>Pmp:</u> Co-dominant / TVD <u>Adv:</u> CABG [Signature] 9721 |
| 15:00 | pt received, vital stable, oral feeds, observation [Signature] 9721 |
| 16:00 | pt can be discharged [Signature] 9721 |

Department of Dietetics

NUTRITION ASSESSMENT AND CARE PLAN FORM

Patient Details (Affix Label here)
Name: MR. Prabhakar
UHID: MHI/2023/4523
DOB: 10/08/1955 Sex: male
DOA: 29/11/23
Consultant: Dr. G. Narasimhan



| | | | |
|--|-------------------------------------|--|---|
| Diagnosis: <u>CAG / T2DM / EF-70%.</u> | | | |
| Height: <u>154</u> cms | Weight: <u>55</u> Kgs | Food allergies: Yes/No; If yes, specify..... | |
| Religious Beliefs: | <input type="checkbox"/> Vegetarian | <input checked="" type="checkbox"/> Non Vegetarian | <input type="checkbox"/> Eggetarian <input type="checkbox"/> Jain |
| Diet Prescription: <u>1600 calories, Low fat, Low salt</u> | | | |

SUBJECTIVE GLOBAL ASSESSMENT (ADULTS)

| | | | | |
|--|----------------------------|--|--|---|
| (A) Patient's related Medical History | | | | |
| 1) Weight Change (overall change in past 6 months) | | | | |
| <input checked="" type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| No weight change/gain | <5% | 5-10% | 10-15% | >15% |
| 2) Dietary Intake | | | | |
| Duration: <u>1</u> | | | | |
| Oral | No change | Sub-optimal solid diet | Full liquid diet/moderate overall decrease | Hypo-caloric liquid diet |
| Enteral / Parenteral Nutrition | Adequate / Excessive | Sub-optimal | Inadequate | Typo-caloric feeds |
| 3) Gastrointestinal Symptoms Duration: | | | | |
| <input checked="" type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| No symptoms | Nausea | Vomiting/moderate GI symptoms | Diarrhoea | severe anorexia |
| 4) Functional Capacity (Nutrition related functional impairment) Duration: | | | | |
| <input checked="" type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| None/Improved | Difficulty with ambulation | Difficulty with normal activity | Light activity | Bed/chair-ridden with no or little activity |
| 5) Co-morbidity (Disease and its relationship to nutrition requirements) | | | | |
| <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input checked="" type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| Healthy | Mild co-morbidity | Moderate co-morbidity/age >75 years | severe co-morbidity | Very severe multiple co-morbidity |
| (B) Physical examination | | | | |
| 1) Decreased fat stores or loss of subcutaneous fat | | | | |
| <input checked="" type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| Normal | Mild | Moderate | | Severe |
| 2) Sign of muscle wasting | | | | |
| <input checked="" type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| Normal | Mild | Moderate | | Severe |
| Total Score = Sum of above 7 components | | | | |
| Nutritional Status : Based on this patient is | | | | |
| Well Nourished | | <input checked="" type="checkbox"/> (7 to 14) | | |
| Moderately Malnourished | | <input type="checkbox"/> (15 to 18) | | |
| Severely Malnourished | | <input type="checkbox"/> (19 to 35) | | |
| Nutrition Intervention: | | | | |
| <input checked="" type="checkbox"/> Oral | | <input type="checkbox"/> Enteral <input type="checkbox"/> Parenteral | | |
| Diet counselling provided: <input checked="" type="checkbox"/> Yes | | <input type="checkbox"/> No | | |
| Frequency of re-assessment: <input checked="" type="checkbox"/> Weekly | | <input type="checkbox"/> Fort-night <input type="checkbox"/> Monthly | | |
| Enteral / Parenteral <input type="checkbox"/> Daily | | Calorie count: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | |

Dietitian Signature / Name / Date / Time:

Dr. P. 286
29/11/23/16:00

| DATE AND TIME | DIETITIAN NOTES | SIGNATURE |
|---------------------------|--|---|
| <p>29/12/23 12:00</p> | <p>A 50 years old gentleman, came w/ chest pain was assessed to be well-nourished as evident by SGA.</p> <p>K/clo - to DM patient <u>Shifted</u> to Cathlab for procedure (CAG). Kept on NBM patient <u>Received</u> to radial lounge. NBM over. patient Tolerated diabetic liquid diet can initiate diabetic soft solid diet. oral intake is good.</p> <p>educated the patient & family on 1600 calories, low fat, low salt, diabetic diet on <u>discharge</u>.</p> | <p> 0286</p> |
| <p>29/12/23 16:00</p> | <p>Emphasized on small frequent meals. Diet modifications & clarifications done. <u>Diet chart</u> given on discharge.</p> | <p> 0286</p> |

PATIENT TRANSFER FORM DIAGNOSTICS / PROCEDURES

Diagnosis: CAD/T2DM/class III Allergies if any: NRDA.

| From (Area) | To (Area) | Date | Time | Reason for Transfer / Name of Procedure |
|-------------|-----------|----------|-------|---|
| RL | Cath Lab | 29/12/23 | 11-35 | CAG. |

Method of Transfer: ☐ On Bed ☒ On Wheelchair ☐ On Stretcher

ASSESSMENT OF PATIENT:

General condition of Patient: ☒ Conscious ☐ Semi-conscious ☐ Un-conscious

Language Barrier: ☐ Yes ☒ No ☐ If Yes, specify: _____

Fall Risk Category: ☐ Low Risk ☐ Medium Risk ☒ High Risk

Vital Signs (to be documented at the time of shifting):



| Temp (°F) | RR (breaths/min) | Pulse (beats/min) | SpO ₂ (%) | BP (mmHg) | Pain Score |
|-----------|------------------|-------------------|----------------------|-----------|------------|
| 98.4 | 22 b/min | 72 | 99 | 118/74 | 0/10 |

Pain Scale used: ☐ PIPPS (28 weeks to ≤ 38 weeks) ☐ CRIES (38 weeks - 2 months)
☐ FLACC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years)
☒ Numerical Rating Scale (> 12 years) ☐ CPOT (ventilator / comatose)

Any pre-medication given: _____

Any critical information: _____

Any specific recommendation: _____

| Handover by | Signature | Name | Emp. No. | Date | Time |
|----------------|---|-----------|----------|----------|-------|
| Handed over to |  | Sandhya R | 0282 | 29/12/23 | 11-35 |
| |  | Sandhya R | 0004 | 29/12/23 | 12/30 |



After Procedure:

Procedure completed: ☒ Yes ☐ No | Any critical information: nil

Vital Signs (to be documented at the time of shifting):

| Temp (°F) | RR (breaths/min) | Pulse (beats/min) | SpO ₂ (%) | BP (mmHg) | Pain Score |
|-----------|------------------|-------------------|----------------------|-----------|------------|
| 97.8 | 25 b/min | 76 beats/min | 100% | 110/62-85 | 0/10 |

Pain Scale used: ☐ PIPPS (28 weeks to ≤ 38 weeks) ☐ CRIES (38 weeks - 2 months)
☐ FLACC Scale (2 months - 7 years) ☐ Wong-Baker FACES Pain Rating Scale (7 years - 12 years)
☒ Numerical Rating Scale (> 12 years) ☐ CPOT (ventilator / comatose)

| Handover by | Signature | Name | Emp. No. | Date | Time |
|----------------|---|-----------|----------|----------|-------|
| Handed over to |  | Sandhya R | 0004 | 29/12/23 | 14:45 |
| |  | Sandhya R | 0158 | 29/12/23 | 14:50 |

Mr. PRABAKARAN N
50/Malc/MHI202381529
Pati: 29/12/2023/IPH2023002631
Cons: Dr.G. GNANAVELU

CORONARY ANGIOGRAM / CORONARY ANGIOPLASTY

Sex ☒ M ☐ F
Bed No: **UHID** 202381529

CONDITION AND PROCEDURE

Dr. Gnanavelu has explained that I have the following condition:

Fat (cholesterol) and calcium can build up in the arteries like rust in old pipes. It can stop the flow of blood to the heart. This can cause angina or a heart attack. The Coronary Angiography procedure is performed to show up the amount of disease in the coronary arteries, the blood vessels that supply the heart with blood. After an injection of local anaesthetic, a fine tube (catheter) is put into the artery in the groin/hand. The tube is carefully passed into each coronary artery in turn. A series of video pictures are taken using x-rays and an iodine containing contrast medium (x-ray dye). The contrast medium may be injected into the main pumping chamber of the heart (left ventricle). This helps us to find out whether you have any narrowing or blockage of your coronary arteries. The doctor can then tell you which treatment is best for you after carefully studying and discussing your pictures. This may be an operation such as a coronary by-pass or a procedure called an angioplasty (the arteries are widened using a small sausage shaped balloon). Sometimes, drugs alone may be a suitable option.

RISKS OF THIS PROCEDURE

The risk of coronary angiography depends on:

- (i) The nature of coronary artery disease (ii) The pumping status of the heart (iii) Your age and general health

These are some of the more serious risks that can happen, but are not the only risks:




| | |
|--|--|
| Less than 1 in 10,000 (0.0001%) | (a) skin injury from radiation, causing, reddening of the skin |
| 1 in 1000 people (0.001%) | (b) A stroke. This can cause paralysis and long term disability (c) Heart attack. (d) A dangerous reaction to the x-ray contrast medium (dye). If this happens, you may have severe reactions such as asthma, shock and convulsions. Death in extremely rare cases about 1 in 2,50,000 to 4,00,000 injections. (e) Need for major surgery to the leg at the puncture site. (f) Need for emergency heart surgery or angioplasty. (g) A higher lifetime risk from x-ray exposure. (h) Death |
| 1 in 100 people (0.01%) | (i) the heart may not beat in a proper rhythm which will need urgent treatment (j) Surgical repair of the groin puncture site. This may need a longer stay in hospital. (k) Minor reaction to contrast medium such as hives. (l) Loss/impairment of kidney function due to the contrast medium |
| 1 in 20 people (0.05%) | (m) Major bruising or swelling at the groin puncture site |
| Most People | (n) Minor bruising |

PATIENT CONSENT:

I acknowledge that Dr. Gnanavelu has explained my medical condition and the proposed procedure. I understand the risks of the procedure, the anaesthetic including the risks that are specific to me and the likely outcomes if complications occur. The Doctor has explained other relevant treatment options their risks and my right to refuse the treatment. He has explained my prognosis and the risks of not having the procedure. I was able to ask questions and raise concerns with the doctor about my condition, the procedure and its risks, and my treatment options. My questions and concerns have been discussed and answered to my satisfaction. I understand that in the unlikely event of complications, I may require a blood transfusion, an additional procedure or surgery. The doctor has explained to me that if immediate life-threatening events happen during the procedure, they will be treated accordingly. I understand that no guarantee has been made that the procedure will improve the condition

On the basis of the above statements,

I REQUEST TO HAVE THE PROCEDURE

| | Signature | Name | Date | Time |
|------------------------------------|---|-------------------|----------|-------|
| Patient/Guardian with relationship |  | Mr. PRABAKARAN | 29/12/23 | 10.50 |
| witness |  | Mrs. ANAGA (WIFE) | 29/12/23 | 10.50 |
| Doctor |  | Dr. Salai Sudhan | 29/12/23 | 10.50 |
| Interpreter | | | | |

| | | |
|-------------------|---------------------|---------------------|
| நோயாளியின் பெயர்: | வயது: | பாலினம்: ஆண் / பெண் |
| மருத்துவ ஆலோசகர்: | வார்டு படுக்கை எண்: | யுஹெசுஐடி (UHID) : |

நிலை மற்றும் செயல்முறை

பின்வரும் சூழ்நிலையை நான் கொண்டிருப்பதாக மருத்துவர் அவர்கள் விளக்கினார்.

பழைய இருமல் குழாய்களில் துருபிடிப்பதைப் போல், தமனிகளில் கொழுப்பு மற்றும் கால்சியம் சேரும், இது ஆன்ஜினா அல்லது மாரடைப்பினை ஏற்படுத்துகிறது. இதயத்திற்கு ரத்தத்தினை வழங்கும் ரத்தக்குழாயான இதயச்சுவர் சிறை தமனிகளில் நோயின் அளவினை கண்டறிய கரோனரி ஆஞ்சியோகிராஃபி செயல்முறை மேற்கொள்ளப்படும். ஒரு லோக்கல் அனஸ்தீட்டிக் (மயக்க மருந்து) வழங்கப்பட்ட பின், ஒரு சிறிய குழாயானது (கத்தீட்டர்) கவட்டை/கையிலுள்ள தமனியில் செலுத்தப்படும். இந்த குழாய் ஒவ்வொரு இதயச்சுவர் சிறை தமனிகளிலும் மாற்றி மாற்றி கவனமாக வரிசையாக செலுத்தப்படும். எக்ஸ்ரே மற்றும் பிற அயோடின் கொண்டிருக்கின்ற கான்ட்ராஸ்ட் மீடியத்தினை (எண்ஸ்ரே டைட்) பயன்படுத்தி, பல வீடியோ படங்கள் வரிசையாக எடுக்கப்படும். இதயத்தின் முக்கிய ஏற்றியிறைத்தல் அறையில் (இடதுபக்க இருதய கீழறை) இந்த கான்ட்ராஸ்ட் மீடியம் உட்செலுத்தப்படலாம். இது இதயத்தின் அளவினை மதிப்பிடவும் மற்றும் அது எவ்வாறு பம்பு செய்கிறது என்பதை மதிப்பிடவும் மேற்கொள்ளப்படும். இப்படங்கள் நமக்கு இதயச்சுவர் சிறை தமனிகள் குறித்த ஒரு படத்தினை வழங்கும். இது உங்களுக்கு ஏதேனும் அடைப்பு இருக்கிறதா என்பதை கண்டறிய உதவும். பின்னர் உங்கள் படங்களை கவனமாக பார்த்த பின் மருத்துவரால் உங்களுக்கு ஏற்ற சிகிச்சையை மேற்கொள்ள முடியும். இவை பை-பாஸ் அறுவை சிகிச்சையாகவும் இருக்கலாம் அல்லது ஆன்ஜியோபிளாஸ்டி (புலான் வழுவம் கொண்டதொரு சிறிய சாசேஜ் கொண்ட தமனியை அகலப்படுத்துதல்) என்னும் ஒரு செயல்முறையாகவும் இருக்கலாம். சில நேரங்களில் மருந்துகள் மட்டுமே போதுமானதாக இருக்கலாம்.

கிச்செயல்முறையிலுள்ள இடர்பாடுகள்

இதயச்சுவர் சிறை ஆன்ஜியோகிராஃபியிலுள்ள இடர்பாடுகள் பின்வருபவைகளையே சார்ந்திருக்கும்

- (i) இதயச்சுவர் சிறை தமனி நோயின் தன்மை (ii) இதயத்தின் ஏற்றியிறைத்தல் நிலை (iii) இதயத்தின் வயது மற்றும் பொது ஆரோக்கியம் ஏற்பட வாய்ப்புள்ள சில தீவிர இடர்பாடுகள் பின்வருமாறு. ஆனால் இவைகள் மட்டுமே முழுமையான இடர்பாடுகள் அல்ல

| | |
|---|---|
| 10.00-ல் ஒருவருக்கும் கீழ் (0.0001 சதவிகிதம்) | (a) கதிர்வீச்சின் காரணமாக ஏற்படும் தோல் பாதிப்பு, சருமம் சிவந்து போதல் |
| 1000-ல் ஒருவருக்கு (0.001 சதவிகிதம்) | (b) வலிப்பு, இது பக்கவாதம் மற்றும் நீண்டநாள் ஊனத்தை ஏற்படுத்தலாம் (c) மாரடைப்பு (d) எக்ஸ்-ரே கான்ட்ராஸ்ட் மீடியத்தின் (டைட்) ஆபத்தான விளைவுகள். இவை ஏற்பட்டால் உங்களுக்கு ஆஸ்துமா, அதிர்ச்சி மற்றும் வலிப்பு போன்றவைகள் ஏற்படலாம். 2,50,000 முதல் 4,00,000 ஊசிகளில் ஒன்று மரணத்தையும் விளைவிக்கலாம். (e) குத்தப்பட்ட இடத்தில் பெரிய அறுவை சிகிச்சை மேற்கொள்ள வேண்டியது வரலாம். (f) அவசரகால இதய அறுவை சிகிச்சை அல்லது ஆன்ஜியோபிளாஸ்டிக் தேவைப்படலாம். (g) எக்ஸ்ரே கதிர் பாதிப்பு காரணமாக அதிக வாழ்நாள் அச்சுறுத்தல் இடர்பாடு. (h) இறப்பு |
| 100-ல் ஒருவருக்கு (0.01 சதவிகிதம்) | (I) இதயம் சரியான முறையில் துடிக்காமல் இருக்கலாம். அதற்கு அவசரமாக சிகிச்சை தேவைப்படும் (j) குத்தப்பட்ட கவட்டை பகுதியில் அறுவை சிகிச்சை சரிபாடு. இதனால் மருத்துவமனையில் நீண்ட நாட்கள் தங்கியிருக்க வேண்டியது வரலாம் (k) தோல் அரிப்பு போன்ற சிறு விளைவுகள் (l) கான்ட்ராஸ்ட் மீடியம் காரணமாக சிறுநீரகம் செயல்படாமை அல்லது அதன் வலு குறைதல் |
| 20-ல் ஒருவருக்கு (0.01 சதவிகிதம்) | (m) குத்தப்பட்ட இடத்தில் பெரிய அளவினான சிராய்ப்பு அல்லது வீக்கம் |
| பெரும்பாலான மக்களுக்கு | (n) சிறிய அளவினான சிராய்ப்பு |

நோயாளி ஒப்புதல்

மருத்துவர் அவர்கள் என்னுடைய மருத்துவ நிலையையும் மற்றும் முன்மொழியப்பட்டுள்ள செயல்முறையையும் எனக்கு விளக்கினார். செயல்முறையிலுள்ள இடர்பாடுகள், மயக்க மருந்துகள் உட்பட எனக்கு குறிப்பாக ஏற்படும் இடர்பாடுகள் மற்றும் சிக்கல்கள் ஏற்பட்டால் என்னவாகும் என்பவைகளை நான் புரிந்து கொண்டேன். மருத்துவர் பிற தொடர்புள்ள சிகிச்சை விருப்பத் தேர்வுகள், அதன் இடர்பாடுகள் மற்றும் சிகிச்சை மறுப்பதற்கான என்னுடைய உரிமை ஆகியவைகளையும் எனக்கு விளக்கினார். அவர் என்னுடைய முன் கணிப்புகள் மற்றும் செயல்முறையை மேற்கொள்ளாமல் இருப்பதால் ஏற்பட வாய்ப்புள்ள இடர்பாடுகள் ஆகியவைகளையும் எனக்கு விளக்கினார். என்னுடைய நிலை குறித்து என்னால் கேள்வி எழுப்ப முடிந்தது மற்றும் என்னுடைய கவலைகளை தெரிவிக்கவும். செயல்முறை மற்றும் அதன் பலன்களை தெரிவிக்கவும் மற்றும் எனது சிகிச்சை விருப்பத்தேர்வுகள் குறித்த கவலைகளையும் என்னால் தெரிவிக்க முடிந்தது. என்னுடைய கேள்விகளும் மற்றும் கவலைகளும் கலந்தாலோசிக்கப்பட்டது மற்றும் எனக்கு திருப்திகரமான முறையில் அவற்றிற்கு பதிலளிக்கப்பட்டது. அசாதாரணமான கழுவில், எனக்கு கிரத்தமேற்றதல், ஒரு கூடுதல் செயல்முறை அல்லது அறுவைசிகிச்சை தேவைப்படலாம் என்பதை நான் புரிந்து கொண்டேன். உயிருக்கு ஆபத்தினை விளைக்கும் நிகழ்வுகள் ஏற்பட்டால் அதற்கு உடனடியாக சிகிச்சையளிக்கப்படும் என்பதை எனக்கு விளக்கினார். கிச்செயல்முறையினால் என்னுடைய நிலை மேம்படும் என்பதற்கு எந்தகைய உத்தரவாதமும் இல்லை என்பதை நான் புரிந்துகொண்டேன்.

செயல்முறையை எனக்கு மேற்கொள்ளுமாறு கேட்டுக்கொள்கிறேன்

| | கையெழுத்து | பெயர் | தேதி | நேரம் |
|------------------------------|------------|-------|------|-------|
| நோயாளி (பாதுகாவலர்) உறவுமுறை | | | | |
| சாட்சி | | | | |
| மருத்துவர் | | | | |
| மொழிபெயர்ப்பாளர் | | | | |



JCI ACCREDITED



NABH ACCREDITED



Every heart beat counts
(A Unit of United Alliance Healthcare Pvt Ltd)

TRANSRADIAL CORONARY ANGIOGRAM REPORT

| | | | |
|-------------------------------|-------------------------|-------------|----------------------|
| Patient Name: | Mr. PRABAKARAN.N | ID: | MHI202381529 |
| Age/Gender : | 50 M | IPH: | IPH2023002631 |
| Cath No. : | 3503 | DOP: | 29.12.2023 |
| Done by | | Assisted by | Technician |
| Dr.Gnanavelu/ Dr.Salai Sudhan | | Ms. Abinaya | Mr. Ram |

DIAGNOSIS: EXERTIONAL ANGINA III; T2DM; NORMAL LV FUNCTION

Access: Right Radial artery

Total exposure time: 4'20"

Hardware used: 5F sheath, 5F TIG

DAP : 10.6 Gy.cm2

Contrast used: CONTRAPAQUE 40 ml

Total RAK: 103 mGy

Medications given: Inj NTG 200 mcg & Inj Heparin 2500 IU IA

Hemodynamic data: Ao Pressure – 105/55(81) mmHg, HR – 76/min, Spo2 – 100%

Selective coronary angiogram done in multiple angulated views :

| ARTERY | FINDINGS |
|------------------|---|
| LEFT MAIN | Normal. Bifurcates into LAD & LCX |
| LAD | Type 3 vessel. Proximal to Mid LAD has diffuse disease upto 90% stenosis followed by 95% tubular stenosis. Distal LAD has non flow limiting disease with TIMI II flow. Gives 1 major diagonal which has diffuse disease. |
| LCx | Codominant. Proximal LCX astride OM1 has 90% tubular stenosis. Distal LCX has diffuse disease upto 90% stenosis. Gives 2 OMs. OM2 is a major vessel which has non flow limiting disease. Gives LPDA and LPLV which have luminal irregularities. |
| RCA | Codominant. Proximal RCA has luminal irregularities. Mid RCA has 70% discrete stenosis. Distal RCA and PDA has non flow limiting disease. |
| IMA | LIMA & RIMA appear normal. |

FINDINGS: CODOMINANT SYSTEM; TRIPLE VESSEL DISEASE**ADVICE: CABG x DISTAL LAD, MAJOR OM, LPDA/LPLV & RCA**


Dr. G. GNANAVELU, MD, DM

Dr. G. Gnanavelu MD, DM (cardio), FACC
Chief Cardiologist
Reg. No: 39469

#9, 1st Main Road, United India Colony, Kodambakkam, Chennai - 600024. Tel : 044 - 4310 8959

f @MedwayHospitals

@medwayhospitals

in @medway-hospitals

@medwayhospitals



94457 94457
1800 572 3003

Medway Group of Hospitals

| | | | | |
|------------------------------|---------------------------|-----------------------------|------------------------------|----------------------------|
| Kodambakkam 044-2473 4455 | Mogappair 044-26530011 | Kumbakonam 044-2473 4455 | Chengalpattu 044-27426829 | Villupuram 04146-242000 |
|------------------------------|---------------------------|-----------------------------|------------------------------|----------------------------|

Medway Centre of Excellence (Chennai)

Heart Institute
044 - 4310 8959

Institute of Pulmonology
044-2473 4454

E-mail : info@medwayhospitals.com | Website : www.medwayhospitals.com | CIN : U74900TN2011PTC083665

MHI/HOSP/2022/118



| DATE & TIME | Observation / Action | Signature with Emp.No |
|-------------------------|---|-----------------------|
| 29/12/23 10:45 | Patient Received from RL. PT is Conscious & Oriented; vitals are monitoring. | 0002 |
| 11:00 | Skin preparation done. Inj. Human Actrapid 150 units | 0002 |
| CATH LAB REPORTS | | |
| 29/12/23 12:30 | → patient received from KC to cath lab. pt is Conscious and Good oriented. In-line patient. | 0004 |
| 14:00 | → Sterile drapping done. | |
| 14:20 | → CATH procedure Start through Right Radial artery approach under L. local anesthesia. | |
| 14:30 | → During procedure G. RTA 200ml and G. Heparin 2.500 units I.A. given. B/O Dr. G. S. | 0004 |
| 14:35 | → IUF NS 100ml / hr outflow. | |
| 14:40 | → procedure got over. pt is stable. | |
| 14:45 | → pt is continuously Cardiac monitoring done. Hr. 76bpm, bp- 91/50, SpO2 100% | 0004 |
| 14:45 | → Right Radial artery sheath removed and Tight pressure bandage applied. No oozing no hematoma. | |
| 14:45 | → pt shifted to RL with all documents. | 0004 |
| 14:45 | → patient handing over to KC S/n. Aysha. | |
| Document endorsed by | Signature .. | Name Sandhiya R. |
| | Emp. No. 0004 | Date 29/12/23 |
| | | Time 14:45 |

[illegible]

SAFE PROCEDURE CHECKLIST
Adapted from WHO Safe Surgery Checklist

Name of the Procedure : CAOT Location : CATH LAB - I Date & Time : 29/12/23
13:20

Does the Procedure involve Procedural Sedation : ☐ Yes ☒ No

Mr. PRABAKARAN N
50 / Male / MHI202381529
29/12/2023 / IPH2023002631
Dr. G. GNANAVELU

| | | | | | |
|---|---|--|--|--|--|
| SIGN IN <u>13:55</u> Before Induction of Procedural Sedation | | TIME OUT <u>14:00</u> After procedural Sedation and before procedure | | SIGN OUT <u>14:20</u> When Doctor indicates | |
| (Anaesthetist / Qualified Physician administering Procedural Sedation + Nurse + Technician + Doctor performing the procedure) | | (Anaesthetist or Qualified Physician administering Procedural Sedation + Nurse + Technician + Doctor performing the Procedure) | | | |
| Patient Confirmation | | All team members introduce themselves by Name and Role | | To be done for each procedure in case of multiple procedures | |
| Identity by two identifiers | <input checked="" type="checkbox"/> Yes | Identity by two identifiers | <input checked="" type="checkbox"/> Yes | Name of the Procedure done written down | <input checked="" type="checkbox"/> Yes |
| Procedure | <input checked="" type="checkbox"/> Yes | Procedures | <input checked="" type="checkbox"/> Yes | Name and site of all specimens / investigations | <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> NA |
| Side | <input checked="" type="checkbox"/> Rt <input type="checkbox"/> Lt <input type="checkbox"/> NA | Side | <input checked="" type="checkbox"/> Rt <input type="checkbox"/> Lt <input type="checkbox"/> NA | confirms labeling and sent to lab | |
| Consent | <input checked="" type="checkbox"/> Yes | Position | <input checked="" type="checkbox"/> Yes | Any recovery concerns : | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> None |
| Known Allergy | <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, please specify | Consent | <input checked="" type="checkbox"/> Yes | If Yes, Pls. specify : | |
| Difficult airway / aspiration risk / dentures | <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes, equipment and assistance available | Required equipment and implants available | <input type="checkbox"/> Yes <input type="checkbox"/> NA | | |
| Possibility of hypothermia | <input type="checkbox"/> No <input type="checkbox"/> Yes, warmer in place | Essential Imaging displayed | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> NA | | |
| All concerned anesthesia equipment and medication check complete | <input checked="" type="checkbox"/> SpO2 <input type="checkbox"/> NIBP <input checked="" type="checkbox"/> Others pls. specify <u>ECG</u> | Antibiotic prophylaxis within last 60 minutes | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA | | |
| Pre OP medication taken | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Name of the Antibiotic given | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA | | |
| Required equipment for procedure available | <input type="checkbox"/> Yes <input type="checkbox"/> NA | Venous Thromboembolism Prophylaxis Provided | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA | | |
| | | Anticipated duration briefed | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA | | |
| | | Anticipated blood loss briefed | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA | | |
| | | Adequate fluids and blood available | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> NA | | |
| | | Team briefed on any critical or unexpected steps | <input checked="" type="checkbox"/> Yes | | |
| | | For procedural sedation cases | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> None | | |
| | | Any patient specific concerns : | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA | | |
| | | Intra procedure glyceric control | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NA | | |
| | | Any concerns about sterility | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> None | | |
| Anaesthetist / Doctor giving Procedural Sedation | Doctor performing the Procedure : | Nurse : <u>RN. 0202</u> | Technician : <u>S/T. Ran 0007</u> | Others Please Specify : | |
| Date : <u>29/12/23</u> Time : <u>14:25</u> | Date : <u>29/12/23</u> Time : <u>14:25</u> | Date : <u>29/12/23</u> Time : <u>14:25</u> | Date : <u>29/12/23</u> Time : <u>14:25</u> | Date : <u>29/12/23</u> Time : <u>14:25</u> | |

Procedure Monitoring Sheet (Cath Lab)

Patient Name : **Mr. PRABAKARAN N**
50/Male/MHI202381529
29/12/2023/IPH2023002631
UHID / IP : **Dr. G. GNANAVELU**
Consultant :

Age / Sex :

Ward Unit :

Diagnosis :

Pre Procedure Checklist (Please tick appropriately – To be filled by the Ward Nurse)

| PARAMETERS | YES | NO | NA |
|---|-----|----|----|
| Vital signs : BP: 118/74 Temp: 98.4 Pulse: 78 RR: 22 SPO2: 98 | ✓ | | |
| Urine voided | ✓ | | |
| Bowel preparation | | ✓ | |
| Pre-procedure medication administered | | ✓ | |
| Procedure site marked | ✓ | | |
| Skin preparation done | ✓ | | |
| NPO : 8.00am | | | |
| Loose Tooth removed | | ✓ | |
| Contact lenses / Eye glasses removed | | ✓ | |
| Prosthesis present | | ✓ | |
| Jewellery/Nail polish removed | ✓ | | |
| Checked for Allergies (Drug / food) | ✓ | | |
| IV line/In-situ | ✓ | | |
| Consent taken | ✓ | | |
| Investigation reports / Documents received | ✓ | | |
| Signature of Nurse <i>[Signature]</i> | | | |
| Date & Time : 29-12-23 @ 10.50 | | | |

Intra – Procedural Record (To be filled by the Cath Lab Nurse)

| Time | HR / min | RR / min | BP mmHg | SpO2% | Medication / Remarks | Sign. of Nurse |
|-------|----------|-----------|-------------|-------|----------------------|----------------|
| 13.50 | 76 bpm | 20 br/min | 96/50 (73) | 100% | - | R0004 |
| 14.10 | 72 bpm | 24 br/min | 105/55 (81) | 100% | - | R0004 |
| | | | | | procedure got over. | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Post Procedure Follow Up Data (to be filled by the doctor)

Time : 14:20 Route : Right Radial artery approach
 Complication : nil

BP : 116/61/85 mmHg, HR : 76 bpm, RR : 25 b/min SpO2 : 100%

Distal Pulse : felt, Puncture Site : NO oozing, no hematoma

Advise:

- ◆ Shift To: Ward / ICU
- ◆ Bed rest up to 5-6 hours
- ◆ Observe puncture site for bleeding
- ◆ Watch for Pulse in Right Radial artery.
- ◆ Diet - Diabetic Diet
- ◆ Inform Duty Medical Officer SOS
 - a) If patient complains of any Discomfort
 - b) If dressing is Loose or Socked with Blood
 - c) If limbs are Cold / Absent Pulse
- ◆ Remove 76 bandage dressing on 30/12/23 at 13:00 AM / PM after informing to the consultant.
- ◆ Special instruction if any: Nil

Name & Signature of Consultant

POST PROCEDURE OBSERVATION

| Date & Time | BP | HR | RR | SpO2% | Site Evaluation | Extremity Status | Remarks | Sign. of Nurse |
|---------------------------------|---------------|-----------|-----------|-------------|----------------------------|------------------|----------|----------------|
| <u>29/12/23</u> <u>14:20</u> | <u>114/61</u> | <u>77</u> | <u>25</u> | <u>100%</u> | <u>Right Radial artery</u> | <u>NO oozing</u> | <u>-</u> | <u>S. 2004</u> |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Nurses Notes : CAOT procedure got over. pt is stable. Right Radial artery sheath removed and tight pressure bandage applied. no oozing, no hematoma.

Condition at the end of procedure : ☒ Stable ☐ Critical

Patient shift to : ☐ Recovery Room ☐ Patient Room ☐ CCU ☐ Other

Name & Signature of the Nurse : S. 2004
Sandhiya

Date & Time : 29/12/23
E-14:45

BRADEN SCALE FOR PREDICTING PRESSURE INJURY RISK

| | | | | | | |
|---|---|--|--|--|-----|-----|
| SENSORY PERCEPTION ability to respond meaningfully to pressure-related discomfort | 1. Completely Limited Unresponsive (does not moan, flinch, or grasp) to painful stimuli, due to diminished level of consciousness or sedation OR limited ability to feel pain over most of body | 2. Very Limited Responds only to painful stimuli. Cannot communicate discomfort except by moaning or restlessness OR has a sensory impairment which limits the ability to feel pain or discomfort over 1/2 of body | 3. Slightly Limited Responds to verbal commands, but cannot always communicate discomfort or the need to be turned OR had some sensory impairment which limits ability to feel pain or discomfort in 1 or 2 extremities | 4. No Impairment Responds to verbal commands. Has no sensory deficit which would limit ability to feel or voice pain or discomfort | 4 | 4 |
| MOISTURE degree to which skin is exposed to moisture | 1. Constantly Moist Skin is kept moist almost constantly by perspiration, urine etc. Dampness is detected every time patient is moved or turned | 2. Very Moist Skin is often, but not always moist. Linen must be changed at least once a shift | 3. Occasionally Moist Skin is occasionally moist, requiring an extra linen change approximately once a day | 4. Rarely Moist Skin is usually dry, linen only requires changing at routine intervals | 4 | 4 |
| ACTIVITY degree of physical activity | 1. Bedfast Confined to bed | 2. Chairfast Ability to walk severely limited or non-existent. Cannot bear own weight and / or must be assisted into chair or wheelchair | 3. Walks Occasionally Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair | 4. Walks Frequently Walks outside room at least twice a day and inside room at least once every two hours during waking hours | 2 | 3 |
| MOBILITY ability to change and control body position | 1. Completely Immobile Does not make even slight changes in body or extremity position without assistance | 2. Very Limited Makes occasional slight changes in body or extremity position but unable to make frequent or significant changes independently | 3. Slight Limited Makes frequent through slight changes in body or extremity position independently | 4. No Limitation Makes major and frequent changes in position without assistance | 4 | 4 |
| NUTRITION usual food intake pattern | 1. Very Poor Never eats a complete meal. Rarely eats more than any food offered. Eats 2 servings or less of protein (meat or dairy products) per day. Takes fluids poorly. Does not take a liquid dietary supplement OR is NPO and / or maintained on clear liquids or IVs for more than 5 days | 2. Probably Inadequate Rarely eats a complete meal and generally eats only about 2 of any food offered. Protein intake includes only 3 servings of meat or dairy products per day. Occasionally will take a dietary supplement | 3. Adequate Eats over half of most meals. Eats a total of 4 servings of protein (meat, dairy products) per day. Occasionally will refuse a meal, but will usually take a supplement when offered OR is on a tube feeding or TPN regimen which probably meets most of nutritional needs | 4. Excellent Eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and dairy products. Occasionally eats between meals. Does not require supplementation | 3 | 3 |
| FRICTION & SHEAR | 1. Problem Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent re-positioning with maximum assistance. Spasticity, contractures or agitation leads to almost constant friction | 2. Potential Problem Moves feebly or requires minimum assistance. During a move skin probably slides to some extent against sheets, chair, restraints or other devices. Maintains relatively good position in chair or bed most of the time but occasionally slides down | 3. No Apparent Problem Moves in bed and in chair independently and has sufficient muscle strength to lift up completely during move. Maintains good position in bed or chair | | 3 | 3 |
| TOTAL SCORE | | | | | 19 | 21 |
| Initial & Emp. No. of Staff Nurse: | | | | | 024 | 018 |
| Initial & Emp. No. of Sr. Staff Nurse: | | | | | 024 | 018 |



Score Interpretation: Minimal Risk: 23 - 19; At Risk / Mild Risk: 18 - 15; Moderate Risk: 14 - 13; High Risk: 12 - 10; Severe Risk: 9 - 6

PAIN RE-ASSESSMENT & MONITORING CHART

| Date & Time | Pain Score | Pain Character (dull, achy, sharp, stabbing, shooting, burning, referred / radiant pain) | Duration | Location / Site | Interventions | Staff Initial & Emp. No. | Senior Staff Initial & Emp. No. |
|-------------------|------------|---|---------------------------|-----------------|---------------|--------------------------|---------------------------------|
| 29/12/23 10:45 | 0/10 | No pain | — | — | — | 0152 | Jey 000 |
| | | | Patient received @ 14:50. | | | | |
| 14:50 | 0/10 | No pain | — | — | — | 0152 | Jey 000 |
| 15:50 | 0/10 | No pain | — | — | — | 0152 | Jey 000 |
| 16:00 | 0/10 | No pain | — | — | — | 0152 | Jey 000 |
| 17:00 | 0/10 | No pain | — | — | — | 0152 | Jey 000 |
| | | | DCC | | | | |
| | | | | | | | |
| | | | | | | | |

| Date & Time | Pain Score | Pain Character (dull, achy, sharp, stabbing, shooting, burning, referred / radiant pain) | Duration | Location / Site | Interventions | Staff Initial & Emp. No. | Senior Staff Initial & Emp. No. |
|-------------|------------|---|----------|-----------------|---------------|--------------------------|---------------------------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



PAIN SCALES

| | | | | | | |
|--|---|--|--|--|--|---|
| PIPPS (28 weeks to \leq 38 weeks) | 6 or less = Minimal to no pain 7 - 12 = Mild pain - Provide comfort measures >12 = Moderate to severe pain - Pharmacological intervention | | | | | |
| CRIES (38 weeks - 2 months) | The CRIES scale is used for infants > than or = 38 weeks of gestation. A maximal score of 10 is possible. If the CRIES score is > 4, further pain assessment should be undertaken, and analgesic administration is indicated for a score of 6 or higher. | | | | | |
| FLACC Scale (2 months - 7 years) | 0: Relaxed & comfortable, 1-3: Mild discomfort, 4-6: Moderate discomfort, 7-10: Severe discomfort / pain / both | | | | | |
| Wong-Baker FACES Pain Rating Scale (7 years - 12 years) |  | | | | | Numerical Rating Scale (age more than 12 years)  |
| Critical care Pain Observation Tool (CPOT) (ventilator / comatose) | FACIAL EXPRESSION: 0 - Relaxed, Neutral, 1 - Tense, 2 - Grimacing BODY MOVEMENTS: 0 - Absence of movements or normal position, 1 - Protection, 2 - Restlessness / Agitation COMPLIANCE WITH VENTILATION (Intubated patients): 0 - Tolerating Ventilator or Movement, 1 - Coughing but tolerating, 2 - Fighting ventilator (or) VOCALIZATION (non-intubated patients): 0 - Talking on normal tone or no sound, 1 - Sighing, Moaning, 2 - Crying out, sobbing MUSCLE TENSION: 0 - Relaxed, 1 - Tense, Rigid, 2 - Very Tense, Rigid TOTAL SCORE: 0 - 2: No Pain; 3 - 4: Moderate Pain; 5 - 8: Severe Pain | | | | | |
| Non-pharmacological Interventions | Distraction: A - Relaxation-conducive environment; B - TV; C - Music; D - Physical and mental exercisers Cutaneous Stimulation and massage: E - Positioning; F - Rubbing / Massage the skin Thermal Therapies (no longer than 15 to 20 minutes): G - Cold application; H - Hot application; I - Shortwave diathermy Transcutaneous electrical nerve stimulation (TENS): J - Interferential therapy Psycho-social therapy/counseling: K - Individual Counseling; L - Family counseling | | | | | |

Pharmacological Interventions as per doctor's prescription

DVT RISK ASSESSMENT

Assign a score of 1 if (YES) in parameter nos. 1 to 9, and assign a score of -2 if (YES) in parameter no. 10

| | | Date | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | Time | | | | | | |
| S. No. | PARAMETERS | | | | | | | |
| 1 | Active cancer (on-going treatment or diagnosed within 6 months or palliative care) | 0 | | | | | | |
| 2 | Bedridden recently >3 days or major surgery within four weeks | 0 | | | | | | |
| 3 | Calf swelling >3 cm compared with asymptomatic side, measured at 10 cm below tibial tubercle (Assess for both legs) | 0 | | | | | | |
| 4 | Collateral (nonvaricose) superficial veins present (Assess for both legs) | 0 | | | | | | |
| 5 | Entire leg swollen (Assess for both legs) | 0 | | | | | | |
| 6 | Localized tenderness along the deep venous system (Assess for both legs) | 0 | | | | | | |
| 7 | Pitting edema, greater in the symptomatic leg (Assess for both legs) | 0 | | | | | | |
| 8 | Paralysis, paresis, or recent plaster immobilization of the lower extremity (Assess for both legs) | 0 | | | | | | |
| 9 | Previously documented DVT (Assess for both legs) | 0 | | | | | | |
| 10 | Alternative diagnosis to DVT as likely or more likely (Assess for both legs) / Co-morbidity like ESLD / Renal disease, Renal failure, CCF Cellulitis (commonly mistaken as DVT), Dependent (stasis) oedema, Lymphatic obstruction. Septic arthritis, Cirrhosis, Nephrotic syndrome, Calf muscle tear or strain, Haematoma (collection of blood) in the muscle, Sprain or rupture of a leg tendon, Fracture. | 0 | | | | | | |
| FINAL SCORE | | 0 | | | | | | |
| Low Risk: -2 to 0 Moderate Risk: 1 to 2 High Risk: 3 to 8 | | | | | | | | |
| DVT prophylaxis started | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | <input type="checkbox"/> Yes <input type="checkbox"/> No | <input type="checkbox"/> Yes <input type="checkbox"/> No | <input type="checkbox"/> Yes <input type="checkbox"/> No | <input type="checkbox"/> Yes <input type="checkbox"/> No | <input type="checkbox"/> Yes <input type="checkbox"/> No | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Signature & Emp. No. of RN | |  | | | | | | |
| Signature & Emp. No. of Sr. RN | |  | | | | | | |



Medway Hospitals

The way to better health

(A Unit of United Alliance Healthcare Pvt Ltd)




Mr. PRABAKARAN N

50/Male/MHI202381529

29/12/2023/IPH2023002631

Dr.G. GNANAVELU





Where

MODIFIED MORSE FALL RISK ASSESSMENT CHART

| Variables | Date | 29/12/23 | 29/12/23 | | | | | | | |
|---|------|----------|----------|----|----|----|----|----|----|----|
| | Time | 10:45 | 14:50 | | | | | | | |
| History of falling (immediate or within 6 months) | No | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Yes | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| Secondary diagnosis (≥ 2 medical diagnosis) | No | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Yes | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| Intravenous Therapy / Heparin Lock / Tubes Insitu | No | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Yes | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| AMBULATORY AID | | | | | | | | | | |
| None / Bed Rest / Nurse Assist | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crutches / Cane / Walker | | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| Furniture | | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| GAIT | | | | | | | | | | |
| Normal / Bed Rest / Wheel Chair | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Weak | | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Impaired | | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| MENTAL STATUS | | | | | | | | | | |
| Oriented to own stability | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Overestimated or forgets limitations | | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| MEDICATIONS Includes PCA / opiates, diuretics, laxatives, hypnotics, sedatives, immunosuppressant, anticonvulsants, anti-hypertensives, hypoglycemics and psychotropics | | | | | | | | | | |
| No | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Yes | | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| Total Score | | 50 | 50 | | | | | | | |
| Low Risk (0 - 24) | | | | | | | | | | |
| Medium Risk (25 - 44) | | | | | | | | | | |
| High Risk (45 or above) | | ✓ | ✓ | | | | | | | |
| Signature & Emp. No. of RN | | | | | | | | | | |
| Signature & Emp. No. of Sr. RN | | | | | | | | | | |

0 - 24: Low Risk; 25 - 44: Medium Risk; 45 or above: High Risk

| INTERVENTIONS <i>Tick as per the Risk Score</i> | Date | | | | | | | | |
|---|---|---|--|--|--|--|--|--|--|
| | Time | | | | | | | | |
| Low Risk Interventions (0 - 24) | | | | | | | | | |
| Familiarize the patient with the immediate surroundings | / | / | | | | | | | |
| Remind the patient to use call bell before getting out of bed | / | / | | | | | | | |
| Keep the two side rails in the raised position at all times for all patients regardless of age | / | / | | | | | | | |
| Keep the call bell, bedside table, water, glasses within the patient's easy reach | / | / | | | | | | | |
| Remove excess equipment or furniture to make a clear path | / | / | | | | | | | |
| Keep the patient's bed in the low position at all times except during procedure | / | / | | | | | | | |
| Teach fall-prevention techniques, such as sitting up for a moment before rising from the bed | / | / | | | | | | | |
| Bed wheels should be locked | / | / | | | | | | | |
| Encourage family participation in the patient's care | / | / | | | | | | | |
| Ensure that floor of the bathroom is dry and not slippery | / | / | | | | | | | |
| Review medications for potential side effects that can promote falls | / | / | | | | | | | |
| Use safety belts during movement in wheelchair | / | / | | | | | | | |
| The patients are not ambulated by themselves. They are to be ambulated only with assistance | / | / | | | | | | | |
| Medium risk interventions (25 - 44) | | | | | | | | | |
| Apply all the low risk interventions | / | / | | | | | | | |
| Tie yellow fall risk tag in the bed and Wheel chair / Stretcher | / | / | | | | | | | |
| Make sure that proper transfer precautions are instituted for heavy or debilitated patients in a bed or wheel chair or on a toilet seat | / | / | | | | | | | |
| Use restraints and bed monitors as ordered by the doctor | / | / | | | | | | | |
| Allow the patient to ambulate only with assistance | / | / | | | | | | | |
| Consider peak effects of the medications that effects level of consciousness, gait and elimination when planning patient's care | / | / | | | | | | | |
| Do not leave patients unattended in diagnostic or treatment areas | / | / | | | | | | | |
| Accompany the patient while going to bathroom | / | / | | | | | | | |
| Advice the patient to use grab bars near the toilet, bathtub, and shower | / | / | | | | | | | |
| Make sure the family and other visitors understand the restrictions mentioned above | / | / | | | | | | | |
| High-risk interventions (45 or above) | | | | | | | | | |
| Apply all the low and medium risk interventions | / | / | | | | | | | |
| Tie red fall risk tag in the bed, wheel chair and stretcher | / | / | | | | | | | |
| Locate the high-risk patients in a room close to the nurses' station | / | / | | | | | | | |
| Answer these patients call bells as quickly as possible | / | / | | | | | | | |
| Provide a commode at bedside (if appropriate) | / | / | | | | | | | |
| Urinal/bedpan should be within easy reach (if appropriate) | / | / | | | | | | | |
| Encourage family members or other visitors to stay with them | / | / | | | | | | | |
| If appropriate, consider using protection devices: safety belts | / | / | | | | | | | |
| Signature & Emp. No. of RN |  | | | | | | | | |
| Signature & Emp. No. of Sr. RN |  | | | | | | | | |

MEDWAY HOSPITALS

KODAMBAKKAM (HEART)

, 1st Main Road, United India Colony , Kodambakkam, Chennai, Tamilnadu, In

044-2473.4455

care@medwayhospitals.com

| | | | |
|------------------------|------------------------|-----------------------|------------------------|
| Registration No | : MHI202381529 | Patient Name | : PRABAKARAN N |
| Age | : 50 | Gender | : Male |
| IP Number | : MMH/HM/IPH2023002631 | Discharge Date | : 29/12/2023 4:27:00PM |
| Bill No | : MMH/HM/IPH00643 | Bill Date | : 29/12/2023 4:26:22PM |
| Ward Name | : RADIAL LOUNGE | Bed Name | : V_RL-7 |

NO DUE

